



evolve systems



ISO 14001:2004 Registered
CGSB #006b



level™
the BIFMA sustainability standard
SCS-SCF0245-4
SCS-SCF0245-4

PROTECTING THE ENVIRONMENT FOR FUTURE GENERATIONS

Our environmental success story began with the challenge to create an office system that would meet today's business requirements while maintaining a firm commitment to save and protect the environment.

Sustainability became a part of the creative focus and development of Evolve that incorporates the latest technology and design features to provide excellent performance at a competitive price.

As government and industry environment ratings such as LEEDS & Greenguard become more prevalent, Evolve offers designers and architects functional, attractive, and economical office designs that meet these standards.

Evolve is a leader in reducing waste in the manufacturing of its products as well as utilizing recycled materials wherever possible. We make extensive use of recycled plastic and wood waste from other Global factories.

Evolve is committed to the continuous improvement of our environmental systems, the prevention of pollution, and to comply with both the spirit and the letter of all relevant environmental legislation.

Evolve Panels are 100% recyclable at the end of their lifespan. Nothing from an Evolve Panel needs to end up in a landfill.

PRODUCT INFORMATION

Evolve offers fabrics that are made from 100% recycled polyester, which means less waste going to landfills. These fabrics also reduced the demand for petroleum products, and decrease the environmental impacts of processing those petroleum products into polyester.

Evolve has developed a Panel interior made from 100% recycled wood and polypropylene. Through innovative design and technology, Evolve utilizes waste that would have normally been sent to landfill.

Evolve Panels are insulated with Roxul, a mineral wood insulation made from slag, an inert steel by-product, and basalt rock. Roxul is a high density product that provides maximum sound absorption to reduce noise in the work environment. Roxul insulation is fire resistant, water repellent and will not support the growth of fungi or mildew.

Evolve's epoxy powder coating process involves no liquids and is solvent free. It contains no harmful VOC's or lead. Up to 99% of over sprayed powdered is reclaimed, mixed with virgin powder and reused.



REFERENCES

Features, Benefits & General Information	4-5
Coding an Order	6-8
Textiles & Finishes	320-324
Panel COM Form	325
Panel Fabric Specification Sheet	326
Panel Fabric Sample.....	328
Appendix	329
Terms & Conditions.....	330-331

PANELS

Panels – Technical Information.....	10
Panel – Types	11-19
Panel – Configurations.....	20-21
Monolithic.....	22-27
Segmented	28-33
Partly Glazed	34-43
Fully Glazed	44-47
Reception	48-49
Pass-thru Sliding door.....	50-51
Slatwall	52-58
Write Board.....	59-60
Laminate.....	61-64
Airflow.....	65-68
Metal Skin.....	69-72
Open	73-78
No Raceway	79-91
Gallery.....	92-105
1” Laminate.....	106-108
Double Inline Connector.....	109
Door.....	110-112
Acoustic Grid	113-114

EXTENSION MODULES

Extension Modules – Technical Information	115
Extension Modules – Types	115
Fabric.....	116
Tempered Glass.....	117
Reception Panel	118
Write Board.....	119
Laminate.....	120-122
Airflow.....	123
Open	124
Bridge Panel	125-127
Bridge Module.....	128-133
Privacy Glass.....	134-144
Felt Divider.....	144-145

PET Felt Divider	146-147
Ceiling Filler	148-150
Privacy Panels	151-167

PANELS - CONNECTORS

Panels – Technical Information.....	170
Inline Connector.....	171-173
End-of-Run.....	174
Two-Way Post	175-178
Three-Way Post.....	179-183
Four-Way Post.....	184-187
One Way Post.....	188-189
Inline Two-Way Post	190-91
60 Degree.....	192-194
45 Degree.....	194-195
Upmount End of Run	195-196
Extension.....	197-200
Trims.....	201-205

ELECTRICAL

Electrical – Technical Information	206
Electrical – Wire Schematic	207
Electrical – Configurations.....	208-209
Power Distribution Housing.....	210
Cables.....	211
Power Entry.....	211-213
Post Extension.....	213-215
Task Lights.....	215
LED Lights	215-217
Accessories	219-220

WORKSURFACES

Worksurfaces – Technical Information.....	222
Worksurfaces – Configuration	223
Worksurfaces – Grain Direction	224
Straight Worksurface.....	225-227
Curvilinear Worksurface	228
Corner Worksurface	229-232
“L” Worksurface.....	234
Transition Worksurface.....	234
Hatchet Worksurfaces	235
“D” Worksurface.....	235
“P” Top	235
Straight Wedge Worksurfaces	236
Piano Top.....	237
Quarter Round Panel Worksurface	238
Radius Worksurface.....	239

Arc Front Worksurface	239
Transaction Worksurfaces	240-243
Height Adjustable	244-247
Accessories	248-254

FREESTANDING DESKING

Freestanding Worksurface with Corner Legs ..	258-259
--	---------

STORAGE

Storage – Technical Information	262-265
Overhead Storage	266-277
1200 Series Pedestal	278-280
Cube Storage.....	281-285
Lateral Files.....	285-286, 294-297, 304
Conversion Kits	288
Double Wall Cabinets	289-292
1200 Series Storage Towers.....	292-294
Storage Cabinets.....	297-298
Accessories	299-302
Laminate Pedestals.....	295-306
Storage Towers	307-308
Credenza.....	309-310
Key Alike Form	311

ACCESSORIES

Tack Board.....	306
White Marker Board	306
Load Bars.....	307
Rail Accessories.....	308-311
Keyboard Supports	312
Mouse Supports	313
Keyboard Combination Chart	314
Monitor Arms	315-317
Laptop Support.....	317
Desktop Document Holder	318
Foot Rest	318
Touch-up Paint Kit	31

PANELS

- NOTE: Panels consist of module frames, module interiors and a variety of skins.

Panel Information

- All metal components are painted with environmentally friendly epoxy powder.
- Raceway Interiors are coated with recycled epoxy powder.
- The entire Evolve Panel and the processes used to manufacture it are designed to save and protect the environment. Evolve panels are made from recycled materials and are 100% recyclable.
- Panels conform to CGSB and ANSI/BIFMA Standards
- The quality and performance level of these panels have been tested to equal or exceed the requirements of the U.S. Government.
- Classified as Acoustic, these panels meet the acoustical requirements of the U.S. Government with the following ratings:
 - .65 NRC
 - 23 STC
- Panel has a steel frame and is 2 7/8" thick. Corner posts create a panel creep of 3 1/4".
- Leveling Glides extend 2 1/2" high. (Carpet grippers are available, contact Evolve Customer Support).

Panel Options

- Standard, Beltline and Light* Segmented Panels are available in the following heights: 30", 42", 54" and 66".
- Standard, Beltline and Light* Monolithic Panels are available in the following heights: 42", 48", 54" and 66"
 - * Light panels do not contain a base raceway, therefore the listed heights consider the 6" open space that would have contained a raceway.
- Standard and Light Panel widths come in (8) sizes: 18", 24", 30", 36", 42", 48" 54" and 60"
- Beltline Panel widths come in (7) sizes: 24", 30", 36", 42", 48", 54" and 60". The 6" Power Belt Module is metal with knockouts on both sides.
- Beltline Panel with Chimney widths come in (2) sizes: 36" and 42".

Panel Skin Options

- Acoustic Fabric (Tackable), Glazed, Open, Laminate, Whiteboard, Metal, Air Flow, Slat

Panel Extension Modules

- Attaches to the top of Standard, Beltline or Light panels.
- Offered in 6", 12", 18" and 24" heights
- Can be stacked in an excess of 14'-0". (Contact the Evolve Specification Department regarding additional support required.)

Extension Module Options

- Fabric, Glazed, Open, Laminate, Whiteboard and Airflow. Laminate and Whiteboard available in single and double sided.

Panel Reconfiguration

- Panels can be modified on site by replacing fabric modules with Glazed, Open, Laminate, Whiteboard or Air Flow at any time after the initial installation*.
- All panel types existing on site can have their height altered by replacing the vertical liners (on each side of the panel) and adding or subtracting modules* as required.
- Fabric can be replaced easily; using pre-cut segments of fabric, a drawstring (C-Jex) is sewn in around the edges. Then a rubber spline is used to 'screen' the fabric in place.
- Panels can be removed from the workstation, without having to remove an overhead or worksurface.
- Corner connectors can be converted from 2-way to 3-way, etc., by attaching an in-line connector with one screw.
- The Power Belt Module for the Beltline Panels cannot be relocated.

*Contact Evolve Customer Support for information on field installed modules (they are available in heights of 6", 12" and 24")

VOICE/DATA AND ELECTRICAL POWER

- NOTE: Panels and Electric components are CSA/UL approved. Tools are not required to install electrical in the Evolve Panel System.

Voice and Data can be run at the following levels:

- Standard Panels—Base of the panel.
- Beltline Panels—Base, Beltline of the panel.
- Beltline Light Panels—Beltline of the panel.

Electric can be run at the following levels:

- Standard Panels—Base raceway
- Beltline Panels—Base and/or Beltline raceway
- Light Panels—Do not contain a raceway for electric.
- Beltline Light Panels—Beltline raceway

Additional Data and Electric Options

- A panel mounted power bar can be mounted on-module at any level and contains a 14' cord.
- Desktop modules are available to install in the worksurface scoop for electric and data.
- 6" Vertical Panel provides electric and data above the worksurface and electric just below the worksurface.

Electric Information

- Electric can be run in any raceway whether it is at the base or Beltline.
 - 8-Wire, 4-Circuit Capability
 - 2 Utility + 2 Dedicated Circuits
 - 10 Gauge (oversized) Neutrals.
- All circuits can support up to 20 amps (15 CSA).

Raceway Information

- Raceway knockouts sizes conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38" x 2.71" at the base and Beltline.
- Panels 24" wide include raceway covers with one knockout.
- Panels 30" wide include raceway covers with two knockouts.
- Panels 36"-60" wide include raceway covers with three knockouts.
- Standard data face mount plates can be used without the need of adapter plates (supplied by others).

Cabling Capacities

(calculations below are based on CAT5 cables)

Base Raceway – for Standard and Beltline Panels

- Without Electric – 140 Cables
- With Electric – 48 Cables

Beltline Raceway – for Beltline and Light Beltline Panels

- Without Electric – 65 Cables
- With Electric – 54 Cables

Panel Connectors - 45 Degree Connectors Posts

- Without Electric – 20 Cables
- With Electric – 6 Cables

Panel Connectors - 60 Degree Connector Posts

- Without Electric – 20 cables
- With Electric – 6 Cables

Post Extension - 90 Degree Post

- Without Electric - 45 Cables
- With Electric - 25 Cables

Post Extension - 45 Degree Post

- Without Electric - 20 Cables
- With Electric - 6 Cables

Post Extension - 60 Degree Post

- Without Electric - 20 Cables
- With Electric - 6 Cables

WORKSURFACES

- NOTE: Worksurfaces come in a variety of shapes and sizes.

Worksurface Options

- Standard worksurface depths are 18"d, 24"d and 30"d.
- Standard worksurface widths range from 24"w – 84"w standard depending on the shape.



Worksurface Laminate Options

- Thermally Fused – 1" thick
- High Pressure – 1-1/16" thick
- High Pressure – 1-7/16" thick
- Wood Veneer – Contact Customer Support for Quotes

Worksurface Information

- Cable scoops are located in the back of each worksurface to route power and data cables
- Depth from center of scoop to panel is 1-1/8".
- Once installed there is a 3/8" gap between the worksurface and the panels for additional cabling needs.
- Custom sizes are available, contact Customer Support for Quotes.
- Metal inserts are standard for a metal to metal connection between the worksurface and the supporting hardware. This will allow product to be reconfigured many times and still perform.
- All worksurfaces utilize balanced construction.

STORAGE

Pedestals

- Available as Worksurface Supporting, Freestanding and Mobile.
- Mobile pedestals are available with or without a cushion. Mobile pedestals with a cushion can have an upholstery fabric applied to them.
- Standard Pedestal Depths are 18"d, 19"d, 23"d, 24"d, 29"d and 30"d
- Pedestal widths are 15"w. Please note maximum extension of pedestal glide is 1".

File Drawers

- 150 lb Full Extension Slides
- Full height drawer sides are standard on all File drawers which enables the hanging of files from the drawer side so no extra hardware is necessary. File drawers accept legal, letter and metric sized files.

Box Drawers

- 75 lb Single Action Slides

Drawer Information

- Steel construction guarantees the performance of the product over the long term.
- Welded joints with a full top, back and base ensure that the pedestal will sit square and adequately support the worksurface where necessary.
- Double wall drawer face
- 20 gauge steel
- Metal roller ball bearing slides
- Adjustable glides are accessible from the inside of the pedestal.
- Standard positive and secure locking system.
- Epoxy powder coated.
- Locks can be keyed alike or master keyed*. Please note Key list(s) required to key alike.
- *Master Key must be ordered separate.
- Standard recessed handle offers uncluttered aesthetic.

Lateral Files

- All lateral files are 18" deep
- Standard widths are 30"w, 36"w and 42"w.
- Standard EV12 Heights are 27.75"h, 40.5"h, 54"h and 65.88"h.
- Available with fixed front drawers, receding doors with roll-out shelf, and half height drawers (See page 184 for more information Lateral File)

Lateral File Information

- Drawer anti-locking system
- Three Stage, anti-bounceback suspension
- Receding door features 16 gauge, spring loaded hinges
- Premium drawer slides with black zinc coating for smoother, quieter motion.
- Pre-Installed file bars
- 18-20 gauge steel
- Adjustable glides are accessible from the inside of the lateral file. Please note maximum extension for lateral glide is 5/8"

Storage Towers

- Features all metal construction and a choice of 20 different configurations.
- Heights include 50"h, 54"h and 65.875"h. 42"h and 48"h available upon request.
- 24"w x 24"d
- Side shelving available.

Bookcases and Storage Cabinets

- Features all metal construction.
- Available in widths of 30"w, 36"w and 42"w.
- Heights include 27.75"h, 40.5"h, 54"h and 65.88"h.

Overhead Storage

- Standard widths include 24"w (not available on all units), 30"w, 36"w, 42"w, 48"w, 54"w and 60"w. Please note ADA and Double Wall Overheads are not available in 24"
- Standard heights range from 12"h to 17.5"h.
- Overhead Options
- Flat Front 12" Flipper Door
- Full Pull 13" Flipper Door
- Full Pull Double Wall Flipper Door (also available with shelf option)
- Full Pull 16" Flipper Door (door retracts inside cabinet)
- Sliding glass doors
- ADA Compliant Overhead with soft close mechanism
- High and Low Profile Shelf
- A magnetic whiteboard is available for metal front overheads.

WARRANTIES AND PERFORMANCE


- A Lifetime Warranty
- Non Obsolescence Warranty
- Reduced cost of assembly and reconfiguration
- ISO9001:2000 Registered
- ISO14001:2004 Registered
- GreenGuard Certified
- ANSI/BIFMA CGSB testing on all products
- For piece of mind over the long term, we cover you with a comprehensive warranty that is supported by our dealer network.
- Some installation companies claim that the Evolve Panels System can be installed in half the time it takes to install most of our competitor's segmented panels. This cost saving can amount to thousands of dollars over the lifetime of our furniture.
- Your assurance of consistent quality to an international standard. Evolve Systems is committed to design, manufacture and distribute superior quality office furniture, which meets or exceeds the requirements of our customers.
- Confirmation that Evolve is committed (1) to providing product that, through their entire life cycle, minimize negative environmental impacts on the environment, (2) to continuous improvement to our environmental systems and programs and (3) to comply to all relevant environmental legislation and regulations.
- Evolve Systems can help a company meet LEED requirements for office furniture.
- Evolve components are tested to the highest standard in the industry. This is your assurance of quality and longevity.

Evolve products have been coded using alphas that correspond with the product name. This creates an easy-to-remember code. The following breaks down the coding logic and highlights the required code components needed to order within each product category.

PANELS

Example:

Product: Segmented Panel



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Panel category

Fabric-covered or partly fabric-covered Panel

Acoustic Panel
(EVPF P – represents Premium Acoustic)

2 EVPFA**6648**

Panel size offering. Listed on every product page with price listing.
Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

3 EVPFA6648 –**BLK**


Finish code for frame. See Textiles & Finishes pages 251-252.

To specify fabric for an Evolve Panel, please note:

4 EVPFA6648–BLK–**B84A**

Fabric code for all modules on both sides of the Panel*.
See Textiles & Finishes pages 251-252.

*** NOTE:** If different fabrics are to be included on an Evolve Panel, please use the following ordering format. **Start at the bottom** of one side of a Panel and work to the top module of that Panel. Then start the process over on the other side of the Panel. As an example:



= 66

Position 3

Position 2

Position 1


- | | | |
|----|------|-------------|
| 11 | B86A | I = Inside |
| 12 | B84A | O = Outside |
| 13 | B86A | |
| 01 | B86A | |
| 02 | B86A | |
| 03 | B86A | |



ELECTRICAL

Example:

Product: Pass-Through Cables



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Electrical category

Cable Panel.

Pass-Through.


2 EVE8CP40

Product size offering – length. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

WORKSURFACES

Example:

Product: Curvilinear Worksurface - Left



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Worksurface category

Cur**V**ilinear shape

Left hand configuration

2 EWWL3042

Worksurface size offering. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

3 EWWL3042–T431

Laminate code for surface. See Textiles & Finishes pages 251-252.

4 EWWL3042–T431–CHR

PVC code for trim. See Textiles & Finishes pages 240-241.


WORKSURFACES - HARDWARE

Example:

Product:

End Panel

Specify




Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Hardware category

End Panel.

End **P**anel.



Laminate code for End Panel. See Textiles & Finishes pages 251-252.


STORAGE

Example:

Product:

Box, Box, File Pedestal

Specify



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Storage category

Box drawer

Box drawer

File drawer


ACCESSORIES

Example:

Product:

White Board

Specify



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Accessories category

White Board

White Board



panels

TECHNICAL FEATURES OF EVOLVE PANELS:

- Evolve Panels are 2 7/8" thick.
- An aluminum low profile top cap is included with the panel.
- Base Raceway will allow for 140 data cables without electrical, or 48 data cables with electrical.
- Beltline Raceway will allow for 65 data cables without electrical or 54 data cables with electrical.
- 90 degree post extension will allow for 45 data cables without electric and 25 data cables with electric.
- Raceway knockout openings are 1.38" x 2.71".
- Acoustic Rating: .65 = NRC - Noise Reduction Coefficient
- STC: 23 = Sound Transmission Coefficient

BASIC FEATURES OF EVOLVE PANELS:

- Evolve Segmented Panels are available in four (4) basic heights: 30", 42", 54" and 66"; and eight (8) widths: 18", 24", 30" 36", 42", 48", 54" High and 60".
- Evolve Monolithic Panels are available in four (4) basic heights: 42", 48", 54" and 66"; and eight (8) widths: 18", 24", 30" 36", 42", 48", 54" and 60".
- Evolve Panels must include the same segmentation on both sides of the panel. Cannot be Monolithic on one side and Segmented on the other.
- Opposite sides of each Fabric Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- There is no panel creep in a straight Panel-to-Panel configuration; however, a corner post (2, 3, 4 way) will add 3.25" inches to a panel run.
- All Fabric Acoustic Panels (EVPFA) are composed of a 6" raceway module and a 24" base-height module which create the EVPFA30. Subsequent heights are created by adding either a 12" high module to create an EVPFA42 or a 24" high module to create an EVPFA54. The addition of both 12" and 24" modules creates a EVPFA66.
- In contrast, a Premium Panel (EVFPF) is composed of a 6" raceway module, a 24" base-height module and either two (2) or three (3) 12" modules which make up the two premium heights: EVFPF54 and EVFPF66.
- All Panels available with Aluminum trim as a standard option.
- Individual fabric covered acoustic modules incorporated into a rigid steel frame.
- Raceway covers included with panels
- Beltline Panels contain a 6" Power Belt Module that is metal with knockouts on both sides.

BASIC FEATURES OF EXTENSION MODULES:

- Stackability: Evolve Panels can be increased in height in 6", 12", 18" or 24" increments. See Extension Module (pages 82-90) for part numbers.
- Panel Extension Modules stack on the top of a Panel.
- Modules can be stacked to add privacy or divide space.
- Opposite sides of a fabric module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one Panel, the entire Module must be priced at highest grade.


GENERAL WARRANTY INFORMATION:

- Panel and tackboard textiles, adjustable keyboard mechanisms, tasklights and electrical devices = ten (10) Years
- Other parts = Lifetime Warranty




MONOLITHIC PANELS - PAGES 22-27


Monolithic Panel




Monolithic Light Panel




Monolithic Beltline Powered Panel




Monolithic Beltline Powered Light Panel




Monolithic Beltline Powered Chimney Panel




Chimney Jumper Cable Kit



Monolithic Beltline Non-Powered Panel




Monolithic Beltline Non-Powered Light Panel




SEGMENTED PANELS - PAGES 28-33


Segmented Panel




Segmented Light Panel




Segmented Premium Panel




Segmented Premium Light Panel




Segmented Beltline Powered Panel




Segmented Beltline Powered Light Panel




Segmented Beltline Powered Chimney Panel




Chimney Jumper Cable Kit



Segmented Beltline Non-Powered Panel




Segmented Beltline Non-Powered Light Panel




PARTLY GLAZED - TEMPERED GLASS PANELS - PAGES 34-43

Monolithic 12"H Glazed Panel




EVPMGTU48 EVPMGTU54 EVPMGTU66

Monolithic 12"H Glazed Light Panel




EVPLMGTU48 EVPLMGTU54 EVPLMGTU66

Segmented 12"H Glazed Panel




EVPPGTU66

Segmented 12"H Glazed Light Panel




EVPLFGTU66

Segmented 12"H Glazed Premium Panel




EVPPFGTU54 EVPPFGTU66

Segmented 12"H Glazed Premium Light Panel




EVPLFGTU54 EVPLFGTU66

Partly Glazed Panel



EVPGT42 EVPGT54 EVPGT66

Partly Glazed Light Panel




EVPLFGT42 EVPLFGT54 EVPLFGT66

Partly Glazed Panel - 36"H




EVPGTX66

Partly Glazed Light Panel - 36"H




EVPLFGTX66

Partly Glazed Beltline Powered Panel




EVPPBFGT54 EVPPBFGT66

Partly Glazed Beltline Powered Light Panel




EVPLBFGT54 EVPLBFGT66

Partly Glazed Beltline Powered Chimney Panel




EVPPBCFGT54 EVPPBCFGT66

Chimney Jumper Cable Kit




EVE8CPCP

Partly Glazed Premium Panel



EVPPFGT54 EVPPFGT66

Partly Glazed Premium Light Panel




EVPLFPGT54 EVPLFPGT66




FULLY GLAZED - TEMPERED GLASS PANELS - PAGES 44-47


Fully Monolithic Panel




Fully Monolithic Light Panel




Fully Glazed Segmented Panel




Fully Glazed Segmented Light Panel



Fully Glazed Premium Panel




Fully Glazed Premium Light Panel




PASS-THRU SLIDING DOOR - PAGES 50-51

Pass-Thru Sliding Door Glazed Panel




Fabric Glazed Pass-Thru Sliding Door Panel




SLATWALL PANELS - PAGES 52-58


Slatwall Panel - Single Sided




Slatwall Light Panel - Single Sided




Slatwall Panel - Double Sided




Slatwall Light Panel - Double Sided




Frameless Slatwall Panel - Double Sided




Frameless Slatwall Beltline Powered Panel - DS




Frameless Slatwall Beltline Powered Light Panel - DS



Frameless Slatwall Beltline Powered Chimney Panel - Double Sided




Chimney Jumper Cable Kit




WRITE BOARD PANELS - PAGES 59-60


Write Board Panel - Single Sided




Write Board Light Panel - Single Sided



Write Board Panel - Double Sided




Write Board Light Panel - Double Sided




LAMINATE PANELS - PAGES 61-64


Laminate Panel - Single Sided




Laminate Light Panel - Single Sided



Laminate Panel - Double Sided




Laminate Light Panel - Double Sided




AIRFLOW PANELS - PAGES 65-68


Airflow Panel




Airflow Light Panel




Airflow Premium Panel




Airflow Premium Light Panel



Airflow Middle Premium Panel




Airflow Middle Premium Light Panel




METAL SKIN PANELS - PAGES 69-72


Metal Skin Panel - Single Sided




Metal Skin Light Panel - Single Sided



Metal Skin Panel - Double Sided




Metal Skin Light Panel - Double Sided




OPEN PANELS - PAGES 73-78


Open Bottom Panel




Open Bottom Light Panel




Open Bottom Premium Panel




Open Bottom Premium Light Panel




Open Middle Panel - 12"H Opening




Open Middle Light Panel - 12"H Opening




Open Middle Premium Panel - 12"H Opening




Open Middle Premium Light Panel - 12"H Opening



Open Middle Panel - 24"H Opening




Open Middle Light Panel - 24"H Opening




NO RACEWAY PANELS - PAGES 79-91

Segmented




EVPFA3018NR

Monolithic




EVPFAM4218NR

Laminate - Single Sided




EVPH1S3018NR

Laminate - Double Sided




EVPH2S3018NR

Fully Glazed Monolithic




EVPXGT9018NR

Inline Connector



EVPIC30NR

End of Run




EVPERA30NR

Corner Post - One Way




EVPCPA130NR

Inline Corner Post - Two Way




EVPIPA230NR

Corner Post - Two Way




EVPCPA230PNR

Corner Post - Three Way



EVPCPA330PNR

Corner Post - Four Way



EVPCPA430PNR



GALLERY PANELS - PAGES 92-105

Laminate Double Sided Finished Ends



EVLEPDS4251NC

Laminate Double Sided Connector Ends



EVLEPDS4251

Laminate Single Sided Finished Ends



EVLEPSSL4227NC

Laminate Double Sided Connector Ends



EVLEPSSL4227

Laminate Double Sided Middle Base Power, Finished Ends



EVLEPDC4251NC

Laminate Double Sided Middle Beltline Power, Finished Ends



EVICLXP4251NC

Laminate Double Sided Base Power, Connector Ends



EVLEPDC4251

Laminate Double Sided Middle Beltline Power, Connector Ends



EVICLXP4251

Laminate Single Sided Middle Base Power, Finished Ends



EVLEPSC4227NC

Laminate Single Sided Middle Base Power, Connector End



EVLEPSC4227

Laminate Single Sided Middle Beltline Power, Finished Ends




EVLEPSCB4227NC

Laminate Single Sided Middle Beltline Power, Connector End



EVLEPSCB4227

Laminate Gallery Extension Finished End



EVLXPML4224NC

Laminate Gallery Straight Extension, Connector Ends



EVLXPML4224

Laminate Gallery Two-Way Extension, Finished Ends



EV2LXPL4225

Laminate Gallery Three-Way Extension, Finished Ends



EV3LXPL4249

Laminate Double Gallery for Four-Way, Finished Ends



EV4LXP4249

Laminate Extension Panel for Four-Way, Finished Ends



EV4LXPM4224

Panel Connector with U Channel



EVPERCH42

Panel Connector w/U Channel For Beltline Panels



EVPPERCH42

Laminate Gallery Panel Bottom Bracket



EVHLPBB01

Laminate Gallery Panel Corner Bracket



EVHLPGB01


Connector w/U Channel Top Trim Aluminum



EVPTTAU24


1" LAMINATE PANELS - PAGES 106-108

1" Laminate End Panel




EVLEPR42

1" Laminate Middle Panel



EVLMP42

1" Laminate End Panel w/ Accessory Rail




EVLEPR42A

1" Laminate Middle Panel w/ Accessory Rail




EVLMP42A

Double Inline Panel Connector




EVPDIC42

Beltline DoubleInline Panel Connector




EVBDIC42

Double Inline Connector Trim



EVPDVTF42


Double Inline Panel Connector Top Trim - Aluminum



EVPTTA25

DOOR PANELS - PAGES 110-112

Door Panel - Solid



EVPS84

EVPS90

Knob Lock Set




EVPSL01

Lever Lock Set




EVPSL02

Sliding Door Lock



EVPSLLOCK


Sliding Privacy Door



EVPSL66


EVPSL81

Mini Panel Kit



EVMPK02

High Profile Foot



EVHFF01



PRIVACY PANELS - PAGES 149-164

Glazed Monolithic Privacy Panel



EVPPXGT4218 EVPPXGT4218M EVPPXGTF4218

Ribbed Monolithic Privacy Panel




EVPPXGR4218 EVPPXGR4218M EVPPXGRF4218

78" Glazed Monolithic Privacy Panel




EVPPXGT7824 EVPPXGT7824M EVPPXGTF7824

Glazed Privacy Panel



EVPPGT5424 EVPPGT5424M

Glazed Privacy Panel



EVPPGT6624 EVPPGT6624M

Laminate Glazed Privacy Panel




EVPPHGTU5424 EVPPHGTU5424M

Laminate Glazed Privacy Panel




EVPPHGT5424 EVPPHGT6624M

Laminate Privacy Panel




EVPPH2S5424 EVPPH2S5424M

Write Board Glazed Privacy Panel



EVPPF2W5424 EVPPF2W5424M

Write Board Laminate Privacy Panel




EVPPH2W5424 EVPPH2W5424M

This page provides an exploded view of a sample configuration highlighting each **Panel** component required when specifying this configuration.

Components


- | | |
|--|---|
| <p>A. EVPERA66 End-of-Run Kit (Wall mount)
Note: adds 1" to the width of a Panel Run.</p> <p>B. EVPFA6636 Segmented Panel</p> <p>C. EVPIC66 Inline Panel Connector</p> <p>D. EVPCPA266 Two-Way Corner Post
Note: Trim kit included.
Post Connectors can be custom manufactured with or without slots. Contact your Evolve Customer Support Representative for a special quote.</p> | <p>E. EVPVC66 Variable-Height Connector
Note: Connector height must reference taller Panel.</p> <p>F. EVPTVA24 Panel Trim Variable-Height</p> <p>G. EVPFA4236 Segmented Panel</p> |
|--|---|



This page provides an exploded view of a sample configuration highlighting each **Beltline Power Panel** component required when specifying this configuration.





Components

- | | |
|---|---|
| <p>A. EVPERA66 End-of-Run Kit (Wall mount)
Note: adds 1" to the width of a Panel Run.</p> <p>B. EVPBCFAM6636 Monolithic Beltline Powered Chimney Panel</p> <p>C. EVPBIC66 Inline Panel Connector for Beltline Electric Panels</p> <p>D. EVPBIPA266 Two-Way Corner Post for Beltline Electric Panels
Note: Trim kit included.
Post Connectors can be custom manufactured with or without slots. Contact your Evolve Customer Support Representative for a special quote.
Note: All beltline post connectors come with PVC covers to install at beltline height on all sides.</p> | <p>E. EVPVC66 Variable-Height Connector for Beltline Electric Panels
Note: Connector height must reference taller Panel.</p> <p>F. EVPTEA24 Panel Extension Trim</p> <p>G. EVPBFAM4236 Monolithic Beltline Powered Panel</p> |
|---|---|



EVPFAM - MONOLITHIC PANEL





- Monolithic Panel incorporates fabric modules within a solid steel frame.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Panel - 42" High	EVPFAM4218	330	361	42	18	2 7/8
		EVPFAM4224	353	388	42	24	2 7/8
		EVPFAM4230	404	449	42	30	2 7/8
		EVPFAM4236	431	482	42	36	2 7/8
		EVPFAM4242	477	538	42	42	2 7/8
		EVPFAM4248	520	589	42	48	2 7/8
		EVPFAM4254	571	645	42	54	2 7/8
	Monolithic Panel - 48" High	EVPFAM4818	334	365	48	18	2 7/8
		EVPFAM4824	368	408	48	24	2 7/8
		EVPFAM4830	426	471	48	30	2 7/8
		EVPFAM4836	464	515	48	36	2 7/8
		EVPFAM4842	518	578	48	42	2 7/8
		EVPFAM4848	561	628	48	48	2 7/8
		EVPFAM4854	621	698	48	54	2 7/8
	Monolithic Panel - 54" High	EVPFAM5418	339	370	54	18	2 7/8
		EVPFAM5424	373	412	54	24	2 7/8
		EVPFAM5430	433	478	54	30	2 7/8
		EVPFAM5436	482	535	54	36	2 7/8
		EVPFAM5442	538	598	54	42	2 7/8
		EVPFAM5448	585	653	54	48	2 7/8
		EVPFAM5454	641	719	54	54	2 7/8
	Monolithic Panel - 66" High	EVPFAM6618	418	450	66	18	2 7/8
		EVPFAM6624	458	498	66	24	2 7/8
		EVPFAM6630	518	566	66	30	2 7/8
		EVPFAM6636	603	655	66	36	2 7/8
		EVPFAM6642	675	736	66	42	2 7/8
		EVPFAM6648	732	798	66	48	2 7/8
		EVPFAM6654	814	888	66	54	2 7/8
EVPFAM6660	893	974	66	60	2 7/8		






EVPLFAM - MONOLITHIC LIGHT PANEL

- Monolithic Light Panel incorporates fabric modules within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Light Panel - 42” High	EVPLFAM4218	317	343	42	18	2 7/8
		EVPLFAM4224	333	370	42	24	2 7/8
		EVPLFAM4230	383	427	42	30	2 7/8
		EVPLFAM4236	410	458	42	36	2 7/8
		EVPLFAM4242	455	510	42	42	2 7/8
		EVPLFAM4248	493	557	42	48	2 7/8
		EVPLFAM4254	543	612	42	54	2 7/8
		EVPLFAM4260	588	663	42	60	2 7/8
	Monolithic Light Panel - 48” High	EVPLFAM4818	321	348	48	18	2 7/8
		EVPLFAM4824	350	384	48	24	2 7/8
		EVPLFAM4830	404	448	48	30	2 7/8
		EVPLFAM4836	440	488	48	36	2 7/8
		EVPLFAM4842	491	547	48	42	2 7/8
		EVPLFAM4848	534	596	48	48	2 7/8
		EVPLFAM4854	590	660	48	54	2 7/8
		EVPLFAM4860	641	717	48	60	2 7/8
	Monolithic Light Panel - 54” High	EVPLFAM5418	322	350	54	18	2 7/8
		EVPLFAM5424	355	386	54	24	2 7/8
		EVPLFAM5430	412	455	54	30	2 7/8
		EVPLFAM5436	458	507	54	36	2 7/8
		EVPLFAM5442	510	568	54	42	2 7/8
		EVPLFAM5448	555	617	54	48	2 7/8
		EVPLFAM5454	610	680	54	54	2 7/8
		EVPLFAM5460	667	744	54	60	2 7/8
	Monolithic Light Panel - 66” High	EVPLFAM6618	400	427	66	18	2 7/8
		EVPLFAM6624	435	470	66	24	2 7/8
		EVPLFAM6630	491	537	66	30	2 7/8
		EVPLFAM6636	571	621	66	36	2 7/8
		EVPLFAM6642	641	698	66	42	2 7/8
		EVPLFAM6648	696	757	66	48	2 7/8
		EVPLFAM6654	771	841	66	54	2 7/8
		EVPLFAM6660	847	926	66	60	2 7/8

EVPBFAM - MONOLITHIC BELTLINE POWERED PANEL




- Monolithic Beltline Powered Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both side.
- A Chimney Panel is required to run electric and data from the base to belt.
- Beltline Connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Powered Panel - 42” High 24” Fabric /6” Power Belt /6” Fabric	EVPBFAM4224	436	458	42	24	2 7/8
		EVPBFAM4230	515	542	42	30	2 7/8
		EVPBFAM4236	587	617	42	36	2 7/8
		EVPBFAM4242	661	698	42	42	2 7/8
		EVPBFAM4248	732	771	42	48	2 7/8
		EVPBFAM4254	801	846	42	54	2 7/8
	Monolithic Beltline Powered Panel - 54” High 24” Fabric /6” Power Belt /18” Fabric	EVPBFAM5424	523	555	54	24	2 7/8
		EVPBFAM5430	614	650	54	30	2 7/8
		EVPBFAM5436	694	735	54	36	2 7/8
		EVPBFAM5442	779	827	54	42	2 7/8
		EVPBFAM5448	855	914	54	48	2 7/8
		EVPBFAM5454	939	1002	54	54	2 7/8
	Monolithic Beltline Powered Panel - 66” High 24” Fabric /6” Power Belt /30” Fabric	EVPBFAM6624	620	676	66	24	2 7/8
		EVPBFAM6630	723	788	66	30	2 7/8
		EVPBFAM6636	818	892	66	36	2 7/8
		EVPBFAM6642	921	1009	66	42	2 7/8
		EVPBFAM6648	1017	1115	66	48	2 7/8
		EVPBFAM6654	1115	1224	66	54	2 7/8
		EVPBFAM6660	1213	1334	66	60	2 7/8






EVPBLFAM - MONOLITHIC BELTLINE POWERED LIGHT PANEL

- Monolithic Beltline Powered Light Panel incorporates fabric modules with a power beltline raceway within a solid steel frame
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- There is no base raceway in Light Panels to accommodate electrical
- Light Beltline Panel Connectors must be used in conjunction with Light Beltline Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Powered Light Panel - 42” High	EVPBLFAM4224	414	436	42	24	2 7/8
		EVPBLFAM4230	490	515	42	30	2 7/8
	24” Fabric /6” Power Belt /6” Fabric	EVPBLFAM4236	557	589	42	36	2 7/8
		EVPBLFAM4242	627	663	42	42	2 7/8
		EVPBLFAM4248	696	734	42	48	2 7/8
		EVPBLFAM4254	762	807	42	54	2 7/8
		EVPBLFAM4260	829	880	42	60	2 7/8
	Monolithic Beltline Powered Light Panel - 54” High	EVPBLFAM5424	482	512	54	24	2 7/8
		EVPBLFAM5430	565	603	54	30	2 7/8
	24” Fabric /6” Power Belt /18” Fabric	EVPBLFAM5436	638	679	54	36	2 7/8
		EVPBLFAM5442	713	763	54	42	2 7/8
		EVPBLFAM5448	788	844	54	48	2 7/8
		EVPBLFAM5454	865	927	54	54	2 7/8
		EVPBLFAM5460	935	1004	54	60	2 7/8
	Monolithic Beltline Powered Light Panel - 66” High	EVPBLFAM6624	576	632	66	24	2 7/8
		EVPBLFAM6630	670	736	66	30	2 7/8
	24” Fabric /6” Power Belt /30” Fabric	EVPBLFAM6636	759	836	66	36	2 7/8
		EVPBLFAM6642	855	943	66	42	2 7/8
		EVPBLFAM6648	945	1046	66	48	2 7/8
		EVPBLFAM6654	1037	1145	66	54	2 7/8
		EVPBLFAM6660	1128	1249	66	60	2 7/8


EVPBCFAM - MONOLITHIC BELTLINE POWERED CHIMNEY PANEL

- Monolithic Chimney Beltline Powered Panel incorporates fabric modules with a power beltline raceway within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module listings for part numbers

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Powered Chimney Panel - 42” High 24” Fabric Chimney /6” Power Belt /6” Fabric	EVPBCFAM4236	660	694	42	36	2 7/8
		EVPBCFAM4242	734	770	42	42	2 7/8
	Monolithic Beltline Powered Chimney Panel - 54” High 24” Fabric Chimney /6” Power Belt /18” Fabric	EVPBCFAM5436	763	807	54	36	2 7/8
		EVPBCFAM5442	850	898	54	42	2 7/8
	Monolithic Beltline Powered Chimney Panel - 66” High 24” Fabric Chimney /6” Power Belt /30” Fabric	EVPBCFAM6636	889	965	66	36	2 7/8
		EVPBCFAM6642	993	1081	66	42	2 7/8

EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT



- Contains two (2) 17” flexible harnesses and one (1) “I” connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Chimney Panel Jumper Cable Kit	EVE8CPCP	310			





EVPBFFAM - MONOLITHIC BELTLINE NON-POWERED PANEL

- Monolithic Beltline Non-Powered Panel incorporates fabric modules within a solid steel frame.
- Electrical cannot pass through panel at the beltline level.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Non-Powered Panel - 54” High	EVPBFFAM5424	523	559	54	24	2 7/8
	24” Fabric /6” Fabric /18” Fabric	EVPBFFAM5430	614	655	54	30	2 7/8
		EVPBFFAM5436	694	740	54	36	2 7/8
		EVPBFFAM5442	779	835	54	42	2 7/8
		EVPBFFAM5448	855	921	54	48	2 7/8
		EVPBFFAM5454	939	1011	54	54	2 7/8
		EVPBFFAM5460	1018	1099	54	60	2 7/8
	Monolithic Beltline Non-Powered Panel - 66” High	EVPBFFAM6624	620	678	66	24	2 7/8
	24” Fabric /6” Fabric /30” Fabric	EVPBFFAM6630	723	791	66	30	2 7/8
		EVPBFFAM6636	818	897	66	36	2 7/8
		EVPBFFAM6642	921	1016	66	42	2 7/8
		EVPBFFAM6648	1017	1122	66	48	2 7/8
		EVPBFFAM6654	1115	1232	66	54	2 7/8
		EVPBFFAM6660	1213	1344	66	60	2 7/8






EVPBLFFAM - MONOLITHIC BELTLINE NON-POWERED LIGHT PANEL

- Monolithic Beltline Non-Powered Light Panel incorporates all fabric modules within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Electrical cannot pass through panel at the beltline level.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Non-Powered Light Panel - 54” High	EVPBLFFAM5424	482	518	54	24	2 7/8
	24” Fabric /6” Fabric /18” Fabric	EVPBLFFAM5430	568	611	54	30	2 7/8
		EVPBLFFAM5436	638	684	54	36	2 7/8
		EVPBLFFAM5442	713	771	54	42	2 7/8
		EVPBLFFAM5448	788	852	54	48	2 7/8
		EVPBLFFAM5454	865	935	54	54	2 7/8
		EVPBLFFAM5460	935	1016	54	60	2 7/8
	Monolithic Beltline Non-Powered Light Panel - 66” High	EVPBLFFAM6624	576	635	66	24	2 7/8
	24” Fabric /6” Fabric /30” Fabric	EVPBLFFAM6630	670	740	66	30	2 7/8
		EVPBLFFAM6636	759	841	66	36	2 7/8
		EVPBLFFAM6642	855	952	66	42	2 7/8
		EVPBLFFAM6648	945	1052	66	48	2 7/8
		EVPBLFFAM6654	1037	1154	66	54	2 7/8
		EVPBLFFAM6660	1128	1258	66	60	2 7/8

EVPFA - SEGMENTED PANEL






- Segmented Panel incorporates fabric modules within a solid steel frame.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Panel - 30" High	EVPPFA3018	322	335	30	18	2 7/8
		EVPPFA3024	333	355	30	24	2 7/8
		EVPPFA3030	373	394	30	30	2 7/8
		EVPPFA3036	403	427	30	36	2 7/8
		EVPPFA3042	431	461	30	42	2 7/8
		EVPPFA3048	476	508	30	48	2 7/8
		EVPPFA3054	514	551	30	54	2 7/8
	Segmented Panel - 42" High	EVPPFA4218	356	378	42	18	2 7/8
		EVPPFA4224	377	405	42	24	2 7/8
		EVPPFA4230	437	469	42	30	2 7/8
		EVPPFA4236	468	508	42	36	2 7/8
		EVPPFA4242	537	579	42	42	2 7/8
		EVPPFA4248	576	626	42	48	2 7/8
		EVPPFA4254	639	695	42	54	2 7/8
	Segmented Panel - 54" High	EVPPFA5418	382	412	54	18	2 7/8
		EVPPFA5424	417	454	54	24	2 7/8
		EVPPFA5430	477	521	54	30	2 7/8
		EVPPFA5436	533	584	54	36	2 7/8
		EVPPFA5442	603	661	54	42	2 7/8
		EVPPFA5448	669	736	54	48	2 7/8
		EVPPFA5454	726	796	54	54	2 7/8
	Segmented Panel - 66" High	EVPPFA6618	482	517	66	18	2 7/8
		EVPPFA6624	518	564	66	24	2 7/8
		EVPPFA6630	574	626	66	30	2 7/8
		EVPPFA6636	671	737	66	36	2 7/8
		EVPPFA6642	757	830	66	42	2 7/8
		EVPPFA6648	814	895	66	48	2 7/8
		EVPPFA6654	882	972	66	54	2 7/8
	Segmented Panel - 66" High	EVPPFA6618S	482	517	66	18	2 7/8
		EVPPFA6624S	518	564	66	24	2 7/8
		EVPPFA6630S	574	626	66	30	2 7/8
		EVPPFA6636S	671	737	66	36	2 7/8
		EVPPFA6642S	757	830	66	42	2 7/8
		EVPPFA6648S	814	895	66	48	2 7/8
		EVPPFA6654S	882	972	66	54	2 7/8
EVPPFA6660S	956	1055	66	60	2 7/8		





EVPLFA - SEGMENTED LIGHT PANEL

- Segmented Light Panel incorporates fabric modules within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Light Panel - 30" High	EVPLFA3018	306	320	30	18	2 7/8
		EVPLFA3024	320	333	30	24	2 7/8
		EVPLFA3030	355	374	30	30	2 7/8
		EVPLFA3036	382	404	30	36	2 7/8
		EVPLFA3042	410	436	30	42	2 7/8
		EVPLFA3048	453	484	30	48	2 7/8
		EVPLFA3054	488	521	30	54	2 7/8
		EVPLFA3060	523	561	30	60	2 7/8
	Segmented Light Panel - 42" High	EVPLFA4218	337	357	42	18	2 7/8
		EVPLFA4224	358	382	42	24	2 7/8
		EVPLFA4230	415	448	42	30	2 7/8
		EVPLFA4236	448	482	42	36	2 7/8
		EVPLFA4242	509	547	42	42	2 7/8
		EVPLFA4248	547	595	42	48	2 7/8
		EVPLFA4254	606	655	42	54	2 7/8
		EVPLFA4260	666	723	42	60	2 7/8
	Segmented Light Panel - 54" High	EVPLFA5418	363	390	54	18	2 7/8
		EVPLFA5424	399	429	54	24	2 7/8
		EVPLFA5430	455	493	54	30	2 7/8
		EVPLFA5436	506	551	54	36	2 7/8
		EVPLFA5442	571	624	54	42	2 7/8
		EVPLFA5448	638	698	54	48	2 7/8
		EVPLFA5454	691	755	54	54	2 7/8
		EVPLFA5460	739	815	54	60	2 7/8
	Segmented Light Panel - 66" High	EVPLFA6618	458	490	66	18	2 7/8
		EVPLFA6624	490	534	66	24	2 7/8
		EVPLFA6630	545	595	66	30	2 7/8
		EVPLFA6636	640	699	66	36	2 7/8
		EVPLFA6642	721	787	66	42	2 7/8
		EVPLFA6648	771	846	66	48	2 7/8
		EVPLFA6654	838	924	66	54	2 7/8
		EVPLFA6660	909	1001	66	60	2 7/8
	Segmented Light Panel - 66" High	EVPLFA6618S	458	490	66	18	2 7/8
		EVPLFA6624S	490	534	66	24	2 7/8
		EVPLFA6630S	545	595	66	30	2 7/8
		EVPLFA6636S	640	699	66	36	2 7/8
		EVPLFA6642S	721	787	66	42	2 7/8
		EVPLFA6648S	771	846	66	48	2 7/8
		EVPLFA6654S	838	924	66	54	2 7/8
		EVPLFA6660S	909	1001	66	60	2 7/8



EVFPF - SEGMENTED PREMIUM PANEL

- Segmented Premium Panel incorporates fabric modules within a solid steel frame.
- Segmented Premium panels incorporate 12" H acoustic modules above 24" base module , plus 6" H base raceway.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Premium Panel - 54" High	EVFPF5418	449	477	54	18	2 7/8
		EVFPF5424	476	511	54	24	2 7/8
		EVFPF5430	524	567	54	30	2 7/8
		EVFPF5436	617	667	54	36	2 7/8
		EVFPF5442	698	756	54	42	2 7/8
		EVFPF5448	746	809	54	48	2 7/8
		EVFPF5454	791	867	54	54	2 7/8
		EVFPF5460	837	917	54	60	2 7/8
	Segmented Premium Panel - 66" High	EVFPF6618	564	598	66	18	2 7/8
		EVFPF6624	587	631	66	24	2 7/8
		EVFPF6630	639	695	66	30	2 7/8
		EVFPF6636	676	742	66	36	2 7/8
		EVFPF6642	805	878	66	42	2 7/8
		EVFPF6648	881	963	66	48	2 7/8
		EVFPF6654	939	1027	66	54	2 7/8
		EVFPF6660	998	1098	66	60	2 7/8

EVPLFP - SEGMENTED LIGHT PANEL - PREMIUM



- Segmented Premium Light Panel incorporates fabric modules within a solid steel frame.
- Segmented Premium panels incorporate 12" H acoustic modules above 24" base module , plus 6" H open base.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Premium Light Panel - Premium - 54" High	EVPLFP5418	427	453	54	18	2 7/8
		EVPLFP5424	453	486	54	24	2 7/8
		EVPLFP5430	498	539	54	30	2 7/8
		EVPLFP5436	588	633	54	36	2 7/8
		EVPLFP5442	663	716	54	42	2 7/8
		EVPLFP5448	708	768	54	48	2 7/8
		EVPLFP5454	753	820	54	54	2 7/8
		EVPLFP5460	794	871	54	60	2 7/8
	Segmented Premium Light Panel - Premium - 66" High	EVPLFP6618	537	568	66	18	2 7/8
		EVPLFP6624	557	597	66	24	2 7/8
		EVPLFP6630	606	655	66	30	2 7/8
		EVPLFP6636	642	703	66	36	2 7/8
		EVPLFP6642	763	834	66	42	2 7/8
		EVPLFP6648	837	914	66	48	2 7/8
		EVPLFP6654	892	975	66	54	2 7/8
		EVPLFP6660	947	1041	66	60	21/4





EVPBFA - SEGMENTED BELTLINE POWERED PANEL

- Segmented Beltline Powered Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Powered Panel - 54” High	EVPBFA5424	522	552	54	24	2 7/8
	24” Fabric /6” Power /6” Fabric /12” Fabric	EVPBFA5430	612	648	54	30	2 7/8
		EVPBFA5436	704	749	54	36	2 7/8
		EVPBFA5442	790	839	54	42	2 7/8
		EVPBFA5448	864	921	54	48	2 7/8
		EVPBFA5454	947	1011	54	54	2 7/8
		EVPBFA5460	1032	1102	54	60	2 7/8
	Segmented Beltline Powered Panel - 66” High	EVPBFA6624	624	666	66	24	2 7/8
	24” Fabric /6” Power /6” Fabric /24” Fabric	EVPBFA6630	732	779	66	30	2 7/8
		EVPBFA6636	829	887	66	36	2 7/8
		EVPBFA6642	933	998	66	42	2 7/8
		EVPBFA6648	1031	1103	66	48	2 7/8
		EVPBFA6654	1132	1212	66	54	2 7/8
		EVPBFA6660	1231	1318	66	60	2 7/8



EVPBLFA - SEGMENTED BELTLINE POWERED LIGHT PANEL

- Segmented Beltline Powered Light Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Light Panel Connectors must be used in conjunction with Beltline Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Powered Light Panel - 54” High	EVPBLFA5424	480	510	54	24	2 7/8
	24” Fabric /6” Power /6” Fabric /12” Fabric	EVPBLFA5430	561	597	54	30	2 7/8
		EVPBLFA5436	649	695	54	36	2 7/8
		EVPBLFA5442	728	779	54	42	2 7/8
		EVPBLFA5448	794	852	54	48	2 7/8
		EVPBLFA5454	872	934	54	54	2 7/8
		EVPBLFA5460	952	1019	54	60	2 7/8
	Segmented Beltline Powered Light Panel - 66” High	EVPBLFA6624	576	615	66	24	2 7/8
	24” Fabric /6” Power /6” Fabric /24” Fabric	EVPBLFA6630	671	721	66	30	2 7/8
		EVPBLFA6636	763	822	66	36	2 7/8
		EVPBLFA6642	860	924	66	42	2 7/8
		EVPBLFA6648	947	1019	66	48	2 7/8
		EVPBLFA6654	1041	1121	66	54	2 7/8
		EVPBLFA6660	1133	1222	66	60	2 7/8


EVPBCFA - SEGMENTED BELTLINE POWERED CHIMNEY PANEL

- Segmented Chimney Beltline Powered Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Powered Chimney Panel - 54” High	EVPBCFA5436	779	822	54	36	2 7/8
	24” Fabric Chimney /6” Power / 6” Fabric /12” Fabric	EVPBCFA5442	864	914	54	42	2 7/8
	Segmented Beltline Powered Chimney Panel - 66” High	EVPBCFA6636	901	961	66	36	2 7/8
	24” Fabric Chimney /6” Power / 6” Fabric /24” Fabric	EVPBCFA6642	1006	1071	66	42	2 7/8

EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT



- Contains two (2) 17” flexible harnesses and one (1) “I” connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Chimney Panel Jumper Cable Kit	EVE8CPCP	310			





EVPBFFA - SEGMENTED BELTLINE NON-POWERED PANEL

- Double Beltline Non-Powered Panel incorporates all fabric modules within a solid steel frame.
- Electrical cannot pass through panel at the beltline level.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Non-Powered Panel - 54” High	EVPBFFA5424	504	533	54	24	2 7/8
		EVPBFFA5430	551	593	54	30	2 7/8
	24” Fabric /6” Fabric /6” Fabric /12” Fabric	EVPBFFA5436	649	699	54	36	2 7/8
		EVPBFFA5442	732	788	54	42	2 7/8
		EVPBFFA5448	785	846	54	48	2 7/8
		EVPBFFA5454	828	898	54	54	2 7/8
		EVPBFFA5460	869	946	54	60	2 7/8
	Segmented Beltline Non-Powered Panel - 66” High	EVPBFFA6624	546	589	66	24	2 7/8
		EVPBFFA6630	641	695	66	30	2 7/8
	24” Fabric /6” Fabric /6” Fabric /24” Fabric	EVPBFFA6636	740	801	66	36	2 7/8
		EVPBFFA6642	832	901	66	42	2 7/8
		EVPBFFA6648	910	989	66	48	2 7/8
		EVPBFFA6654	1000	1086	66	54	2 7/8
		EVPBFFA6660	1087	1188	66	60	2 7/8




EVPBLFFA - SEGMENTED BELTLINE NON-POWERED LIGHT PANEL

- Double Beltline Non-Powered Panel incorporates all fabric modules within a solid steel frame.
- Electrical cannot pass through panel at the beltline level.
- There is no base raceway in Light Panels to accommodate electrical
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments.
- See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Non-Powered Light Panel - 54” High	EVPBLFFA5424	415	451	54	24	2 7/8
		EVPBLFFA5430	490	530	54	30	2 7/8
	24” Fabric /6” Fabric /6” Fabric /12” Fabric	EVPBLFFA5436	556	606	54	36	2 7/8
		EVPBLFFA5442	622	679	54	42	2 7/8
		EVPBLFFA5448	691	753	54	48	2 7/8
		EVPBLFFA5454	787	856	54	54	2 7/8
		EVPBLFFA5460	825	901	54	60	2 7/8
	Segmented Beltline Non-Powered Light Panel - 66” High	EVPBLFFA6624	518	560	66	24	2 7/8
		EVPBLFFA6630	574	624	66	30	2 7/8
	24” Fabric /6” Fabric /6” Fabric /24” Fabric	EVPBLFFA6636	671	734	66	36	2 7/8
		EVPBLFFA6642	757	828	66	42	2 7/8
		EVPBLFFA6648	814	892	66	48	2 7/8
		EVPBLFFA6654	882	971	66	54	2 7/8
		EVPBLFFA6660	956	1053	66	60	2 7/8

EVPMGU - MONOLITHIC 12”H GLAZED PANEL - TEMPERED GLASS




- Monolithic 12”H Glazed Panel incorporates a lower fabric module with a 12”H top position glazed module, into a solid steel frame.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic 12”H Glazed Panel - Tempered Glass - 48” High	EVPMGU4818	490	518	48	18	2 7/8
		EVPMGU4824	573	613	48	24	2 7/8
		EVPMGU4830	665	710	48	30	2 7/8
		EVPMGU4836	759	814	48	36	2 7/8
		EVPMGU4842	842	901	48	42	2 7/8
		EVPMGU4848	916	985	48	48	2 7/8
		EVPMGU4854	1017	1087	48	54	2 7/8
		EVPMGU4860	1115	1198	48	60	2 7/8
	Monolithic 12”H Glazed Panel - Tempered Glass - 54” High	EVPMGU5418	505	537	54	18	2 7/8
		EVPMGU5424	587	624	54	24	2 7/8
		EVPMGU5430	669	718	54	30	2 7/8
		EVPMGU5436	746	795	54	36	2 7/8
		EVPMGU5442	828	888	54	42	2 7/8
		EVPMGU5448	916	985	54	48	2 7/8
		EVPMGU5454	1002	1079	54	54	2 7/8
		EVPMGU5460	1086	1171	54	60	2 7/8
	Monolithic 12”H Glazed Panel - Tempered Glass - 66” High	EVPMGU6618	539	569	66	18	2 7/8
		EVPMGU6624	645	685	66	24	2 7/8
		EVPMGU6630	735	784	66	30	2 7/8
		EVPMGU6636	823	876	66	36	2 7/8
		EVPMGU6642	915	975	66	42	2 7/8
		EVPMGU6648	1010	1080	66	48	2 7/8
		EVPMGU6654	1104	1180	66	54	2 7/8
		EVPMGU6660	1203	1284	66	60	2 7/8




EVPLMGU - MONOLITHIC 12”H GLAZED LIGHT PANEL - TEMPERED GLASS

- Monolithic 12”H Glazed Light Panel incorporates a lower fabric module with a 12”H top position glazed module, into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic 12”H Glazed Light Panel - Tempered Glass - 48” High	EVPLMGU4818	479	506	48	18	2 7/8
		EVPLMGU4824	560	596	48	24	2 7/8
		EVPLMGU4830	650	696	48	30	2 7/8
		EVPLMGU4836	746	795	48	36	2 7/8
		EVPLMGU4842	826	883	48	42	2 7/8
		EVPLMGU4848	896	965	48	48	2 7/8
		EVPLMGU4854	995	1064	48	54	2 7/8
		EVPLMGU4860	1094	1175	48	60	2 7/8
	Monolithic 12”H Glazed Light Panel - Tempered Glass - 54” High	EVPLMGU5418	494	524	54	18	2 7/8
		EVPLMGU5424	575	611	54	24	2 7/8
		EVPLMGU5430	655	702	54	30	2 7/8
		EVPLMGU5436	732	780	54	36	2 7/8
		EVPLMGU5442	814	871	54	42	2 7/8
		EVPLMGU5448	896	965	54	48	2 7/8
		EVPLMGU5454	981	1054	54	54	2 7/8
		EVPLMGU5460	1067	1147	54	60	2 7/8
	Monolithic 12”H Glazed Light Panel - Tempered Glass - 66” High	EVPLMGU6618	528	556	66	18	2 7/8
		EVPLMGU6624	632	670	66	24	2 7/8
		EVPLMGU6630	722	765	66	30	2 7/8
		EVPLMGU6636	806	856	66	36	2 7/8
		EVPLMGU6642	894	956	66	42	2 7/8
		EVPLMGU6648	989	1055	66	48	2 7/8
		EVPLMGU6654	1082	1156	66	54	2 7/8
		EVPLMGU6660	1177	1257	66	60	2 7/8


EVPPFGTU - FABRIC 12”H GLAZED PANEL - TEMPERED GLASS

- Segmented 12”H Glazed Panel incorporates a lower fabric module with a 12”H top position glazed module, into a solid steel frame.
- Panels incorporate 12”H acoustic modules above 30”H base section with a 12”H glazed module at the top.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric 12” Glazed Panel - Tempered Glass 66” High	EVPPFGTU6618	604	632	66	18	2 7/8
		EVPPFGTU6624	704	743	66	24	2 7/8
		EVPPFGTU6630	804	847	66	30	2 7/8
		EVPPFGTU6636	899	952	66	36	2 7/8
		EVPPFGTU6642	1016	1072	66	42	2 7/8
		EVPPFGTU6648	1102	1168	66	48	2 7/8
		EVPPFGTU6654	1231	1303	66	54	2 7/8
		EVPPFGTU6660	1357	1436	66	60	2 7/8

EVPLFGTU - FABRIC 12”H GLAZED LIGHT PANEL



- Segmented 12”H Glazed Light Panel incorporates a lower fabric module with a 12”H top position glazed module, into a solid steel frame.
- Panels incorporate 12”H acoustic modules above 30”H base section with a 12”H glazed module at the top.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments.
- See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric 12”H Glazed Light Panel - 66” High	EVPLFGTU6618	590	616	66	18	2 7/8
		EVPLFGTU6624	693	727	66	24	2 7/8
		EVPLFGTU6630	788	828	66	30	2 7/8
		EVPLFGTU6636	883	932	66	36	2 7/8
		EVPLFGTU6642	994	1049	66	42	2 7/8
		EVPLFGTU6648	1079	1141	66	48	2 7/8
		EVPLFGTU6654	1206	1275	66	54	2 7/8
		EVPLFGTU6660	1331	1405	66	60	2 7/8





EVFPFGTU - SEGMENTED 12”H GLAZED PANEL - PREMIUM - TEMPERED GLASS

- Segmented 12”H Glazed Premium Panel incorporates a lower fabric module with a 12”H top position glazed module, into a solid steel frame.
- Premium panels incorporate 12”H acoustic modules above 30”H base section with a 12”H glazed module at the top.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented 12”H Glazed Premium Panel - Tempered Glass - 54” High	EVFPFGTU5418	556	577	54	18	2 7/8
		EVFPFGTU5424	651	678	54	24	2 7/8
		EVFPFGTU5430	736	771	54	30	2 7/8
		EVFPFGTU5436	828	869	54	36	2 7/8
		EVFPFGTU5442	929	974	54	42	2 7/8
		EVFPFGTU5448	1010	1059	54	48	2 7/8
		EVFPFGTU5454	1132	1187	54	54	2 7/8
		EVFPFGTU5460	1251	1312	54	60	2 7/8
	Segmented 12”H Glazed Premium Panel - Tempered Glass - 66” High	EVFPFGTU6618	680	706	66	18	2 7/8
		EVFPFGTU6624	798	838	66	24	2 7/8
		EVFPFGTU6630	909	950	66	30	2 7/8
		EVFPFGTU6636	1020	1071	66	36	2 7/8
		EVFPFGTU6642	1151	1210	66	42	2 7/8
		EVFPFGTU6648	1246	1312	66	48	2 7/8
		EVFPFGTU6654	1393	1466	66	54	2 7/8
		EVFPFGTU6660	1547	1627	66	60	2 7/8




EVPLPFGTU - SEGMENTED 12”H GLAZED PREMIUM LIGHT PANEL – TEMPERED GLASS

- Segmented 12”H Glazed Premium Light Panel incorporates a lower fabric module with a 12”H top position glazed module, into a solid steel frame.
- Premium panels incorporate 12”H acoustic modules above 30”H base section with a 12”H glazed module at the top.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments.
- See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented 12”H Glazed Premium Panel - Premium - Tempered Glass - 54” High	EVPLPFGTU5418	545	564	54	18	2 7/8
		EVPLPFGTU5424	640	666	54	24	2 7/8
		EVPLPFGTU5430	723	754	54	30	2 7/8
		EVPLPFGTU5436	814	847	54	36	2 7/8
		EVPLPFGTU5442	912	956	54	42	2 7/8
		EVPLPFGTU5448	989	1037	54	48	2 7/8
		EVPLPFGTU5454	1109	1161	54	54	2 7/8
		EVPLPFGTU5460	1225	1285	54	60	2 7/8
	Segmented 12”H Glazed Premium Panel - Premium - Tempered Glass - 66” High	EVPLPFGTU6618	668	694	66	18	2 7/8
		EVPLPFGTU6624	783	819	66	24	2 7/8
		EVPLPFGTU6630	889	928	66	30	2 7/8
		EVPLPFGTU6636	1001	1049	66	36	2 7/8
		EVPLPFGTU6642	1129	1185	66	42	2 7/8
		EVPLPFGTU6648	1221	1284	66	48	2 7/8
		EVPLPFGTU6654	1364	1434	66	54	2 7/8
		EVPLPFGTU6660	1517	1596	66	60	2 7/8

EVPPFGT - PARTLY GLAZED PANEL - TEMPERED GLASS




- Partly Glazed Panel incorporates a lower fabric module with a 12”H or 24”H top position glazed module, into a solid steel frame.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Panel - Tempered Glass - 42" High	EVPPFGT4218	428	444	42	18	2 7/8
		EVPPFGT4224	505	524	42	24	2 7/8
		EVPPFGT4230	571	594	42	30	2 7/8
		EVPPFGT4236	638	665	42	36	2 7/8
		EVPPFGT4242	709	740	42	42	2 7/8
		EVPPFGT4248	776	807	42	48	2 7/8
		EVPPFGT4254	867	901	42	54	2 7/8
		EVPPFGT4260	957	998	42	60	2 7/8
	Partly Glazed Panel - Tempered Glass - 54" High	EVPPFGT5418	472	491	54	18	2 7/8
		EVPPFGT5424	549	570	54	24	2 7/8
		EVPPFGT5430	638	661	54	30	2 7/8
		EVPPFGT5436	723	750	54	36	2 7/8
		EVPPFGT5442	808	838	54	42	2 7/8
		EVPPFGT5448	881	915	54	48	2 7/8
		EVPPFGT5454	1021	1058	54	54	2 7/8
		EVPPFGT5460	1160	1204	54	60	2 7/8
	Partly Glazed Panel - Tempered Glass - 66" High	EVPPFGT6618	599	622	66	18	2 7/8
		EVPPFGT6624	697	725	66	24	2 7/8
		EVPPFGT6630	804	838	66	30	2 7/8
		EVPPFGT6636	915	955	66	36	2 7/8
		EVPPFGT6642	1028	1076	66	42	2 7/8
		EVPPFGT6648	1117	1167	66	48	2 7/8
		EVPPFGT6654	1285	1341	66	54	2 7/8
		EVPPFGT6660	1454	1515	66	60	2 7/8




EVPLFGT - PARTLY GLAZED LIGHT PANEL - TEMPERED GLASS

- Partly Glazed Light Panel incorporates a lower fabric module with a 12”H or 24”H top position glazed module, into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Light Panel - Tempered Glass - 42” High	EVPLFGT4218	418	433	42	18	2 7/8
		EVPLFGT4224	494	512	42	24	2 7/8
		EVPLFGT4230	559	582	42	30	2 7/8
		EVPLFGT4236	622	649	42	36	2 7/8
		EVPLFGT4242	697	726	42	42	2 7/8
		EVPLFGT4248	758	790	42	48	2 7/8
		EVPLFGT4254	847	883	42	54	2 7/8
		EVPLFGT4260	938	975	42	60	2 7/8
	Partly Glazed Light Panel - Tempered Glass - 54” High	EVPLFGT5418	464	477	54	18	2 7/8
		EVPLFGT5424	539	556	54	24	2 7/8
		EVPLFGT5430	622	645	54	30	2 7/8
		EVPLFGT5436	706	734	54	36	2 7/8
		EVPLFGT5442	792	822	54	42	2 7/8
		EVPLFGT5448	864	894	54	48	2 7/8
		EVPLFGT5454	1002	1037	54	54	2 7/8
		EVPLFGT5460	1137	1177	54	60	2 7/8
	Partly Glazed Light Panel - Tempered Glass - 66” High	EVPLFGT6618	588	611	66	18	2 7/8
		EVPLFGT6624	680	708	66	24	2 7/8
		EVPLFGT6630	788	820	66	30	2 7/8
		EVPLFGT6636	894	932	66	36	2 7/8
		EVPLFGT6642	1010	1052	66	42	2 7/8
		EVPLFGT6648	1097	1141	66	48	2 7/8
		EVPLFGT6654	1259	1313	66	54	2 7/8
		EVPLFGT6660	1426	1482	66	60	2 7/8


EVPPFGTX - PARTLY GLAZED PANEL - 36" H TEMPERED GLASS

- Partly Glazed Panel incorporates a lower fabric module with 36" H top position glazed module, into a solid steel frame.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric 36" Glazed Panel -	EVPPFGTX6618	694	707	66	18	2 7/8
	Tempered Glass - 66" High	EVPPFGTX6624	765	787	66	24	2 7/8
		EVPPFGTX6630	887	912	66	30	2 7/8
		EVPPFGTX6636	1009	1035	66	36	2 7/8
		EVPPFGTX6642	1128	1158	66	42	2 7/8
		EVPPFGTX6648	1234	1266	66	48	2 7/8
		EVPPFGTX6654	1357	1396	66	54	2 7/8
		EVPPFGTX6660	1480	1522	66	60	2 7/8

EVPLFGTX - PARTLY GLAZED LIGHT PANEL - 36" H TEMPERED GLASS



- Partly Glazed Light Panel incorporates a lower fabric module with 36" H top position glazed module, into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Light Panel -	EVPLFGTX6618	670	682	66	18	2 7/8
	36" H Tempered Glass - 66" High	EVPLFGTX6624	741	761	66	24	2 7/8
		EVPLFGTX6630	861	881	66	30	2 7/8
		EVPLFGTX6636	976	1003	66	36	2 7/8
		EVPLFGTX6642	1094	1121	66	42	2 7/8
		EVPLFGTX6648	1197	1230	66	48	2 7/8
		EVPLFGTX6654	1316	1350	66	54	2 7/8
		EVPLFGTX6660	1436	1477	66	60	2 7/8





EVPBFGT - PARTLY GLAZED BELTLINE POWERED PANEL

- Partly Glazed Beltline Powered Panel incorporates fabric modules with a power beltline raceway and a 12”H or 24”H glazed module, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Beltline Powered Panel - 54” High	EVPBFGT5424	700	723	54	24	2 7/8
	24” Fabric /6” Power Belt/ 6” Fabric /12” Glass	EVPBFGT5430	820	845	54	30	2 7/8
		EVPBFGT5436	932	964	54	36	2 7/8
		EVPBFGT5442	1050	1085	54	42	2 7/8
		EVPBFGT5448	1163	1204	54	48	2 7/8
		EVPBFGT5454	1276	1321	54	54	2 7/8
		EVPBFGT5460	1391	1440	54	60	2 7/8
	Partly Glazed Beltline Powered Panel - 66” High	EVPBFGT6624	794	818	66	24	2 7/8
	24” Fabric /6” Power Belt/ 6” Fabric /24” Glass	EVPBFGT6630	926	953	66	30	2 7/8
		EVPBFGT6636	1053	1084	66	36	2 7/8
		EVPBFGT6642	1183	1219	66	42	2 7/8
		EVPBFGT6648	1305	1348	66	48	2 7/8
		EVPBFGT6654	1436	1468	66	54	2 7/8
		EVPBFGT6660	1563	1611	66	60	2 7/8



EVPBLFGT - PARTLY GLAZED BELTLINE POWER LIGHT PANEL

- Partly Glazed Beltline Powered Light Panel incorporates fabric modules with a power beltline raceway and a 12”H or 24”H glazed module, within a solid steel frame.
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Beltline Panel Connectors must be used in conjunction with Light Beltline Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Beltline Powered Light Panel - 54” High	EVPBLFGT5424	666	688	54	24	2 7/8
	24” Fabric /6” Power Belt/ 6” Fabric /12” Glass	EVPBLFGT5430	780	805	54	30	2 7/8
		EVPBLFGT5436	885	917	54	36	2 7/8
		EVPBLFGT5442	998	1034	54	42	2 7/8
		EVPBLFGT5448	1104	1144	54	48	2 7/8
		EVPBLFGT5454	1213	1259	54	54	2 7/8
		EVPBLFGT5460	1321	1371	54	60	2 7/8
	Partly Glazed Beltline Powered Light Panel - 66” High	EVPBLFGT6624	754	777	66	24	2 7/8
	24” Fabric /6” Power Belt/ 6” Fabric /24” Glass	EVPBLFGT6630	880	908	66	30	2 7/8
		EVPBLFGT6636	1001	1032	66	36	2 7/8
		EVPBLFGT6642	1122	1160	66	42	2 7/8
		EVPBLFGT6648	1243	1284	66	48	2 7/8
		EVPBLFGT6654	1364	1408	66	54	2 7/8
		EVPBLFGT6660	1483	1534	66	60	2 7/8


EVPBCFGT - PARTLY GLAZED BELTLINE POWERED CHIMNEY PANEL - TEMPERED GLASS

- Partly Glazed Beltline Powered Chimney Panel incorporates fabric modules with a power beltline raceway and a 12”H or 24”H glazed module, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Beltline Powered Chimney Panel - Tempered Glass - 54” High	EVPBCFGT5436	1004	1037	54	36	2 7/8
	24” Fabric Chimney /6” Power Belt / 6” Fabric /12” Glass	EVPBCFGT5442	1122	1160	54	42	2 7/8
	Partly Glazed Beltline Powered Chimney Panel - Tempered Glass - 66” High	EVPBCFGT6636	1140	1172	66	36	2 7/8
	24” Fabric Chimney /6” Power Belt / 6” Fabric /24” Glass	EVPBCFGT6642	1257	1293	66	42	2 7/8

EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT



- Contains two (2) 17” flexible harnesses and one (1) “I” connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Chimney Panel Jumper Cable Kit	EVE8CPCP	310			





EVFPFGT - PARTLY GLAZED PREMIUM PANEL - TEMPERED GLASS

- Partly Glazed Premium Panel incorporates 12”H glazed modules above 30”H fabric base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Premium Panel - Tempered Glass - 54” High	EVFPFGT5418	571	588	54	18	2 7/8
		EVFPFGT5424	680	699	54	24	2 7/8
		EVFPFGT5430	762	787	54	30	2 7/8
		EVFPFGT5436	847	875	54	36	2 7/8
		EVFPFGT5442	945	975	54	42	2 7/8
		EVFPFGT5448	1040	1074	54	48	2 7/8
		EVFPFGT5454	1163	1202	54	54	2 7/8
		EVFPFGT5460	1283	1326	54	60	2 7/8
	Partly Glazed Premium Panel - Tempered Glass - 66” High	EVFPFGT6618	712	728	66	18	2 7/8
		EVFPFGT6624	856	880	66	24	2 7/8
		EVFPFGT6630	961	983	66	30	2 7/8
		EVFPFGT6636	1057	1084	66	36	2 7/8
		EVFPFGT6642	1179	1210	66	42	2 7/8
		EVFPFGT6648	1302	1339	66	48	2 7/8
		EVFPFGT6654	1472	1513	66	54	2 7/8
		EVFPFGT6660	1639	1682	66	60	2 7/8





EVPLFPGT - PARTLY GLAZED PREMIUM LIGHT PANEL – TEMPERED GLASS

- Partly Glazed Premium Panel incorporates 12”H glazed modules above 30”H fabric base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments.
- See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance. .
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Premium Light Panel - Tempered Glass - 54” High	EVPLFPGT5418	552	569	54	18	2 7/8
		EVPLFPGT5424	661	677	54	24	2 7/8
		EVPLFPGT5430	739	761	54	30	2 7/8
		EVPLFPGT5436	825	847	54	36	2 7/8
		EVPLFPGT5442	917	945	54	42	2 7/8
		EVPLFPGT5448	1010	1040	54	48	2 7/8
		EVPLFPGT5454	1128	1164	54	54	2 7/8
		EVPLFPGT5460	1244	1285	54	60	2 7/8
	Partly Glazed Premium Light Panel - Tempered Glass - 66” High	EVPLFPGT6618	694	704	66	18	2 7/8
		EVPLFPGT6624	832	852	66	24	2 7/8
		EVPLFPGT6630	929	953	66	30	2 7/8
		EVPLFPGT6636	1026	1053	66	36	2 7/8
		EVPLFPGT6642	1145	1173	66	42	2 7/8
		EVPLFPGT6648	1262	1296	66	48	2 7/8
		EVPLFPGT6654	1427	1463	66	54	2 7/8
		EVPLFPGT6660	1592	1630	66	60	2 7/8

EVPXGT - FULLY GLAZED MONOLITHIC PANEL - TEMPERED GLASS





- Fully Glazed Monolithic Panels are incorporated into a solid steel frame.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Monolithic Panel - Tempered Glass - 42” High	EVPXGT4218	458	42	18	2 7/8
		EVPXGT4224	505	42	24	2 7/8
		EVPXGT4230	587	42	30	2 7/8
		EVPXGT4236	660	42	36	2 7/8
		EVPXGT4242	734	42	42	2 7/8
	Fully Glazed Monolithic Panel - Tempered Glass - 48” High	EVPXGT4818	409	48	18	2 7/8
		EVPXGT4824	522	48	24	2 7/8
		EVPXGT4830	577	48	30	2 7/8
		EVPXGT4836	712	48	36	2 7/8
		EVPXGT4842	751	48	42	2 7/8
	Fully Glazed Monolithic Panel - Tempered Glass - 54” High	EVPXGT5418	507	54	18	2 7/8
		EVPXGT5424	596	54	24	2 7/8
		EVPXGT5430	693	54	30	2 7/8
		EVPXGT5436	780	54	36	2 7/8
		EVPXGT5442	864	54	42	2 7/8
	Fully Glazed Monolithic Panel - Tempered Glass - 66” High	EVPXGT6618	595	66	18	2 7/8
		EVPXGT6624	688	66	24	2 7/8
		EVPXGT6630	794	66	30	2 7/8
		EVPXGT6636	893	66	36	2 7/8
		EVPXGT6642	994	66	42	2 7/8




EVPLXGT - FULLY GLAZED MONOLITHIC LIGHT PANEL - TEMPERED GLASS

- Fully Glazed Monolithic Light Panels are incorporated into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Monolithic Light Panel - Tempered Glass - 42” High	EVPLXGT4218	435	42	18	2 7/8
		EVPLXGT4224	480	42	24	2 7/8
		EVPLXGT4230	557	42	30	2 7/8
		EVPLXGT4236	624	42	36	2 7/8
		EVPLXGT4242	698	42	42	2 7/8
	Fully Glazed Monolithic Light Panel - Tempered Glass - 48” High	EVPLXGT4818	385	48	18	2 7/8
		EVPLXGT4824	496	48	24	2 7/8
		EVPLXGT4830	549	48	30	2 7/8
		EVPLXGT4836	678	48	36	2 7/8
		EVPLXGT4842	710	48	42	2 7/8
	Fully Glazed Monolithic Light Panel - Tempered Glass - 54	EVPLXGT5418	484	54	18	2 7/8
		EVPLXGT5424	568	54	24	2 7/8
		EVPLXGT5430	653	54	30	2 7/8
		EVPLXGT5436	739	54	36	2 7/8
		EVPLXGT5442	820	54	42	2 7/8
	Fully Glazed Monolithic Light Panel - Tempered Glass - 66” High	EVPLXGT6618	567	66	18	2 7/8
		EVPLXGT6624	652	66	24	2 7/8
		EVPLXGT6630	755	66	30	2 7/8
		EVPLXGT6636	847	66	36	2 7/8
		EVPLXGT6642	945	66	42	2 7/8


EVPGT - FULLY GLAZED SEGMENTED PANEL - TEMPERED GLASS

- Fully Glazed Segmented Panel incorporates (2) 24”H Glazed modules into a solid steel frame.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Segmented Panel - Tempered Glass - 54” High	EVPGT5418	649	54	18	2 7/8
		EVPGT5424	795	54	24	2 7/8
		EVPGT5430	880	54	30	2 7/8
		EVPGT5436	961	54	36	2 7/8
		EVPGT5442	1064	54	42	2 7/8
		EVPGT5448	1187	54	48	2 7/8
		EVPGT5454	1305	54	54	2 7/8
		EVPGT5460	1426	54	60	2 7/8




EVPLGT - FULLY GLAZED SEGMENTED LIGHT PANEL - TEMPERED GLASS

- Fully Glazed Segmented Light Panel incorporates (2) 24”H Glazed modules into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Segmented Light Panel Tempered Glass - 54” High	EVPLGT5418	616	54	18	2 7/8
		EVPLGT5424	757	54	24	2 7/8
		EVPLGT5430	836	54	30	2 7/8
		EVPLGT5436	912	54	36	2 7/8
		EVPLGT5442	1013	54	42	2 7/8
		EVPLGT5448	1127	54	48	2 7/8
		EVPLGT5454	1241	54	54	2 7/8
		EVPLGT5460	1353	54	60	2 7/8

EVPGPT - FULLY GLAZED PREMIUM PANEL - TEMPERED GLASS




- Fully Glazed Premium Panel incorporates 12”H Glazed Modules into a solid steel frame.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Premium Panel - Tempered Glass - 42” High	EVPGPT4218	640	42	18	2 7/8
		EVPGPT4224	783	42	24	2 7/8
		EVPGPT4230	867	42	30	2 7/8
		EVPGPT4236	945	42	36	2 7/8
		EVPGPT4242	1049	42	42	2 7/8
		EVPGPT4248	1165	42	48	2 7/8
		EVPGPT4254	1284	42	54	2 7/8
		EVPGPT4260	1399	42	60	2 7/8
	Fully Glazed Premium Panel - Tempered Glass - 54” High	EVPGPT5418	809	54	18	2 7/8
		EVPGPT5424	994	54	24	2 7/8
		EVPGPT5430	1100	54	30	2 7/8
		EVPGPT5436	1197	54	36	2 7/8
		EVPGPT5442	1331	54	42	2 7/8
		EVPGPT5448	1481	54	48	2 7/8
		EVPGPT5454	1634	54	54	2 7/8
		EVPGPT5460	1781	54	60	2 7/8
	Fully Glazed Premium Panel - Tempered Glass - 66” High	EVPGPT6618	980	66	18	2 7/8
		EVPGPT6624	1205	66	24	2 7/8
		EVPGPT6630	1333	66	30	2 7/8
		EVPGPT6636	1450	66	36	2 7/8
		EVPGPT6642	1610	66	42	2 7/8
		EVPGPT6648	1792	66	48	2 7/8
		EVPGPT6654	1978	66	54	2 7/8
		EVPGPT6660	2162	66	60	2 7/8




EVPLGPT - FULLY GLAZED PREMIUM LIGHT PANEL - TEMPERED GLASS

- Fully Glazed Premium Light Panel incorporates 12”H Glazed Modules into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Premium Light Panel - Tempered Glass - 42” High	EVPLGPT4218	620	42	18	2 7/8
		EVPLGPT4224	758	42	24	2 7/8
		EVPLGPT4230	839	42	30	2 7/8
		EVPLGPT4236	917	42	36	2 7/8
		EVPLGPT4242	1017	42	42	2 7/8
		EVPLGPT4248	1130	42	48	2 7/8
		EVPLGPT4254	1246	42	54	2 7/8
EVPLGPT4260	1357	42	60	2 7/8		
	Fully Glazed Premium Light Panel - Tempered Glass - 54” High	EVPLGPT5418	787	54	18	2 7/8
		EVPLGPT5424	965	54	24	2 7/8
		EVPLGPT5430	1064	54	30	2 7/8
		EVPLGPT5436	1163	54	36	2 7/8
		EVPLGPT5442	1292	54	42	2 7/8
		EVPLGPT5448	1437	54	48	2 7/8
		EVPLGPT5454	1582	54	54	2 7/8
EVPLGPT5460	1727	54	60	2 7/8		
	Fully Glazed Premium Light Panel - Tempered Glass - 66” High	EVPLGPT6618	952	66	18	2 7/8
		EVPLGPT6624	1168	66	24	2 7/8
		EVPLGPT6630	1294	66	30	2 7/8
		EVPLGPT6636	1405	66	36	2 7/8
		EVPLGPT6642	1563	66	42	2 7/8
		EVPLGPT6648	1740	66	48	2 7/8
		EVPLGPT6654	1917	66	54	2 7/8
EVPLGPT6660	2097	66	60	2 7/8		


EVPHSG - RECEPTION PANEL LAMINATE

- Reception panel incorporates glazed module and pass thru module within steel frame.
- 6" H or 12" H pass thru with sliding glass door module.
- 24" H Laminate bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Reception Panel with 12" H Pass Thru	EVPHSG2M6636	1312	66	36	2 7/8
		EVPHSG2M6642	1419	66	42	2 7/8
		EVPHSG2M6648	1534	66	48	2 7/8


EVPHSG - RECEPTION PANEL LAMINATE

- Reception panel incorporates glazed module and pass thru module within steel frame.
- 6" H pass thru with sliding glass door module.
- 30" H Laminate bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Reception Panel with 6" H Pass Thru	EVPHSG3M6636	1362	66	36	2 7/8
		EVPHSG3M6642	1464	66	42	2 7/8
		EVPHSG3M6648	1603	66	48	2 7/8

EVPHSG - RECEPTION PANEL LAMINATE


- Reception panel incorporates glazed module and pass thru module within steel frame.
- 6" H or 12" H pass thru with sliding glass door module.
- 24" H Laminate bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Reception Panel with 6" H Pass Thru	EVPHSG5M6636	1342	66	36	2 7/8
		EVPHSG5M6642	1450	66	42	2 7/8
		EVPHSG5M6648	1565	66	48	2 7/8




EVPHSG - RECEPTION PANEL FABRIC

- Reception panel incorporates glazed module and pass thru module within steel frame.
- 6" H or 12" H pass thru with sliding glass door module.
- 24" H Fabric bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Reception Panel with 12" H Pass Thru	EVPHSG2M6636	1173	1198	66	36	2 7/8
		EVPHSG2M6642	1292	1323	66	42	2 7/8
		EVPHSG2M6648	1423	1454	66	48	2 7/8


EVPHSG - RECEPTION PANEL FABRIC

- Reception panel incorporates glazed module and pass thru module within steel frame.
- 6" H pass thru with sliding glass door module.
- 30" H Fabric bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Reception Panel with 6" H Pass Thru	EVPHSG3M6636	1238	1264	66	36	2 7/8
		EVPHSG3M6642	1350	1381	66	42	2 7/8
		EVPHSG3M6648	1464	1495	66	48	2 7/8


EVPHSG - RECEPTION PANEL FABRIC

- Reception panel incorporates glazed module and pass thru module within steel frame.
- 6" H or 12" H pass thru with sliding glass door module.
- 24" H Fabric bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Reception Panel with 6" H Pass Thru	EVPHSG5M6636	1193	1219	66	36	2 7/8
		EVPHSG5M6642	1329	1359	66	42	2 7/8
		EVPHSG5M6648	1462	1493	66	48	2 7/8




EVSLs - LAMINATED SHELF FOR RECEPTION PANEL

- Laminated Wood Shelf Panel Mounted.
- Shelf thickness 1".
- Available in LP.
- Includes attachment hardware.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Reception Panel Shelf	EVSLs1218	234	1.125	18	12
		EVSLs1224	251	1.125	24	12
		EVSLs1230	267	1.125	30	12
		EVSLs1236	284	1.125	36	12
		EVSLs1242	300	1.125	42	12
		EVSLs1248	317	1.125	48	12

EVPFSG - PASS-THRU SLIDING DOOR GLAZED PANEL - TEMPERED GLASS




- Pass-Thru Sliding Door Glazed Panel incorporates fabric modules on upper and lower positions, with Middle 12”H Pass-Thru Sliding Door module, into a solid steel frame.
- Tracks for Sliding glass door available in Tungsten only.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Pass-Thru Sliding Door Glazed Panel - Tempered Glass - 54” High	EVPFSG5424	651	678	54	24	2 7/8
		EVPFSG5430	736	770	54	30	2 7/8
		EVPFSG5436	828	867	54	36	2 7/8
		EVPFSG5442	929	974	54	42	2 7/8
		EVPFSG5448	1010	1056	54	48	2 7/8
		EVPFSG5454	1132	1185	54	54	2 7/8
	Pass-Thru Sliding Door Glazed Panel - Tempered Glass - 66” High	EVPFSG6624	704	740	66	24	2 7/8
		EVPFSG6630	804	845	66	30	2 7/8
		EVPFSG6636	899	952	66	36	2 7/8
		EVPFSG6642	1016	1071	66	42	2 7/8
		EVPFSG6648	1102	1165	66	48	2 7/8
		EVPFSG6654	1231	1301	66	54	2 7/8
	Pass-Thru Sliding Door Glazed Panel - Tempered Glass - 66” High	EVPFPSG6624	704	740	66	24	2 7/8
		EVPFPSG6630	804	845	66	30	2 7/8
		EVPFPSG6636	899	952	66	36	2 7/8
		EVPFPSG6642	1016	1071	66	42	2 7/8
		EVPFPSG6648	1102	1165	66	48	2 7/8
		EVPFPSG6654	1231	1301	66	54	2 7/8
		EVPFPSG6660	1386	1434	66	60	2 7/8







EVPFSGX - FABRIC GLAZED PASS-THRU SLIDING DOOR PANEL - TEMPERED GLASS

- Pass-Thru Sliding Door Glazed Panel incorporates fabric modules with 12”H or 24”H Pass-Thru Sliding Door module, into a solid steel frame.
- Tracks for Sliding glass door available in Tungsten only.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric Glazed Pass-Thru Sliding Door Panel - Tempered Glass - 42” High	EVPFSGX4224	505	522	42	24	2 7/8
		EVPFSGX4230	571	592	42	30	2 7/8
		EVPFSGX4236	638	663	42	36	2 7/8
		EVPFSGX4242	709	739	42	42	2 7/8
		EVPFSGX4248	776	806	42	48	2 7/8
		EVPFSGX4254	867	899	42	54	2 7/8
		EVPFSGX4260	957	995	42	60	2 7/8
	Fabric Glazed Pass-Thru Sliding Door Panel - Tempered Glass - 54” High	EVPFSGX5424	549	568	54	24	2 7/8
		EVPFSGX5430	638	659	54	30	2 7/8
		EVPFSGX5436	723	749	54	36	2 7/8
		EVPFSGX5442	808	837	54	42	2 7/8
		EVPFSGX5448	881	914	54	48	2 7/8
		EVPFSGX5454	1021	1056	54	54	2 7/8
		EVPFSGX5460	1160	1203	54	60	2 7/8
	Fabric Glazed Pass-Thru Sliding Door Panel - Tempered Glass - 66” High	EVPFSGX6624	697	724	66	24	2 7/8
		EVPFSGX6630	804	836	66	30	2 7/8
		EVPFSGX6636	915	952	66	36	2 7/8
		EVPFSGX6642	1028	1074	66	42	2 7/8
		EVPFSGX6648	1117	1165	66	48	2 7/8
		EVPFSGX6654	1285	1339	66	54	2 7/8
		EVPFSGX6660	1454	1514	66	60	2 7/8

EVPF1S - SLATWALL PANEL - SINGLE SIDED





- Slatwall Panel incorporates fabric modules with a single 12”H or 24”H top position slatwall module, into a solid steel frame.
- 66”H panel can be configured with either a 24”H slatwall module at the top or a 12”H slatwall at the middle Position (EVPF1S66xxM)
- Opposite side is fabric covered.
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Slatwall Panel - Single Sided - 42” High	EVPF1S4218	477	496	42	18	2 7/8
		EVPF1S4224	569	594	42	24	2 7/8
		EVPF1S4230	667	695	42	30	2 7/8
		EVPF1S4236	762	794	42	36	2 7/8
		EVPF1S4242	867	901	42	42	2 7/8
		EVPF1S4248	942	984	42	48	2 7/8
		EVPF1S4254	1047	1090	42	54	2 7/8
	EVPF1S4260	1145	1196	42	60	2 7/8	
	Slatwall Panel - Single Sided - 54” High	EVPF1S5418	561	583	54	18	2 7/8
		EVPF1S5424	676	703	54	24	2 7/8
		EVPF1S5430	790	824	54	30	2 7/8
		EVPF1S5436	909	944	54	36	2 7/8
		EVPF1S5442	1026	1072	54	42	2 7/8
		EVPF1S5448	1119	1170	54	48	2 7/8
		EVPF1S5454	1247	1302	54	54	2 7/8
	EVPF1S5460	1371	1426	54	60	2 7/8	
	Slatwall Panel - Single Sided - 66” High	EVPF1S6618	713	738	66	18	2 7/8
		EVPF1S6624	856	896	66	24	2 7/8
		EVPF1S6630	1003	1048	66	30	2 7/8
		EVPF1S6636	1156	1201	66	36	2 7/8
		EVPF1S6642	1314	1374	66	42	2 7/8
		EVPF1S6648	1430	1488	66	48	2 7/8
		EVPF1S6654	1592	1655	66	54	2 7/8
	EVPF1S6660	1754	1824	66	60	2 7/8	
	Slat Wall Panel - Single Sided - Middle Module - 66” High	EVPF1S6618M	695	726	66	18	2 7/8
		EVPF1S6624M	836	877	66	24	2 7/8
		EVPF1S6630M	975	1024	66	30	2 7/8
		EVPF1S6636M	1122	1180	66	36	2 7/8
		EVPF1S6642M	1278	1345	66	42	2 7/8
		EVPF1S6648M	1391	1464	66	48	2 7/8
		EVPF1S6654M	1547	1629	66	54	2 7/8
	EVPF1S6660M	1702	1792	66	60	2 7/8	







EVPLF1S - SLATWALL LIGHT PANEL - SINGLE SIDED

- Slatwall Light Panel incorporates fabric modules with a single 12”H or 24”H top position slatwall module, into a solid steel frame.
- 66”H panel can be configured with either a 24”H slatwall module at the top or a 12”H slatwall at the middle Position (EVPLF1S66xxM)
- Opposite side is fabric covered
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Slatwall Light Panel - Single Sided- 42” High	EVPLF1S4218	466	485	42	18	2 7/8
		EVPLF1S4224	557	582	42	24	2 7/8
		EVPLF1S4230	652	679	42	30	2 7/8
		EVPLF1S4236	749	779	42	36	2 7/8
		EVPLF1S4242	847	883	42	42	2 7/8
		EVPLF1S4248	924	963	42	48	2 7/8
		EVPLF1S4254	1024	1068	42	54	2 7/8
		EVPLF1S4260	1122	1172	42	60	2 7/8
	Slatwall Light Panel - Single Sided - 54” High	EVPLF1S5418	550	569	54	18	2 7/8
		EVPLF1S5424	663	688	54	24	2 7/8
		EVPLF1S5430	776	806	54	30	2 7/8
		EVPLF1S5436	889	925	54	36	2 7/8
		EVPLF1S5442	1006	1049	54	42	2 7/8
		EVPLF1S5448	1100	1147	54	48	2 7/8
		EVPLF1S5454	1222	1275	54	54	2 7/8
		EVPLF1S5460	1344	1395	54	60	2 7/8
	Slatwall Light Panel - Single Sided - 66” High	EVPLF1S6618	700	723	66	18	2 7/8
		EVPLF1S6624	839	877	66	24	2 7/8
		EVPLF1S6630	982	1024	66	30	2 7/8
		EVPLF1S6636	1132	1176	66	36	2 7/8
		EVPLF1S6642	1288	1344	66	42	2 7/8
		EVPLF1S6648	1400	1458	66	48	2 7/8
		EVPLF1S6654	1558	1619	66	54	2 7/8
		EVPLF1S6660	1720	1786	66	60	2 7/8
	Slatwall Light Panel - Single Sided - Middle Module - 66” High	EVPLF1S6618M	679	708	66	18	2 7/8
		EVPLF1S6624M	820	856	66	24	2 7/8
		EVPLF1S6630M	957	1002	66	30	2 7/8
		EVPLF1S6636M	1102	1157	66	36	2 7/8
		EVPLF1S6642M	1252	1316	66	42	2 7/8
		EVPLF1S6648M	1363	1433	66	48	2 7/8
		EVPLF1S6654M	1517	1597	66	54	2 7/8
		EVPLF1S6660M	1668	1755	66	60	2 7/8

EVPF2S - SLATWALL PANEL - DOUBLE SIDED





- Slatwall Panel incorporates fabric modules with a single 12”H or 24”H top position slatwall module, into a solid steel frame.
- 66”H panel can be configured with either a 24”H slatwall module at the top or a 12”H slatwall at the middle Position (EVPF2S66xxM)
- Slatwall module has slatwall on both sides.
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Slatwall Panel - Double Sided - 42” High	EVPF2S4218	534	549	42	18	2 7/8
		EVPF2S4224	645	666	42	24	2 7/8
		EVPF2S4230	759	784	42	30	2 7/8
		EVPF2S4236	885	913	42	36	2 7/8
		EVPF2S4242	1010	1040	42	42	2 7/8
		EVPF2S4248	1130	1164	42	48	2 7/8
		EVPF2S4254	1244	1279	42	54	2 7/8
		EVPF2S4260	1352	1396	42	60	2 7/8
	Slatwall Panel - Double Sided - 54” High	EVPF2S5418	623	639	54	18	2 7/8
		EVPF2S5424	763	786	54	24	2 7/8
		EVPF2S5430	901	925	54	30	2 7/8
		EVPF2S5436	1052	1079	54	36	2 7/8
		EVPF2S5442	1204	1234	54	42	2 7/8
		EVPF2S5448	1351	1385	54	48	2 7/8
		EVPF2S5454	1487	1524	54	54	2 7/8
		EVPF2S5460	1619	1662	54	60	2 7/8
	Slatwall Panel - Double Sided - 66” High	EVPF2S6618	808	830	66	18	2 7/8
		EVPF2S6624	994	1022	66	24	2 7/8
		EVPF2S6630	1177	1211	66	30	2 7/8
		EVPF2S6636	1366	1405	66	36	2 7/8
		EVPF2S6642	1564	1609	66	42	2 7/8
		EVPF2S6648	1754	1804	66	48	2 7/8
		EVPF2S6654	1937	1989	66	54	2 7/8
		EVPF2S6660	2113	2175	66	60	2 7/8
	Slatwall Panel - Double Sided - Middle Module - 66” High	EVPF2S6618M	787	815	66	18	2 7/8
		EVPF2S6624M	966	1005	66	24	2 7/8
		EVPF2S6630M	1145	1189	66	30	2 7/8
		EVPF2S6636M	1330	1379	66	36	2 7/8
		EVPF2S6642M	1519	1575	66	42	2 7/8
		EVPF2S6648M	1702	1770	66	48	2 7/8
		EVPF2S6654M	1883	1953	66	54	2 7/8
		EVPF2S6660M	2057	2136	66	60	2 7/8






EVPLF2S - SLATWALL LIGHT PANEL - DOUBLE SIDED

- Slatwall Light Panel incorporates fabric modules with a single 12”H or 24”H top position slatwall module, into a solid steel frame.
- 66”H panel can be configured with either a 24”H slatwall module at the top or a 12”H slatwall at the middle Position (EVPLF2S66xxM)
- Slatwall module has slatwall on both sides.
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments.
- See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Slatwall Light Panel - Double Sided - 42" High	EVPLF2S4218	523	538	42	18	2 7/8
		EVPLF2S4224	632	650	42	24	2 7/8
		EVPLF2S4230	746	765	42	30	2 7/8
		EVPLF2S4236	869	893	42	36	2 7/8
		EVPLF2S4242	989	1018	42	42	2 7/8
		EVPLF2S4248	1108	1139	42	48	2 7/8
		EVPLF2S4254	1219	1252	42	54	2 7/8
		EVPLF2S4260	1324	1366	42	60	2 7/8
	Slatwall Light Panel - Double Sided - 54" High	EVPLF2S5418	612	623	54	18	2 7/8
		EVPLF2S5424	751	767	54	24	2 7/8
		EVPLF2S5430	885	908	54	30	2 7/8
		EVPLF2S5436	1031	1055	54	36	2 7/8
		EVPLF2S5442	1178	1207	54	42	2 7/8
		EVPLF2S5448	1323	1354	54	48	2 7/8
		EVPLF2S5454	1458	1490	54	54	2 7/8
		EVPLF2S5460	1587	1627	54	60	2 7/8
	Slatwall Light Panel - Double Sided - 66" High	EVPLF2S6618	792	814	66	18	2 7/8
		EVPLF2S6624	974	1002	66	24	2 7/8
		EVPLF2S6630	1156	1187	66	30	2 7/8
		EVPLF2S6636	1339	1376	66	36	2 7/8
		EVPLF2S6642	1533	1574	66	42	2 7/8
		EVPLF2S6648	1720	1763	66	48	2 7/8
		EVPLF2S6654	1896	1948	66	54	2 7/8
		EVPLF2S6660	2072	2130	66	60	2 7/8
	Slatwall Light Panel - Double Sided - 66" High	EVPLF2S6618M	763	798	66	18	2 7/8
		EVPLF2S6624M	947	982	66	24	2 7/8
		EVPLF2S6630M	1122	1164	66	30	2 7/8
		EVPLF2S6636M	1302	1349	66	36	2 7/8
		EVPLF2S6642M	1489	1544	66	42	2 7/8
		EVPLF2S6648M	1668	1730	66	48	2 7/8
		EVPLF2S6654M	1845	1913	66	54	2 7/8
		EVPLF2S6660M	2017	2094	66	60	2 7/8

EVPBSFA - FRAMELESS SLATWALL BELTLINE POWERED PANEL - DOUBLE SIDED ONLY




- Frameless Slatwall Beltline Powered Panel incorporates fabric modules with a single 6”H slatwall module above a power beltline raceway, into a solid steel frame.
- Slatwall module has slatwall on both sides only, and is not available Single Sided.
- Slatwall is made of aluminum.
- Slatwall is not encompassed within a frame.
- A Chimney Panel is required to run electric and data from the base to belt
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Frameless Slatwall Beltline Powered Panel - Double Sided Only - 42” High	EVPBSFA4224	472	491	42	24	2 7/8
		EVPBSFA4230	550	570	42	30	2 7/8
		EVPBSFA4236	641	665	42	36	2 7/8
		EVPBSFA4242	721	749	42	42	2 7/8
		EVPBSFA4248	794	852	42	48	2 7/8
		EVPBSFA4254	873	910	42	54	2 7/8
	Frameless Slatwall Beltline Powered Panel - Double Sided Only - 54” High	EVPBSFA5424	597	623	54	24	2 7/8
		EVPBSFA5430	695	726	54	30	2 7/8
		EVPBSFA5436	820	855	54	36	2 7/8
		EVPBSFA5442	917	959	54	42	2 7/8
		EVPBSFA5448	1010	1057	54	48	2 7/8
		EVPBSFA5454	1097	1150	54	54	2 7/8
	Frameless Slatwall Beltline Powered Panel - Double Sided Only - 66” High	EVPBSFA6624	666	699	66	24	2 7/8
		EVPBSFA6630	771	815	66	30	2 7/8
		EVPBSFA6636	891	940	66	36	2 7/8
		EVPBSFA6642	1001	1056	66	42	2 7/8
		EVPBSFA6648	1105	1169	66	48	2 7/8
		EVPBSFA6654	1211	1280	66	54	2 7/8
		EVPBSFA6660	1316	1393	66	60	2 7/8






EVPBLSFA - FRAMELESS SLATWALL BELTLINE POWERED LIGHT PANEL - DOUBLE SIDED ONLY

- Frameless Slatwall Beltline Powered Light Panel incorporates fabric modules with a single 6”H slatwall module above a power beltline raceway, into a solid steel frame.
- Slatwall module has slatwall on both sides only, and is not available Single Sided.
- Slatwall is made of aluminum.
- Slatwall is not encompassed within a frame.
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Beltline Panel Connectors must be used in conjunction with Light Beltline Panels.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Frameless Slatwall Beltline Powered Light Panel - Double Sided Only- 42” High	EVPBLSFA4224	451	467	42	24	2 7/8
		EVPBLSFA4230	523	543	42	30	2 7/8
		EVPBLSFA4236	612	635	42	36	2 7/8
		EVPBLSFA4242	684	713	42	42	2 7/8
		EVPBLSFA4248	758	790	42	48	2 7/8
		EVPBLSFA4254	835	870	42	54	2 7/8
		EVPBLSFA4260	908	945	42	60	2 7/8
	Frameless Slatwall Beltline Powered Light Panel - Double Sided Only- 54” High	EVPBLSFA5424	555	582	54	24	2 7/8
		EVPBLSFA5430	606	676	54	30	2 7/8
		EVPBLSFA5436	723	800	54	36	2 7/8
		EVPBLSFA5442	854	894	54	42	2 7/8
		EVPBLSFA5448	940	989	54	48	2 7/8
		EVPBLSFA5454	1020	1074	54	54	2 7/8
		EVPBLSFA5460	1112	1172	54	60	2 7/8
	Frameless Slatwall Beltline Powered Light Panel - Double Sided Only - 66” High	EVPBLSFA6624	616	649	66	24	2 7/8
		EVPBLSFA6630	712	755	66	30	2 7/8
		EVPBLSFA6636	827	875	66	36	2 7/8
		EVPBLSFA6642	925	982	66	42	2 7/8
		EVPBLSFA6648	1021	1085	66	48	2 7/8
		EVPBLSFA6654	1121	1189	66	54	2 7/8
		EVPBLSFA6660	1219	1296	66	60	2 7/8

EVPBCSFA - FRAMELESS SLATWALL BELTLINE POWERED CHIMNEY PANEL - DOUBLE SIDED ONLY


- Frameless Slatwall Beltline Powered Chimney Panel incorporates fabric modules with a single 6”H slatwall module above a power beltline raceway, into a solid steel frame.
- Slatwall module has slatwall on both sides only, and is not available Single Sided.
- Slatwall is made of aluminum.
- Slatwall is not encompassed within a frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6”H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Frameless Slatwall Beltline Powered -	EVPBCSFA4236	709	734	42	36	2 7/8
	Chimney Panel - Double Sided Only - 42” High	EVPBCSFA4242	789	819	42	42	2 7/8
	Frameless Slatwall Beltline Powered -	EVPBCSFA5436	889	925	54	36	2 7/8
	Chimney Panel - Double Sided Only - 54” High	EVPBCSFA5442	986	1027	54	42	2 7/8
	Frameless Slatwall Beltline Powered -	EVPBCSFA6636	962	1010	66	36	2 7/8
	Chimney Panel - Double Sided Only - 66” High	EVPBCSFA6642	1069	1127	66	42	2 7/8

EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT

- Contains two (2) 17” flexible harnesses and one (1) “I” connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D





Chimney Panel Jumper Cable Kit	EVE8CPCP	310			
--------------------------------	----------	-----	--	--	--





EVPF1W - WRITE BOARD PANEL - SINGLE SIDED

- Write Board Panel incorporates fabric modules with a single 24”H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Write Board Panel - Single Sided - 54” High	EVPF1W5418	465	481	54	18	2 7/8
		EVPF1W5424	576	604	54	24	2 7/8
		EVPF1W5430	696	728	54	30	2 7/8
		EVPF1W5436	770	809	54	36	2 7/8
		EVPF1W5442	867	912	54	42	2 7/8
		EVPF1W5448	976	1026	54	48	2 7/8
		EVPF1W5454	1085	1124	54	54	2 7/8
		EVPF1W5460	1195	1255	54	60	2 7/8
	Write Board Panel - Single Sided - 66” High	EVPF1W6618	590	614	66	18	2 7/8
		EVPF1W6624	727	762	66	24	2 7/8
		EVPF1W6630	863	904	66	30	2 7/8
		EVPF1W6636	961	1011	66	36	2 7/8
		EVPF1W6642	1086	1145	66	42	2 7/8
		EVPF1W6648	1213	1279	66	48	2 7/8
		EVPF1W6654	1349	1426	66	54	2 7/8
		EVPF1W6660	1488	1569	66	60	2 7/8



EVPLF1W - WRITE BOARD LIGHT PANEL - SINGLE SIDED

- Write Board Panel incorporates fabric modules with a single 24”H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Light panel connectors must be used for Light Panels.
- There is no base raceway in Light Panels to accommodate electrical.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Write Board Light Panel - Single Sided - 54” High	EVPLF1W5418	451	465	54	18	2 7/8
		EVPLF1W5424	559	586	54	18	2 7/8
		EVPLF1W5430	675	704	54	18	2 7/8
		EVPLF1W5436	747	783	54	18	2 7/8
		EVPLF1W5442	839	882	54	18	2 7/8
		EVPLF1W5448	947	994	54	18	2 7/8
		EVPLF1W5454	1054	1086	54	18	2 7/8
		EVPLF1W5460	1160	1215	54	18	2 7/8
	Write Board Light Panel - Single Sided - 66” High	EVPLF1W6618	574	593	66	18	2 7/8
		EVPLF1W6624	704	737	66	24	2 7/8
		EVPLF1W6630	836	875	66	30	2 7/8
		EVPLF1W6636	929	979	66	36	2 7/8
		EVPLF1W6642	1055	1109	66	42	2 7/8
		EVPLF1W6648	1176	1239	66	48	2 7/8
		EVPLF1W6654	1306	1380	66	54	2 7/8
		EVPLF1W6660	1442	1519	66	60	2 7/8



EVPF2W - WRITE BOARD PANEL - DOUBLE SIDED

- Write Board Panel incorporates fabric modules with a single 24”H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Write Board Panel - Double Sided - 54” High	EVPF2W5418	503	517	54	18	2 7/8
		EVPF2W5424	630	647	54	24	2 7/8
		EVPF2W5430	785	807	54	30	2 7/8
		EVPF2W5436	847	875	54	36	2 7/8
		EVPF2W5442	962	992	54	42	2 7/8
		EVPF2W5448	1126	1158	54	48	2 7/8
		EVPF2W5454	1250	1287	54	54	2 7/8
		EVPF2W5460	1377	1421	54	60	2 7/8
			Write Board Panel - Double Sided - 66” High	EVPF2W6618	624	647	66
EVPF2W6624	779			805	66	24	2 7/8
EVPF2W6630	952			984	66	30	2 7/8
EVPF2W6636	1041			1081	66	36	2 7/8
EVPF2W6642	1179			1223	66	42	2 7/8
EVPF2W6648	1357			1405	66	48	2 7/8
EVPF2W6654	1514			1569	66	54	2 7/8
EVPF2W6660	1668			1729	66	60	2 7/8

EVPLF2W - WRITE BOARD LIGHT PANEL - DOUBLE SIDED





- Write Board Light Panel incorporates fabric modules with a single 24”H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Write Board Light Panel - Double Sided - 54” High	EVPLF2W5418	488	498	54	18	2 7/8
		EVPLF2W5424	611	624	54	18	2 7/8
		EVPLF2W5430	759	782	54	18	2 7/8
		EVPLF2W5436	825	847	54	18	2 7/8
		EVPLF2W5442	932	962	54	18	2 7/8
		EVPLF2W5448	1090	1121	54	18	2 7/8
		EVPLF2W5454	1212	1247	54	18	2 7/8
		EVPLF2W5460	1336	1376	54	18	2 7/8
			Write Board Light Panel - Double Sided - 66” High	EVPLF2W6618	607	624	66
EVPLF2W6624	754			782	66	24	2 7/8
EVPLF2W6630	922			956	66	30	2 7/8
EVPLF2W6636	1011			1048	66	36	2 7/8
EVPLF2W6642	1145			1188	66	42	2 7/8
EVPLF2W6648	1316			1360	66	48	2 7/8
EVPLF2W6654	1469			1519	66	54	2 7/8
EVPLF2W6660	1675			1675	66	60	2 7/8







EVPH1S - LAMINATE PANEL - SINGLE SIDED

- Laminate Panel incorporates single sided laminate modules, into a solid steel frame.
- Opposite side is fabric covered.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Laminate Panel - Single Sided - 30” High	EVPH1S3018	383	392	30	18	2 7/8
		EVPH1S3024	458	469	30	24	2 7/8
		EVPH1S3030	533	546	30	30	2 7/8
		EVPH1S3036	607	622	30	36	2 7/8
		EVPH1S3042	691	704	30	42	2 7/8
		EVPH1S3048	751	765	30	48	2 7/8
		EVPH1S3054	827	846	30	54	2 7/8
		EVPH1S3060	909	928	30	60	2 7/8
	Laminate Panel - Single Sided - 42” High	EVPH1S4218	456	467	42	18	2 7/8
		EVPH1S4224	542	557	42	24	2 7/8
		EVPH1S4230	635	652	42	30	2 7/8
		EVPH1S4236	727	750	42	36	2 7/8
		EVPH1S4242	825	847	42	42	2 7/8
		EVPH1S4248	896	922	42	48	2 7/8
		EVPH1S4254	994	1022	42	54	2 7/8
		EVPH1S4260	1090	1122	42	60	2 7/8
	Laminate Panel - Single Sided - 54” High	EVPH1S5418	534	546	54	18	2 7/8
		EVPH1S5424	643	665	54	24	2 7/8
		EVPH1S5430	754	778	54	30	2 7/8
		EVPH1S5436	864	888	54	36	2 7/8
		EVPH1S5442	979	1010	54	42	2 7/8
		EVPH1S5448	1068	1102	54	48	2 7/8
		EVPH1S5454	1188	1223	54	54	2 7/8
		EVPH1S5460	1304	1346	54	60	2 7/8
	Laminate Panel - Single Sided - 66” High	EVPH1S6618	661	680	66	18	2 7/8
		EVPH1S6624	794	820	66	24	2 7/8
		EVPH1S6630	928	958	66	30	2 7/8
		EVPH1S6636	1071	1105	66	36	2 7/8
		EVPH1S6642	1218	1255	66	42	2 7/8
		EVPH1S6648	1324	1366	66	48	2 7/8
		EVPH1S6654	1476	1521	66	54	2 7/8
		EVPH1S6660	1623	1674	66	60	2 7/8

EVPLH1S - LAMINATE LIGHT PANEL - SINGLE SIDED





- Laminate Panel incorporates single sided laminate modules, into a solid steel frame.
- Opposite side is fabric covered.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Laminate Light Panel - Single Sided - 30" High	EVPLH1S3018	373	380	30	18	2 7/8
		EVPLH1S3024	446	455	30	24	2 7/8
		EVPLH1S3030	518	525	30	30	2 7/8
		EVPLH1S3036	589	604	30	36	2 7/8
		EVPLH1S3042	668	680	30	42	2 7/8
		EVPLH1S3048	728	740	30	48	2 7/8
		EVPLH1S3054	801	822	30	54	2 7/8
	EVPLH1S3060	880	897	30	60	2 7/8	
	Laminate Light Panel - Single Sided - 42" High	EVPLH1S4218	443	451	42	18	2 7/8
		EVPLH1S4224	524	540	42	24	2 7/8
		EVPLH1S4230	615	633	42	30	2 7/8
		EVPLH1S4236	704	726	42	36	2 7/8
		EVPLH1S4242	799	822	42	42	2 7/8
		EVPLH1S4248	871	892	42	48	2 7/8
		EVPLH1S4254	965	992	42	54	2 7/8
	EVPLH1S4260	1057	1086	42	60	2 7/8	
	Laminate Light Panel - Single Sided - 54" High	EVPLH1S5418	519	525	54	18	2 7/8
		EVPLH1S5424	623	642	54	24	2 7/8
		EVPLH1S5430	733	752	54	30	2 7/8
		EVPLH1S5436	837	863	54	36	2 7/8
		EVPLH1S5442	949	976	54	42	2 7/8
		EVPLH1S5448	1035	1067	54	48	2 7/8
		EVPLH1S5454	1151	1187	54	54	2 7/8
	EVPLH1S5460	1265	1303	54	60	2 7/8	
	Laminate Light Panel - Single Sided - 66" High	EVPLH1S6618	641	659	66	18	2 7/8
		EVPLH1S6624	771	792	66	24	2 7/8
		EVPLH1S6630	899	927	66	30	2 7/8
		EVPLH1S6636	1038	1069	66	36	2 7/8
		EVPLH1S6642	1179	1214	66	42	2 7/8
		EVPLH1S6648	1287	1323	66	48	2 7/8
		EVPLH1S6654	1430	1476	66	54	2 7/8
	EVPLH1S6660	1574	1623	66	60	2 7/8	







EVPH2S - LAMINATE PANEL - DOUBLE SIDED

- Laminate Panel incorporates double sided laminate modules, into a solid steel frame.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Laminate Panel - Double Sided - 30" High	EVPH2S3018	522	30	18	2 7/8
		EVPH2S3024	522	30	24	2 7/8
		EVPH2S3030	616	30	30	2 7/8
		EVPH2S3036	704	30	36	2 7/8
		EVPH2S3042	801	30	42	2 7/8
		EVPH2S3048	894	30	48	2 7/8
		EVPH2S3054	992	30	54	2 7/8
EVPH2S3060	1071	30	60	2 7/8		
	Laminate Panel - Double Sided - 42" High	EVPH2S4218	507	42	18	2 7/8
		EVPH2S4224	616	42	24	2 7/8
		EVPH2S4230	726	42	30	2 7/8
		EVPH2S4236	844	42	36	2 7/8
		EVPH2S4242	962	42	42	2 7/8
		EVPH2S4248	1077	42	48	2 7/8
		EVPH2S4254	1185	42	54	2 7/8
EVPH2S4260	1288	42	60	2 7/8		
	Laminate Panel - Double Sided - 54" High	EVPH2S5418	595	54	18	2 7/8
		EVPH2S5424	728	54	24	2 7/8
		EVPH2S5430	863	54	30	2 7/8
		EVPH2S5436	1002	54	36	2 7/8
		EVPH2S5442	1144	54	42	2 7/8
		EVPH2S5448	1287	54	48	2 7/8
		EVPH2S5454	1418	54	54	2 7/8
EVPH2S5460	1542	54	60	2 7/8		
	Laminate Panel - Double Sided - 66" High	EVPH2S6618	751	66	18	2 7/8
		EVPH2S6624	921	66	24	2 7/8
		EVPH2S6630	1090	66	30	2 7/8
		EVPH2S6636	1265	66	36	2 7/8
		EVPH2S6642	1448	66	42	2 7/8
		EVPH2S6648	1623	66	48	2 7/8
		EVPH2S6654	1791	66	54	2 7/8
EVPH2S6660	1957	66	60	2 7/8		

EVPLH2S - LAMINATE LIGHT PANEL - DOUBLE SIDED





- Laminate Panel incorporates double sided laminate modules, into a solid steel frame.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only
- If wood grain is selected, grain runs horizontally.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Laminate Light Panel - Double Sided - 30" High	EVPLH2S3018	506	30	18	2 7/8
		EVPLH2S3024	506	30	24	2 7/8
		EVPLH2S3030	597	30	30	2 7/8
		EVPLH2S3036	682	30	36	2 7/8
		EVPLH2S3042	780	30	42	2 7/8
		EVPLH2S3048	870	30	48	2 7/8
		EVPLH2S3054	963	30	54	2 7/8
	EVPLH2S3060	1038	30	60	2 7/8	
	Laminate Light Panel - Double Sided - 42" High	EVPLH2S4218	493	42	18	2 7/8
		EVPLH2S4224	597	42	24	2 7/8
		EVPLH2S4230	703	42	30	2 7/8
		EVPLH2S4236	820	42	36	2 7/8
		EVPLH2S4242	932	42	42	2 7/8
		EVPLH2S4248	1047	42	48	2 7/8
		EVPLH2S4254	1148	42	54	2 7/8
	EVPLH2S4260	1250	42	60	2 7/8	
	Laminate Light Panel - Double Sided - 54" High	EVPLH2S5418	577	54	18	2 7/8
		EVPLH2S5424	705	54	24	2 7/8
		EVPLH2S5430	836	54	30	2 7/8
		EVPLH2S5436	971	54	36	2 7/8
		EVPLH2S5442	1109	54	42	2 7/8
		EVPLH2S5448	1249	54	48	2 7/8
		EVPLH2S5454	1375	54	54	2 7/8
	EVPLH2S5460	1493	54	60	2 7/8	
	Laminate Light Panel - Double Sided - 66" High	EVPLH2S6618	641	66	18	2 7/8
		EVPLH2S6624	892	66	24	2 7/8
		EVPLH2S6630	1057	66	30	2 7/8
		EVPLH2S6636	1226	66	36	2 7/8
		EVPLH2S6642	1403	66	42	2 7/8
		EVPLH2S6648	1574	66	48	2 7/8
		EVPLH2S6654	1738	66	54	2 7/8
	EVPLH2S6660	1898	66	60	2 7/8	







EVPPAF - AIRFLOW PANEL

- Airflow Panel incorporates bottom 24”H airflow module with individual fabric modules, within a steel frame.
- The 24”H Metal airflow module is positioned in the base section to provide air circulation.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Panel - 30” High	EVPPAF3024	439		30	24	2 7/8
		EVPPAF3030	521		30	30	2 7/8
		EVPPAF3036	577		30	36	2 7/8
		EVPPAF3042	641		30	42	2 7/8
		EVPPAF3048	723		30	48	2 7/8
		EVPPAF3054	829		30	54	2 7/8
		EVPPAF3060	935		30	60	2 7/8
	Airflow Panel - 42” High	EVPPAF4224	559	568	42	24	2 7/8
		EVPPAF4230	661	674	42	30	2 7/8
		EVPPAF4236	736	751	42	36	2 7/8
		EVPPAF4242	818	833	42	42	2 7/8
		EVPPAF4248	924	940	42	48	2 7/8
		EVPPAF4254	1052	1071	42	54	2 7/8
		EVPPAF4260	1068	1089	42	60	2 7/8
	Airflow Panel - 54” High	EVPPAF5424	627	648	54	24	2 7/8
		EVPPAF5430	722	744	54	30	2 7/8
		EVPPAF5436	807	834	54	36	2 7/8
		EVPPAF5442	899	930	54	42	2 7/8
		EVPPAF5448	1011	1046	54	48	2 7/8
		EVPPAF5454	1177	1217	54	54	2 7/8
		EVPPAF5460	1284	1325	54	60	2 7/8
	Airflow Panel - 66” High	EVPPAF6624	732	758	66	24	2 7/8
		EVPPAF6630	863	894	66	30	2 7/8
		EVPPAF6636	966	1006	66	36	2 7/8
		EVPPAF6642	1077	1120	66	42	2 7/8
		EVPPAF6648	1213	1262	66	48	2 7/8
		EVPPAF6654	1371	1426	66	54	2 7/8
		EVPPAF6660	1526	1587	66	60	2 7/8

EVPLFAF - AIRFLOW LIGHT PANEL



- Airflow Light Panel incorporates bottom 24”H airflow module with individual fabric modules, within a steel frame.
- The 24”H Metal airflow module is positioned in the base section to provide air circulation.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module listings for part numbers

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Light Panel - 30” High	EVPLFAF3024	427		30	18	2 7/8
		EVPLFAF3030	505		30	30	2 7/8
		EVPLFAF3036	560		30	36	2 7/8
		EVPLFAF3042	621		30	42	2 7/8
		EVPLFAF3048	700		30	48	2 7/8
		EVPLFAF3054	805		30	54	2 7/8
		EVPLFAF3060	910		30	60	2 7/8
	Airflow Light Panel - 42” High	EVPLFAF4224	543	550	42	18	2 7/8
		EVPLFAF4230	641	652	42	30	2 7/8
		EVPLFAF4236	713	728	42	36	2 7/8
		EVPLFAF4242	791	806	42	42	2 7/8
		EVPLFAF4248	894	912	42	48	2 7/8
		EVPLFAF4254	1019	1037	42	54	2 7/8
		EVPLFAF4260	1035	1055	42	60	2 7/8
	Airflow Light Panel - 54” High	EVPLFAF5424	610	624	54	18	2 7/8
		EVPLFAF5430	699	722	54	30	2 7/8
		EVPLFAF5436	785	807	54	36	2 7/8
		EVPLFAF5442	873	901	54	42	2 7/8
		EVPLFAF5448	980	1013	54	48	2 7/8
		EVPLFAF5454	1142	1175	54	54	2 7/8
		EVPLFAF5460	1246	1284	54	60	2 7/8
	Airflow Light Panel - 66” High	EVPLFAF6624	708	734	66	18	2 7/8
		EVPLFAF6630	836	869	66	30	2 7/8
		EVPLFAF6636	938	974	66	36	2 7/8
		EVPLFAF6642	1047	1085	66	42	2 7/8
		EVPLFAF6648	1176	1223	66	48	2 7/8
		EVPLFAF6654	1331	1380	66	54	2 7/8
		EVPLFAF6660	1481	1537	30	60	2 7/8





EVPPPAF - AIRFLOW PREMIUM PANEL

- Airflow Premium Panel incorporates bottom 24”H airflow module with individual fabric modules, within a steel frame.
- The 24”H Metal airflow module is positioned in the base section to provide air circulation.
- Premium panels incorporate 12”H acoustic modules above 30”H base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Premium Panel - 54” High	EVPPPAF5424	697	713	54	24	2 7/8
		EVPPPAF5430	798	822	54	30	2 7/8
		EVPPPAF5436	892	918	54	36	2 7/8
		EVPPPAF5442	991	1021	54	42	2 7/8
		EVPPPAF5448	1122	1156	54	48	2 7/8
		EVPPPAF5454	1269	1308	54	54	2 7/8
	Airflow Premium Panel - 66” High	EVPPPAF6624	799	827	66	24	2 7/8
		EVPPPAF6630	938	972	66	30	2 7/8
		EVPPPAF6636	1050	1089	66	36	2 7/8
		EVPPPAF6642	1165	1209	66	42	2 7/8
		EVPPPAF6648	1323	1374	66	48	2 7/8
		EVPPPAF6654	1490	1546	66	54	2 7/8
		EVPPPAF6660	1662	1722	66	60	2 7/8



EVPLPPAF - AIRFLOW PREMIUM LIGHT PANEL

- Airflow Premium Light Panel incorporates bottom 24”H airflow module with individual 12”H fabric modules, within a steel frame.
- The 24”H Metal airflow module is positioned in the base section to provide air circulation.
- Premium panels incorporate 12”H acoustic modules above 30”H base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Premium Light Panel - 54” High	EVPLPPAF5424	676	694	54	18	2 7/8
		EVPLPPAF5430	776	794	54	30	2 7/8
		EVPLPPAF5436	867	889	54	36	2 7/8
		EVPLPPAF5442	962	989	54	42	2 7/8
		EVPLPPAF5448	1087	1119	54	48	2 7/8
		EVPLPPAF5454	1232	1264	54	54	2 7/8
	Airflow Premium Light Panel - 66” High	EVPLPPAF6624	777	800	66	18	2 7/8
		EVPLPPAF6630	911	940	66	30	2 7/8
		EVPLPPAF6636	1018	1055	66	36	2 7/8
		EVPLPPAF6642	1130	1170	66	42	2 7/8
		EVPLPPAF6648	1285	1332	66	48	2 7/8
		EVPLPPAF6654	1446	1493	66	54	2 7/8
		EVPLPPAF6660	1611	1667	66	60	2 7/8


EVFPMAF - AIRFLOW MIDDLE PREMIUM PANEL

- Airflow Panel Middle Premium Panel incorporates a 12”H middle position airflow module with fabric modules, within a steel frame.
- Premium panels incorporate 12”H modules above 30”H base section.
- 12”H airflow panel is located at the beltline.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Middle Premium Panel - 54” High	EVFPMAF5424	765	796	54	24	2 7/8
		EVFPMAF5430	908	945	54	30	2 7/8
		EVFPMAF5436	1028	1076	54	36	2 7/8
		EVFPMAF5442	1157	1208	54	42	2 7/8
		EVFPMAF5448	1293	1349	54	48	2 7/8
		EVFPMAF5454	1461	1523	54	54	2 7/8
	Airflow Middle Premium Panel - 66” High	EVFPMAF6624	870	904	66	24	2 7/8
		EVFPMAF6630	1026	1052	66	30	2 7/8
		EVFPMAF6636	1166	1215	66	36	2 7/8
		EVFPMAF6642	1305	1360	66	42	2 7/8
		EVFPMAF6648	1461	1522	66	48	2 7/8
		EVFPMAF6654	1647	1717	66	54	2 7/8
EVFPMAF6660	1831	1908	66	60	2 7/8		

EVPLPMAF - AIRFLOW MIDDLE PREMIUM LIGHT PANEL





- Airflow Panel Middle Premium Light Panel incorporates a 12”H middle position airflow module with fabric modules, within a steel frame.
- Premium panels incorporate 12”H modules above 30”H base section.
- 12”H airflow panel is located at the beltline.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Middle Premium Light Panel - 66” High	EVPLPMAF6624	702	734	66	18	2 7/8
		EVPLPMAF6630	828	860	66	30	2 7/8
		EVPLPMAF6636	943	991	66	36	2 7/8
		EVPLPMAF6642	1059	1111	66	42	2 7/8
		EVPLPMAF6648	1289	1350	66	48	2 7/8
		EVPLPMAF6654	1332	1395	66	54	2 7/8
		EVPLPMAF6660	1482	1556	66	60	2 7/8







EVPM1S - METAL SKIN PANEL - SINGLE SIDED

- Metal Skin Panel incorporates single sided metal skin modules, into a solid steel frame.
- Opposite side is fabric covered.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Metal Skin Panel - Single Sided 30" High	EVPM1S3018	497	506	30	18	2 7/8
		EVPM1S3024	595	607	30	24	2 7/8
		EVPM1S3030	693	704	30	30	2 7/8
		EVPM1S3036	788	802	30	36	2 7/8
		EVPM1S3042	893	910	30	42	2 7/8
		EVPM1S3048	973	990	30	48	2 7/8
		EVPM1S3054	1075	1092	30	54	2 7/8
		EVPM1S3060	1177	1198	30	60	2 7/8
	Metal Skin Panel - Single Sided 42" High	EVPM1S4218	590	601	42	18	2 7/8
		EVPM1S4224	702	715	42	24	2 7/8
		EVPM1S4230	825	841	42	30	2 7/8
		EVPM1S4236	943	967	42	36	2 7/8
		EVPM1S4242	1071	1094	42	42	2 7/8
		EVPM1S4248	1164	1190	42	48	2 7/8
		EVPM1S4254	1293	1319	42	54	2 7/8
		EVPM1S4260	1419	1449	42	60	2 7/8
	Metal Skin Panel - Single Sided 54" High	EVPM1S5418	695	708	54	18	2 7/8
		EVPM1S5424	836	853	54	24	2 7/8
		EVPM1S5430	979	1002	54	30	2 7/8
		EVPM1S5436	1119	1146	54	36	2 7/8
		EVPM1S5442	1270	1301	54	42	2 7/8
		EVPM1S5448	1387	1422	54	48	2 7/8
		EVPM1S5454	1542	1582	54	54	2 7/8
		EVPM1S5460	1695	1735	54	60	2 7/8
	Metal Skin Panel - Single Sided 66" High	EVPM1S6618	856	877	66	18	2 7/8
		EVPM1S6624	1032	1056	66	24	2 7/8
		EVPM1S6630	1206	1234	66	30	2 7/8
		EVPM1S6636	1391	1425	66	36	2 7/8
		EVPM1S6642	1581	1618	66	42	2 7/8
		EVPM1S6648	1721	1763	66	48	2 7/8
		EVPM1S6654	1914	1960	66	54	2 7/8
		EVPM1S6660	2109	2160	66	60	2 7/8

EVPLM1S - METAL SKIN LIGHT PANEL - SINGLE SIDED





- Metal Skin Light Panel incorporates single sided metal skin modules, into a solid steel frame.
- Opposite side is fabric covered.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Metal Skin Light Panel - Single Sided - 30” High	EVPLM1S3018	484	491	30	18	2 7/8
		EVPLM1S3024	577	587	30	24	2 7/8
		EVPLM1S3030	669	679	30	30	2 7/8
		EVPLM1S3036	763	779	30	36	2 7/8
		EVPLM1S3042	869	881	30	42	2 7/8
		EVPLM1S3048	943	959	30	48	2 7/8
		EVPLM1S3054	1045	1058	30	54	2 7/8
	EVPLM1S3060	1142	1161	30	60	2 7/8	
	Metal Skin Light Panel - Single Sided - 42” High	EVPLM1S4218	574	583	42	18	2 7/8
		EVPLM1S4224	680	695	42	24	2 7/8
		EVPLM1S4230	799	817	42	30	2 7/8
		EVPLM1S4236	916	934	42	36	2 7/8
		EVPLM1S4242	1038	1058	42	42	2 7/8
		EVPLM1S4248	1129	1154	42	48	2 7/8
		EVPLM1S4254	1252	1278	42	54	2 7/8
	EVPLM1S4260	1376	1403	42	60	2 7/8	
	Metal Skin Light Panel - Single Sided - 54” High	EVPLM1S5418	671	684	54	18	2 7/8
		EVPLM1S5424	809	827	54	24	2 7/8
		EVPLM1S5430	949	969	54	30	2 7/8
		EVPLM1S5436	1085	1110	54	36	2 7/8
		EVPLM1S5442	1233	1261	54	42	2 7/8
		EVPLM1S5448	1346	1377	54	48	2 7/8
		EVPLM1S5454	1493	1533	54	54	2 7/8
	EVPLM1S5460	1643	1682	54	60	2 7/8	
	Metal Skin Light Panel - Single Sided - 66” High	EVPLM1S6618	832	847	66	18	2 7/8
		EVPLM1S6624	1002	1021	66	24	2 7/8
		EVPLM1S6630	1169	1196	66	30	2 7/8
		EVPLM1S6636	1349	1381	66	36	2 7/8
		EVPLM1S6642	1534	1569	66	42	2 7/8
		EVPLM1S6648	1668	1708	66	48	2 7/8
		EVPLM1S6654	1858	1900	66	54	2 7/8
	EVPLM1S6660	2045	2095	66	60	2 7/8	







EVPM2S - METAL SKIN PANEL - DOUBLE SIDED

- Metal Skin Panel incorporates double sided metal skin modules, into a solid steel frame.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Metal Skin Panel - Double Sided - 30” High	EVPM2S3018	732	30	18	2 7/8
		EVPM2S3024	732	30	24	2 7/8
		EVPM2S3030	861	30	30	2 7/8
		EVPM2S3036	986	30	36	2 7/8
		EVPM2S3042	986	30	42	2 7/8
		EVPM2S3048	1119	30	48	2 7/8
		EVPM2S3054	1251	30	54	2 7/8
		EVPM2S3060	1495	30	60	2 7/8
	Metal Skin Panel - Double Sided - 42” High	EVPM2S4218	708	42	18	2 7/8
		EVPM2S4224	861	42	24	2 7/8
		EVPM2S4230	1014	42	30	2 7/8
		EVPM2S4236	1179	42	36	2 7/8
		EVPM2S4242	1344	42	42	2 7/8
		EVPM2S4248	1508	42	48	2 7/8
		EVPM2S4254	1656	42	54	2 7/8
		EVPM2S4260	1802	42	60	2 7/8
	Metal Skin Panel - Double Sided - 54” High	EVPM2S5418	832	54	18	2 7/8
		EVPM2S5424	1018	54	24	2 7/8
		EVPM2S5430	1205	54	30	2 7/8
		EVPM2S5436	1400	54	36	2 7/8
		EVPM2S5442	1601	54	42	2 7/8
		EVPM2S5448	1800	54	48	2 7/8
		EVPM2S5454	1980	54	54	2 7/8
		EVPM2S5460	2159	54	60	2 7/8
	Metal Skin Panel - Double Sided - 66” High	EVPM2S6618	1048	66	18	2 7/8
		EVPM2S6624	1288	66	24	2 7/8
		EVPM2S6630	1525	66	30	2 7/8
		EVPM2S6636	1771	66	36	2 7/8
		EVPM2S6642	2024	66	42	2 7/8
		EVPM2S6648	2271	66	48	2 7/8
		EVPM2S6654	2505	66	54	2 7/8
		EVPM2S6660	2741	66	60	2 7/8

EVPLM2S - METAL SKIN LIGHT PANEL - DOUBLE SIDED





- Metal Skin Light Panel incorporates double sided metal skin modules, into a solid steel frame.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Metal Skin Light Panel - Double Sided - 30" High	EVPLM2S3018	708	30	18	2 7/8
		EVPLM2S3024	708	30	24	2 7/8
		EVPLM2S3030	835	30	30	2 7/8
		EVPLM2S3036	957	30	36	2 7/8
		EVPLM2S3042	957	30	42	2 7/8
		EVPLM2S3048	1085	30	48	2 7/8
		EVPLM2S3054	1213	30	54	2 7/8
		EVPLM2S3060	1452	30	60	2 7/8
	Metal Skin Light Panel - Double Sided - 42" High	EVPLM2S4218	688	42	18	2 7/8
		EVPLM2S4224	835	42	24	2 7/8
		EVPLM2S4230	982	42	30	2 7/8
		EVPLM2S4236	1145	42	36	2 7/8
		EVPLM2S4242	1302	42	42	2 7/8
		EVPLM2S4248	1461	42	48	2 7/8
		EVPLM2S4254	1607	42	54	2 7/8
		EVPLM2S4260	1748	42	60	2 7/8
	Metal Skin Light Panel - Double Sided - 54" High	EVPLM2S5418	806	54	18	2 7/8
		EVPLM2S5424	988	54	24	2 7/8
		EVPLM2S5430	1168	54	30	2 7/8
		EVPLM2S5436	1358	54	36	2 7/8
		EVPLM2S5442	1553	54	42	2 7/8
		EVPLM2S5448	1745	54	48	2 7/8
		EVPLM2S5454	1919	54	54	2 7/8
		EVPLM2S5460	2094	54	60	2 7/8
	Metal Skin Light Panel - Double Sided - 66" High	EVPLM2S6618	1016	66	18	2 7/8
		EVPLM2S6624	1250	66	24	2 7/8
		EVPLM2S6630	1480	66	30	2 7/8
		EVPLM2S6636	1719	66	36	2 7/8
		EVPLM2S6642	1961	66	42	2 7/8
		EVPLM2S6648	2204	66	48	2 7/8
		EVPLM2S6654	2428	66	54	2 7/8
		EVPLM2S6660	2684	66	60	2 7/8







EVPFOL - OPEN BOTTOM PANEL

- Open Bottom Panel incorporates bottom 24”H open module with individual fabric modules, within a steel frame.
- The 24”H open bottom module in the base section is to provide air circulation and access to electrical or data.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Bottom Panel - 30" High	EVPFOL3018	253		30	18	2 7/8
		EVPFOL3024	288		30	24	2 7/8
		EVPFOL3030	325		30	30	2 7/8
		EVPFOL3036	357		30	36	2 7/8
		EVPFOL3042	391		30	42	2 7/8
		EVPFOL3048	422		30	48	2 7/8
		EVPFOL3054	457		30	54	2 7/8
		EVPFOL3060	490		30	60	2 7/8
	Open Bottom Panel - 42" High	EVPFOL4218	377	384	42	18	2 7/8
		EVPFOL4224	433	444	42	24	2 7/8
		EVPFOL4230	490	503	42	30	2 7/8
		EVPFOL4236	549	565	42	36	2 7/8
		EVPFOL4242	610	625	42	42	2 7/8
		EVPFOL4248	655	671	42	48	2 7/8
		EVPFOL4254	722	738	42	54	2 7/8
		EVPFOL4260	783	802	42	60	2 7/8
	Open Bottom Panel - 54" High	EVPFOL5418	426	441	54	18	2 7/8
		EVPFOL5424	485	506	54	24	2 7/8
		EVPFOL5430	556	577	54	30	2 7/8
		EVPFOL5436	622	650	54	36	2 7/8
		EVPFOL5442	694	724	54	42	2 7/8
		EVPFOL5448	751	785	54	48	2 7/8
		EVPFOL5454	822	855	54	54	2 7/8
		EVPFOL5460	889	932	54	60	2 7/8
	Open Bottom Panel - 66" High	EVPFOL6618	552	575	66	18	2 7/8
		EVPFOL6624	635	663	66	24	2 7/8
		EVPFOL6630	726	758	66	30	2 7/8
		EVPFOL6636	815	852	66	36	2 7/8
		EVPFOL6642	915	961	66	42	2 7/8
		EVPFOL6648	980	1029	66	48	2 7/8
		EVPFOL6654	1082	1135	66	54	2 7/8
		EVPFOL6660	1179	1241	66	60	2 7/8

EVPLFOL - OPEN BOTTOM LIGHT PANEL



- Open Bottom Light Panel incorporates bottom 24”H open module with individual fabric modules, within a steel frame.
- The 24”H open bottom module in the base section is to provide air circulation and access to electrical or data.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Bottom Light Panel - 30” High	EVPLFOL3018	244		30	18	2 7/8
		EVPLFOL3024	276		30	24	2 7/8
		EVPLFOL3030	316		30	30	2 7/8
		EVPLFOL3036	347		30	36	2 7/8
		EVPLFOL3042	380		30	42	2 7/8
		EVPLFOL3048	404		30	48	2 7/8
		EVPLFOL3054	445		30	54	2 7/8
		EVPLFOL3060	475		30	60	2 7/8
	Open Bottom Light Panel - 42” High	EVPLFOL4218	364	371	42	18	2 7/8
		EVPLFOL4224	420	429	42	24	2 7/8
		EVPLFOL4230	475	486	42	30	2 7/8
		EVPLFOL4236	533	546	42	36	2 7/8
		EVPLFOL4242	590	606	42	42	2 7/8
		EVPLFOL4248	639	650	42	48	2 7/8
		EVPLFOL4254	699	713	42	54	2 7/8
		EVPLFOL4260	758	779	42	60	2 7/8
	Open Bottom Light Panel - 54” High	EVPLFOL5418	409	421	54	18	2 7/8
		EVPLFOL5424	465	484	54	24	2 7/8
		EVPLFOL5430	534	551	54	30	2 7/8
		EVPLFOL5436	597	622	54	36	2 7/8
		EVPLFOL5442	665	694	54	42	2 7/8
		EVPLFOL5448	721	752	54	48	2 7/8
		EVPLFOL5454	789	823	54	54	2 7/8
		EVPLFOL5460	854	893	54	60	2 7/8
	Open Bottom Premium Panel - 66” High	EVPLFOL6618	530	550	60	18	2 7/8
		EVPLFOL6624	611	638	60	24	2 7/8
		EVPLFOL6630	697	727	60	30	2 7/8
		EVPLFOL6636	783	818	60	36	2 7/8
		EVPLFOL6642	879	921	60	42	2 7/8
		EVPLFOL6648	940	988	60	48	2 7/8
		EVPLFOL6654	1038	1087	60	54	2 7/8
		EVPLFOL6660	1134	1192	60	60	2 7/8





EVPPPOL - OPEN BOTTOM PREMIUM PANEL

- Open Bottom Premium Panel incorporates bottom 24”H open module with individual fabric modules, within a steel frame.
- The 24”H open bottom module in the base section is to provide air circulation and access to electrical or data.
- Premium panels incorporate 12”H fabric modules above 30”H base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Bottom Premium Panel - 54” High	EVPPPOL5418	503	517	54	18	2 7/8
		EVPPPOL5424	576	597	54	24	2 7/8
		EVPPPOL5430	659	681	54	30	2 7/8
		EVPPPOL5436	739	764	54	36	2 7/8
		EVPPPOL5442	832	862	54	42	2 7/8
		EVPPPOL5448	892	926	54	48	2 7/8
		EVPPPOL5454	981	1018	54	54	2 7/8
		EVPPPOL5460	1076	1115	54	60	2 7/8
	Open Bottom Premium Panel - 66” High	EVPPPOL6618	630	653	66	18	2 7/8
		EVPPPOL6624	727	755	66	24	2 7/8
		EVPPPOL6630	826	857	66	30	2 7/8
		EVPPPOL6636	932	972	66	36	2 7/8
		EVPPPOL6642	1052	1096	66	42	2 7/8
		EVPPPOL6648	1127	1177	66	48	2 7/8
		EVPPPOL6654	1249	1304	66	54	2 7/8
		EVPPPOL6660	1369	1430	66	60	2 7/8



EVPLFPOL - OPEN BOTTOM PREMIUM LIGHT PANEL

- Open Bottom Premium Light Panel incorporates bottom 24”H open module with individual fabric modules, within a steel frame.
- The 24”H open bottom module in the base section is to provide air circulation and access to electrical or data.
- Premium panels incorporate 12”H fabric modules above 30”H base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Bottom Premium Light Panel - 54” High	EVPLFPOL5418	482	494	54	18	2 7/8
		EVPLFPOL5424	552	573	54	24	2 7/8
		EVPLFPOL5430	632	650	54	30	2 7/8
		EVPLFPOL5436	709	734	54	36	2 7/8
		EVPLFPOL5442	798	825	54	42	2 7/8
		EVPLFPOL5448	856	888	54	48	2 7/8
		EVPLFPOL5454	942	976	54	54	2 7/8
		EVPLFPOL5460	1034	1069	54	60	2 7/8
	Open Bottom Premium Light Panel - 66” High	EVPLFPOL6618	605	623	60	18	2 7/8
		EVPLFPOL6624	698	724	60	24	2 7/8
		EVPLFPOL6630	791	825	60	30	2 7/8
		EVPLFPOL6636	893	929	60	36	2 7/8
		EVPLFPOL6642	1010	1050	60	42	2 7/8
		EVPLFPOL6648	1081	1129	60	48	2 7/8
		EVPLFPOL6654	1197	1250	60	54	2 7/8
		EVPLFPOL6660	1314	1373	60	60	2 7/8



EVVFO - OPEN MIDDLE PANEL - 12”H OPENING

- Open Middle Panel incorporates a 12”H middle position open module with fabric modules, within a steel frame.
- Open Middle Panel Incorporates a 12”H opening above 30”H base module to provide pass-through convenience.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Panel - 12”H Opening - 54” High	EVVFO5418	509	533	54	18	2 7/8
		EVVFO5424	592	620	54	24	2 7/8
		EVVFO5430	681	713	54	30	2 7/8
		EVVFO5436	776	815	54	36	2 7/8
		EVVFO5442	873	917	54	42	2 7/8
		EVVFO5448	942	993	54	48	2 7/8
		EVVFO5454	1045	1097	54	54	2 7/8
	Open Middle Panel - 12”H Opening - 66” High	EVVFO6618	561	589	66	18	2 7/8
		EVVFO6624	649	684	66	24	2 7/8
		EVVFO6630	747	789	66	30	2 7/8
		EVVFO6636	847	898	66	36	2 7/8
		EVVFO6642	956	1012	66	42	2 7/8
		EVVFO6648	1031	1099	66	48	2 7/8
		EVVFO6654	1144	1214	66	54	2 7/8
	EVVFO6660	1250	1332	66	60	2 7/8	

EVPLFO - OPEN MIDDLE LIGHT PANEL - 12”H OPENING


- Open Middle Light Panel incorporates a 12”H middle position open module with fabric modules, within a steel frame.
- Open Middle Light Panel Incorporates a 12”H opening above 30”H base module to provide pass-through convenience.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Light Panel - 12”H Opening - 54” High	EVPLFO5418	485	505	54	18	2 7/8
		EVPLFO5424	564	589	54	24	2 7/8
		EVPLFO5430	649	679	54	30	2 7/8
		EVPLFO5436	736	771	54	36	2 7/8
		EVPLFO5442	829	871	54	42	2 7/8
		EVPLFO5448	894	940	54	48	2 7/8
		EVPLFO5454	991	1041	54	54	2 7/8
	Open Middle Light Panel - 12”H Opening - 66” High	EVPLFO6618	534	560	60	18	2 7/8
		EVPLFO6624	616	650	60	24	2 7/8
		EVPLFO6630	708	749	60	30	2 7/8
		EVPLFO6636	806	853	60	36	2 7/8
		EVPLFO6642	909	961	60	42	2 7/8
		EVPLFO6648	980	1041	60	48	2 7/8
		EVPLFO6654	1086	1154	60	54	2 7/8
	EVPLFO6660	1188	1262	60	60	2 7/8	




EVFPFO - OPEN MIDDLE PREMIUM PANEL - 12”H OPENING

- Open Middle Premium Panel incorporates a 12”H middle position open module with fabric modules, within a steel frame.
- Open Middle Premium Panel Incorporates a 12”H opening above 30”H base module to provide pass-through convenience.
- Premium panels incorporate 12”H modules above 30”H base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Premium Panel - 12”H Opening - 66” High	EVFPFO6618	639	667	66	18	2 7/8
		EVFPFO6624	739	779	66	24	2 7/8
		EVFPFO6630	850	895	66	30	2 7/8
		EVFPFO6636	962	1011	66	36	2 7/8
		EVFPFO6642	1094	1152	66	42	2 7/8
		EVFPFO6648	1176	1243	66	48	2 7/8
		EVFPFO6654	1304	1376	66	54	2 7/8
		EVFPFO6660	1436	1518	66	60	2 7/8



EVPLFPO - OPEN MIDDLE PREMIUM LIGHT PANEL - 12” OPENING

- Open Middle Premium Light Panel incorporates a 12”H middle position open module with fabric modules, within a steel frame.
- Open Middle Premium Light Panel Incorporates a 12”H opening above 30”H base module to provide pass-through convenience.
- Premium panels incorporate 12”H modules above 30”H base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Premium Light Panel - 12”H Opening - 66” High	EVPLFPO6618	606	632	66	18	2 7/8
		EVPLFPO6624	703	736	66	24	2 7/8
		EVPLFPO6630	807	846	66	30	2 7/8
		EVPLFPO6636	914	959	66	36	2 7/8
		EVPLFPO6642	1040	1094	66	42	2 7/8
		EVPLFPO6648	1118	1178	66	48	2 7/8
		EVPLFPO6654	1239	1305	66	54	2 7/8
		EVPLFPO6660	1364	1440	66	60	2 7/8



EVFFOX - OPEN MIDDLE PANEL - 24”H OPENING

- Open Middle Panel incorporates a 24”H middle position open module with fabric modules, within a steel frame.
- Open Middle Panel Incorporates a 24”H opening above 30”H base module to provide pass-through convenience.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Panel - 24”H Opening - 54” High	EVFFOX5418	426	441	54	18	2 7/8
		EVFFOX5424	485	506	54	24	2 7/8
		EVFFOX5430	556	577	54	30	2 7/8
		EVFFOX5436	622	650	54	36	2 7/8
		EVFFOX5442	693	723	54	42	2 7/8
		EVFFOX5448	747	781	54	48	2 7/8
		EVFFOX5454	820	854	54	54	2 7/8
		EVFFOX5460	889	932	54	60	2 7/8
	Open Middle Panel - 24”H Opening - 66” High	EVFFOX6618	552	575	66	18	2 7/8
		EVFFOX6624	635	663	66	24	2 7/8
		EVFFOX6630	747	781	66	30	2 7/8
		EVFFOX6636	815	852	66	36	2 7/8
		EVFFOX6642	915	961	66	42	2 7/8
		EVFFOX6648	980	1029	66	48	2 7/8
		EVFFOX6654	1082	1135	66	54	2 7/8
		EVFFOX6660	1179	1241	66	60	2 7/8

EVPLFOX - OPEN MIDDLE LIGHT PANEL - 24”H OPENING






- Open Middle Panel incorporates a 24”H middle position open module with fabric modules, within a steel frame.
- Open Middle Panel Incorporates a 24”H opening above 30”H base module to provide pass-through convenience.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H or 24”H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Light Panel - 24”H Opening - 54” High	EVPLFOX5418	404	417	54	18	2 7/8
		EVPLFOX5424	459	479	54	24	2 7/8
		EVPLFOX5430	528	546	54	30	2 7/8
		EVPLFOX5436	592	616	54	36	2 7/8
		EVPLFOX5442	653	681	54	42	2 7/8
		EVPLFOX5448	708	739	54	48	2 7/8
		EVPLFOX5454	780	814	54	54	2 7/8
		EVPLFOX5460	845	883	54	60	2 7/8
	Open Middle Light Panel - 24”H Opening - 66” High	EVPLFOX6618	524	545	66	18	2 7/8
		EVPLFOX6624	604	630	66	24	2 7/8
		EVPLFOX6630	708	739	66	30	2 7/8
		EVPLFOX6636	773	807	66	36	2 7/8
		EVPLFOX6642	870	911	66	42	2 7/8
		EVPLFOX6648	929	976	66	48	2 7/8
		EVPLFOX6654	1027	1077	66	54	2 7/8
		EVPLFOX6660	1122	1178	66	60	2 7/8








EVPPFANR - SEGMENTED NO RACEWAY PANEL

- Segmented No Raceway panel incorporates fabric modules within steel frame.
- There is no base raceway in No Raceway Panels to accommodate electric.
- No Raceway connectors to be used.
- Fabric covered modules are tackable and acoustical.
- Each side of fabric module may have different fabric within the same grade at no charge.
- If different grades of fabric are used, the entire module must be price at highest grade.
- Aluminum low profile top and bottom cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H, 24”H increments. See module listing for part numbers See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented NR Panel - 30" High	EVPPFA3018NR	337	350	30	18	2 7/8
		EVPPFA3024NR	350	370	30	24	2 7/8
		EVPPFA3030NR	392	411	30	30	2 7/8
		EVPPFA3036NR	423	449	30	36	2 7/8
		EVPPFA3042NR	453	484	30	42	2 7/8
		EVPPFA3048NR	498	534	30	48	2 7/8
		EVPPFA3054NR	540	576	30	54	2 7/8
	Segmented NR Panel - 42" High	EVPPFA4218NR	373	395	42	18	2 7/8
		EVPPFA4224NR	396	423	42	24	2 7/8
		EVPPFA4230NR	458	492	42	30	2 7/8
		EVPPFA4236NR	492	533	42	36	2 7/8
		EVPPFA4242NR	564	605	42	42	2 7/8
		EVPPFA4248NR	605	655	42	48	2 7/8
		EVPPFA4254NR	670	727	42	54	2 7/8
	Segmented NR Panel - 48" High	EVPPFA4818NR	401	431	48	18	2 7/8
		EVPPFA4824NR	437	475	48	24	2 7/8
		EVPPFA4830NR	502	545	48	30	2 7/8
		EVPPFA4836NR	559	612	48	36	2 7/8
		EVPPFA4842NR	631	693	48	42	2 7/8
		EVPPFA4848NR	703	770	48	48	2 7/8
		EVPPFA4854NR	762	834	48	54	2 7/8
	Segmented NR Panel - 54" High	EVPPFA5418NR	401	431	54	18	2 7/8
		EVPPFA5424NR	437	475	54	24	2 7/8
		EVPPFA5430NR	502	545	54	30	2 7/8
		EVPPFA5436NR	559	612	54	36	2 7/8
		EVPPFA5442NR	631	693	54	42	2 7/8
		EVPPFA5448NR	703	770	54	48	2 7/8
		EVPPFA5454NR	762	834	54	54	2 7/8
	Segmented NR Panel - 66" High	EVPPFA6618NR	505	541	66	18	2 7/8
		EVPPFA6624NR	542	589	66	24	2 7/8
		EVPPFA6630NR	603	655	66	30	2 7/8
		EVPPFA6636NR	705	771	66	36	2 7/8
		EVPPFA6642NR	794	869	66	42	2 7/8
		EVPPFA6648NR	854	938	66	48	2 7/8
		EVPPFA6654NR	926	1019	66	54	2 7/8
EVPPFA6660NR	1003	1105	66	60	2 7/8		

EVPFAMNR - MONOLITHIC NO RACEWAY PANEL





- Monolithic No Raceway panel incorporates fabric modules within steel frame.
- There is no base raceway in No Raceway Panels to accommodate electric.
- No Raceway connectors to be used.
- Fabric covered modules are tackable and acoustical.
- Each side of fabric module may have different fabric within the same grade at no charge.
- If different grades of fabric are used, the entire module must be price at highest grade.
- Aluminum low profile top and bottom cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H, 24”H increments. See module listing for part numbers See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic NR Panel 42" High	EVPFAM4218NR	348	378	42	18	2 7/8
		EVPFAM4224NR	370	405	42	24	2 7/8
		EVPFAM4230NR	426	470	42	30	2 7/8
		EVPFAM4236NR	453	505	42	36	2 7/8
		EVPFAM4242NR	502	565	42	42	2 7/8
		EVPFAM4248NR	545	616	42	48	2 7/8
		EVPFAM4254NR	598	676	42	54	2 7/8
	Monolithic NR Panel - 48" High	EVPFAM4818NR	352	382	48	18	2 7/8
		EVPFAM4824NR	386	427	48	24	2 7/8
		EVPFAM4830NR	448	492	48	30	2 7/8
		EVPFAM4836NR	487	540	48	36	2 7/8
		EVPFAM4842NR	542	605	48	42	2 7/8
		EVPFAM4848NR	589	659	48	48	2 7/8
		EVPFAM4854NR	651	731	48	54	2 7/8
	Monolithic NR Panel - 54" High	EVPFAM5418NR	357	386	54	18	2 7/8
		EVPFAM5424NR	392	429	54	24	2 7/8
		EVPFAM5430NR	455	502	54	30	2 7/8
		EVPFAM5436NR	505	560	54	36	2 7/8
		EVPFAM5442NR	565	626	54	42	2 7/8
		EVPFAM5448NR	614	681	54	48	2 7/8
		EVPFAM5454NR	670	753	54	54	2 7/8
	Monolithic NR Panel - 66" High	EVPFAM6618NR	439	470	66	18	2 7/8
		EVPFAM6624NR	483	521	66	24	2 7/8
		EVPFAM6630NR	542	590	66	30	2 7/8
		EVPFAM6636NR	631	684	66	36	2 7/8
		EVPFAM6642NR	708	770	66	42	2 7/8
		EVPFAM6648NR	767	835	66	48	2 7/8
		EVPFAM6654NR	854	928	66	54	2 7/8
	Monolithic NR Panel - 90" High	EVPFAM9018NR	771	827	90	18	2 7/8
		EVPFAM9024NR	835	903	90	24	2 7/8
		EVPFAM9030NR	929	1016	90	30	2 7/8
		EVPFAM9036NR	1081	1176	90	36	2 7/8







EVPH1SNR - LAMINATE NO RACEWAY - PANEL SINGLE SIDED

- Laminate No Raceway panel incorporates single sided laminate modules within steel frame.
- Opposite side is fabric covered.
- Laminate faces on all modules provide durable, washable surfaces on One Side of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- There is no base raceway in No Raceway Panels to accommodate electric.
- No Raceway connectors to be used.
- If different grades of fabric are used, the entire module must be priced at highest grade.
- An aluminum low profile top and bottom cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H, 24”H increments. See module listing for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Laminate NR Panel - Single Sided - 30" High	EVPH1S3018NR	414	421	30	18	2 7/8
		EVPH1S3024NR	496	506	30	24	2 7/8
		EVPH1S3030NR	576	587	30	30	2 7/8
		EVPH1S3036NR	655	670	30	36	2 7/8
		EVPH1S3042NR	746	758	30	42	2 7/8
		EVPH1S3048NR	810	825	30	48	2 7/8
		EVPH1S3054NR	893	915	30	54	2 7/8
		EVPH1S3060NR	982	1002	30	60	2 7/8
	Laminate NR Panel - Single Sided - 42" High	EVPH1S4218NR	493	503	42	18	2 7/8
		EVPH1S4224NR	586	603	42	24	2 7/8
		EVPH1S4230NR	688	704	42	30	2 7/8
		EVPH1S4236NR	787	807	42	36	2 7/8
		EVPH1S4242NR	891	915	42	42	2 7/8
		EVPH1S4248NR	970	995	42	48	2 7/8
		EVPH1S4254NR	1075	1105	42	54	2 7/8
		EVPH1S4260NR	1178	1212	42	60	2 7/8
	Laminate NR Panel - Single Sided - 54" High	EVPH1S5418NR	577	587	54	18	2 7/8
		EVPH1S5424NR	697	716	54	24	2 7/8
		EVPH1S5430NR	817	838	54	30	2 7/8
		EVPH1S5436NR	934	959	54	36	2 7/8
		EVPH1S5442NR	1057	1090	54	42	2 7/8
		EVPH1S5448NR	1156	1191	54	48	2 7/8
		EVPH1S5454NR	1284	1320	54	54	2 7/8
		EVPH1S5460NR	1411	1453	54	60	2 7/8
	Laminate NR Panel - Single Sided - 66" High	EVPH1S6618NR	714	734	66	18	2 7/8
		EVPH1S6624NR	859	885	66	24	2 7/8
		EVPH1S6630NR	1004	1036	66	30	2 7/8
		EVPH1S6636NR	1159	1193	66	36	2 7/8
		EVPH1S6642NR	1316	1353	66	42	2 7/8
		EVPH1S6648NR	1316	1353	66	48	2 7/8
		EVPH1S6654NR	1597	1642	66	54	2 7/8
		EVPH1S6660NR	1755	1808	66	60	2 7/8

EVPH2SNR - LAMINATE NO RACEWAY - PANEL DOUBLE SIDED


- Laminate No Raceway panel incorporates double sided laminate modules, within steel frame.
- Laminate faces on all modules provide durable, washable surfaces on both sides of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- There is no base raceway in No Raceway Panels to accommodate electric.
- No Raceway connectors to be used.
- If different grades of fabric are used, the entire module must be priced at highest grade.
- An aluminum low profile top and bottom cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H, 24”H increments. See module listing for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Laminate NR Panel - Double Sided - 30" High	EVPH2S3018NR	565	30	18	2 7/8
		EVPH2S3024NR	565	30	24	2 7/8
		EVPH2S3030NR	667	30	30	2 7/8
		EVPH2S3036NR	762	30	36	2 7/8
		EVPH2S3042NR	867	30	42	2 7/8
		EVPH2S3048NR	969	30	48	2 7/8
		EVPH2S3054NR	1073	30	54	2 7/8
		EVPH2S3060NR	1159	30	60	2 7/8
	Laminate NR Panel - Double Sided - 42" High	EVPH2S4218NR	549	42	18	2 7/8
		EVPH2S4224NR	667	42	24	2 7/8
		EVPH2S4230NR	786	42	30	2 7/8
		EVPH2S4236NR	912	42	36	2 7/8
		EVPH2S4242NR	1040	42	42	2 7/8
		EVPH2S4248NR	1165	42	48	2 7/8
		EVPH2S4254NR	1281	42	54	2 7/8
		EVPH2S4260NR	1393	42	60	2 7/8
	Laminate NR Panel - Double Sided - 54" High	EVPH2S5418NR	643	54	18	2 7/8
		EVPH2S5424NR	788	54	24	2 7/8
		EVPH2S5430NR	933	54	30	2 7/8
		EVPH2S5436NR	1083	54	36	2 7/8
		EVPH2S5442NR	1238	54	42	2 7/8
		EVPH2S5448NR	1391	54	48	2 7/8
		EVPH2S5454NR	1533	54	54	2 7/8
		EVPH2S5460NR	1667	54	60	2 7/8
	Laminate NR Panel - Double Sided - 66" High	EVPH2S6618NR	810	66	18	2 7/8
		EVPH2S6624NR	995	66	24	2 7/8
		EVPH2S6630NR	1178	66	30	2 7/8
		EVPH2S6636NR	1367	66	36	2 7/8
		EVPH2S6642NR	1566	66	42	2 7/8
		EVPH2S6648NR	1755	66	48	2 7/8
		EVPH2S6654NR	1938	66	54	2 7/8
		EVPH2S6660NR	2116	66	60	2 7/8



EVPGTNR - FULLY GLAZED SEGMENTED NO RACEWAY PANEL


- Fully Glazed Segmented No Raceway Panels are incorporated in solid steel frame
- There is no base raceway in No Raceway Panels to accommodate electric
- No Raceway connectors to be used
- Standard in clear (CLR) or smoked glass (SMK) as option
- Frosted glass (FRST) 40% upcharge
- Aluminum low profile top and bottom cap is included
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H, 24”H increments. See module listing for part numbers.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Glazed Segmented NR Panel 48" H	EVPGT4818NR	680	48	18	2 7/8
	EVPGT4824NR	835	48	24	2 7/8
	EVPGT4830NR	924	48	30	2 7/8
	EVPGT4836NR	1009	48	36	2 7/8
	EVPGT4842NR	1117	48	42	2 7/8
	EVPGT4848NR	1246	48	48	2 7/8
	EVPGT4854NR	1371	48	54	2 7/8
	EVPGT4860NR	1496	48	60	2 7/8

EVPXGTNR - FULLY GLAZED MONOLITHIC NO RACEWAY PANEL


- Fully Glazed Monolithic No Raceway Panels are incorporated in solid steel frame.
- There is no base raceway in No Raceway Panels to accommodate electric.
- No Raceway connectors to be used.
- Standard in clear (CLR) or smoked glass (SMK) as option.
- Frosted glass (FRST) 40% upcharge.
- Size 90"x36"W is maximum size allowed.
- Panel height to align with standard door height.
- Aluminum low profile top and bottom cap is included.
- Stackability: Evolve panels can be increased in height in 6”H, 12”H, 18”H, 24”H increments. See module listing for part numbers.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Glazed Monolithic NR Panel 90" High	EVPXGT9018NR	864	90	18	2 7/8
	EVPXGT9024NR	986	90	24	2 7/8
	EVPXGT9030NR	1118	90	30	2 7/8
	EVPXGT9036NR	1209	90	36	2 7/8


EVPICNR - INLINE CONNECTOR NO RACEWAY PANEL

- Connects two No Raceway Panels in a straight run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors are available without slots, as a special at no extra charge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Connector No Raceway Panel	EVPIC30NR	70	30	2	
	To be used only with 90" H NR Glazed Panels	EVPIC42NR	81	42	2	
		EVPIC48NR	85	48	2	
		EVPIC54NR	88	54	2	
		EVPIC66NR	98	66	2	


EVPICPNR - INLINE CONNECTOR PANEL - NO RACEWAY PANEL

- Connects Panel to No Raceway panel in straight run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors are available without slots, as a special at no extra charge. Contact Customer Support.
- Note: Allows to connect panel to NR panel in straight run.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Connector Panel - No Raceway Panel	EVPIC30PNR	67	30	2	
		EVPIC42PNR	78	42	2	
		EVPIC48PNR	81	48	2	
		EVPIC54PNR	83	54	2	
		EVPIC66PNR	92	66	2	

EVPIC90NR - INLINE CONNECTOR NO RACEWAY PANEL


- Connects two 90" H No Raceway panel in straight run.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors are without slots
- To be used only with 90" H NR Glazed Panels.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Connector No Raceway Panel	EVPIC90NR	147	90	2	




EVVIC90PNR - INLINE CONNECTOR PANEL - NO RACEWAY PANEL

- Connects 90" H No Raceway panel to 90" H door in straight run.
- Includes one non slotted connector with leveling glide and connecting hardware
- Connectors are without slots.
- Note: To be used only with 90" H NR Glazed Panels and 90" H door

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Connector Panel - No Raceway Panel	EVVIC90PNR	147	90	2	


EVVPCNR - INLINE VARIABLE HEIGHT CONNECTOR NO RACEWAY PANEL

- Connects two No Raceway panels of differing height in straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel height.
- Variable height trim must be ordered separately (see EVPTVA).
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors are available without slots, as a special at no extra charge. Contact customer support..

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Variable Height Connector	EVVPC42NR	88	42	2	
	No Raceway Panel	EVVPC48NR	90	48	2	
		EVVPC54NR	91	54	2	
		EVVPC66NR	99	66	2	


EVVPCPNR - INLINE VARIABLE HEIGHT CONNECTOR PANEL - NO RACEWAY PANEL

- Connects Panel to No Raceway panels of differing height in straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel height.
- Variable height trim must be ordered separately (see EVPTVA).
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.
- Note: Allows to connect panel to NR panel in straight run

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Variable Height Connector	EVVPC42PNR	92	42	2	
	Panel - No Raceway Panel	EVVPC48PNR	99	48	2	
		EVVPC54PNR	111	54	2	
		EVVPC66PNR	123	66	2	


EVPERANR - END OF RUN POST KIT FOR NO RACEWAY PANEL

- Connects at end of No Raceway panel and can attach to a panel to fixed wall.
- Adds 1" to width of panel run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide and connecting hardware and glide and connecting hardware and trim kit.
- Can be attached to face of another panel to provide off modular connection.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	End End of Run Post Kit	EVPERA30NR	85	30	2	
	No Raceway Panel	EVPERA42NR	98	42	2	
		EVPERA48NR	103	48	2	
		EVPERA54NR	116	54	2	
		EVPERA66NR	129	66	2	

EVPERA90NR - END OF RUN POST KIT FOR NO RACEWAY PANEL


- Connects two 90" H No Raceway panel and can attach to a panel to fixed wall.
- Adds 1" to width of panel run.
- Includes Non-Slotted connector with leveling glide and connecting hardware and trim kit.
- Can be attached to face of another panel to provide off modular connection.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	End End of Run Post Kit To be used only with 90" H NR Glazed Panels	EVPERA90NR	184	66	2	




EVPCPA1NR - ONE WAY CORNER POST NO RACEWAY PANEL

- Connects at end of No Raceway panel run in place of EVPERA- End of run post kit.
- Should not be used to attach panel to fixed wall.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	One Way Corner Post	EVPCPA130NR	113	30	2 7/8	
	No Raceway Panel	EVPCPA142NR	129	42	2 7/8	
		EVPCPA148NR	151	48	2 7/8	
		EVPCPA154NR	172	54	2 7/8	
		EVPCPA166NR	211	66	2 7/8	


EVPCPA190NR - ONE WAY CORNER POST NO RACEWAY PANEL

- Connects at end of 90" H No Raceway panel run in place of EVPERA - End of run post kit.
- Should not be used to attach panel to fixed wall.
- Post and connecting hardware add 3.25" to power beam run.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	One Way Corner Post	EVPCPA190NR	312	90	2 7/8	
	No Raceway Panel					
	To be used only with 90" H NR Glazed Panels					


EVPIPA2NR - INLINE TWO WAY CORNER POST NO RACEWAY PANEL

- Connects two No Raceway panel of equal height in straight run.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Two Way Corner Post	EVPIPA230NR	155	30	2 7/8	
	No Raceway Panel	EVPIPA242NR	196	42	2 7/8	
		EVPIPA248NR	214	48	2 7/8	
		EVPIPA254NR	234	54	2 7/8	
		EVPIPA266NR	278	66	2 7/8	

EVPIPA290NR - INLINE TWO WAY CORNER POST NO RACEWAY PANEL


- Connects two No Raceway panel of equal height in a straight run.
- Post and connecting hardware add 3.25" to power beam run.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Two Way Corner Post No Raceway Panel To be used only with 90" H NR Glazed Panels	EVPIPA290NR	418	90	2 7/8	




EVPCPA2PNR - TWO WAY CORNER POST NO RACEWAY PANEL-PANEL

- Connects No Raceway panel and Raceway Panel of equal height in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two Way Corner Post	EVPCPA230PNR	159	30	2 7/8	
	No Raceway Panel	EVPCPA242PNR	199	42	2 7/8	
		EVPCPA248PNR	211	48	2 7/8	
		EVPCPA254PNR	245	54	2 7/8	
		EVPCPA266PNR	291	66	2 7/8	


EVPCPA290NR - TWO WAY CORNER POST NO RACEWAY PANEL

- Connects two 90" H No Raceway panels of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two Way Corner Post No Raceway Panel To be used only with 90" H NR Glazed Panels	EVPCPA290NR	419	90	2 7/8	

EVPCPA3PNR - THREE WAY CORNER POST NO RACEWAY PANEL-PANEL-NO RACEWAY PANEL


- Connects two No Raceway panels and Raceway Panels of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Three Way Corner Post No Raceway Panel	EVPCPA330PNR	198	30	2 7/8	
	EVPCPA342PNR	264	42	2 7/8	
	EVPCPA348PNR	291	48	2 7/8	
	EVPCPA354PNR	320	54	2 7/8	
	EVPCPA366PNR	377	66	2 7/8	

EVPCPA3PNRP - THREE WAY CORNER POST PANEL-NO RACEWAY PANEL-PANEL


- Connects two panels and No raceway Panel of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors available without slots, as a special at no extra charge. Contact CustomerCare



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Three Way Corner Post No Raceway Panel	EVPCPA330PNRP	198	30	2 7/8	
	EVPCPA342PNRP	264	42	2 7/8	
	EVPCPA348PNRP	291	48	2 7/8	
	EVPCPA354PNRP	320	54	2 7/8	
	EVPCPA366PNRP	377	66	2 7/8	

EVPCPA390NR - THREE WAY CORNER POST NO RACEWAY PANEL

- Connects two 90" H No Raceway panels of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Three Way Corner Post No Raceway Panel To be used only with 90" H NR Glazed Panels	EVPCPA390NR	529	90	2 7/8	




EVPCPA4PNR - FOUR WAY CORNER POST NO RACEWAY PANEL-PANEL-NO RACEWAY PANEL-PA

- Connects two No Raceway panels and two Raceway panels of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four Way Corner Post	EVPCPA430PNR	242	30	2 7/8	
	No Raceway Panel	EVPCPA442PNR	310	42	2 7/8	
		EVPCPA448PNR	343	48	2 7/8	
		EVPCPA454PNR	374	54	2 7/8	
		EVPCPA466PNR	439	66	2 7/8	


EVPCPA490NR - FOUR WAY CORNER POST NO RACEWAY PANEL

- Connects four 90" H No Raceway panels of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four Way Corner Post	EVPCPA490NR	607	90	2 7/8	
	No Raceway Panel To be used only with 90" H NR Glazed Panels					


EVLEPDSNC - LAMINATE DOUBLE SIDED GALLERY PANEL, FINISHED ENDS

- Attaches to end of run connector with "U" channel.
- To be installed at end of panel run.
- Finished in thermally fused laminate.
- No connection on both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Gallery Panel	EVLEPDS4251NC	629	42	51	1
	Finished Ends - 42" High	EVLEPDS4263NC	819	42	63	1
		EVLEPDS4275NC	1009	42	75	1
	Laminate Double Sided Gallery Panel	EVLEPDS4851NC	685	48	51	1
	Finished Ends - 48" High	EVLEPDS4863NC	908	48	63	1
		EVLEPDS4875NC	1103	48	75	1
	Laminate Double Sided Gallery Panel	EVLEPDS5451NC	795	54	51	1
	Finished Ends - 54" High	EVLEPDS5463NC	1039	54	63	1
		EVLEPDS5475NC	1201	54	75	1

EVLEPDS - LAMINATE DOUBLE SIDED GALLERY PANEL, CONNECTOR ENDS






- Attaches to end of run connector with "U" channel.
- To be installed at end of panel run.
- Finished in thermally fused laminate.
- Locking connection both sides.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Gallery	EVLEPDS4251	629	42	51	1
	Panel - Connector Ends - 42" High	EVLEPDS4263	819	42	63	1
		EVLEPDS4275	1009	42	75	1
	Laminate Double Sided Gallery	EVLEPDS4851	685	48	51	1
	Panel - Connector Ends - 48" High	EVLEPDS4863	908	48	63	1
		EVLEPDS4875	1103	48	75	1
	Laminate Double Sided Gallery	EVLEPDS5451	795	54	51	1
	Panel - Connector Ends - 54" High	EVLEPDS5463	1039	54	63	1
		EVLEPDS5475	1201	54	75	1





EVLEPSSNC - LAMINATE SINGLE SIDED GALLERY PANEL, FINISHED ENDS

- Attaches to end of run connector with "U" channel.
- To be installed at end of panel run on one side.
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			LP	H	W	D
	Laminate Single Sided Gallery Panel - Finished Ends - 42" High	EVLEPSSL4227NC	409	42	27	1
		EVLEPSSL4233NC	456	42	33	1
		EVLEPSSL4239NC	512	42	39	1
		EVLEPSSL4245NC	587	42	45	1
		EVLEPSSL4251NC	629	42	51	1
	Laminate Single Sided Gallery Panel - Finished Ends - 48" High	EVLEPSSL4827NC	447	48	27	1
		EVLEPSSL4833NC	507	48	33	1
		EVLEPSSL4839NC	568	48	39	1
		EVLEPSSL4845NC	629	48	45	1
		EVLEPSSL4851NC	712	48	51	1
	Laminate Single Sided Gallery Panel - Finished Ends - 54" High	EVLEPSSL5427NC	491	54	27	1
		EVLEPSSL5433NC	561	54	33	1
		EVLEPSSL5439NC	640	54	39	1
		EVLEPSSL5445NC	749	54	45	1
		EVLEPSSL5451NC	795	54	51	1
	Laminate Single Sided Gallery Panel - Finished Ends - 42" High	EVLEPSSR4227NC	409	42	27	1
		EVLEPSSR4233NC	456	42	33	1
		EVLEPSSR4239NC	512	42	39	1
		EVLEPSSR4245NC	587	42	45	1
		EVLEPSSR4251NC	629	42	51	1
	Laminate Single Sided Gallery Panel - Finished Ends - 48" High	EVLEPSSR4827NC	447	48	27	1
		EVLEPSSR4833NC	507	48	33	1
		EVLEPSSR4839NC	568	48	39	1
		EVLEPSSR4845NC	629	48	45	1
		EVLEPSSR4851NC	712	48	51	1
	Laminate Single Sided Gallery Panel - Finished Ends - 54" High	EVLEPSSR5427NC	685	54	27	1
		EVLEPSSR5433NC	561	54	33	1
		EVLEPSSR5439NC	640	54	39	1
		EVLEPSSR5445NC	749	54	45	1
		EVLEPSSR5451NC	795	54	51	1

EVLEPSS - LAMINATE SINGLE SIDED GALLERY PANEL, CONNECTOR END


- Attaches to end of run connector with "U" channel.
- To be installed at end of panel run on one side.
- Finished in thermally fused laminate.
- Locking connection on one side.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Gallery Panel - Connector Ends - 42" High	EVLEPSSL4227	409	42	27	1
		EVLEPSSL4233	456	42	33	1
		EVLEPSSL4239	512	42	39	1
		EVLEPSSL4245	587	42	45	1
		EVLEPSSL4251	629	42	51	1
	Laminate Single Sided Gallery Pannel - Connector Ends - 48" High	EVLEPSSL4827	447	48	27	1
		EVLEPSSL4833	507	48	33	1
		EVLEPSSL4839	568	48	39	1
		EVLEPSSL4845	629	42	45	1
		EVLEPSSL4851	712	42	51	1
	Laminate Single Sided Gallery Pannel - Connector Ends - 54" High	EVLEPSSL5427	491	54	27	1
		EVLEPSSL5433	561	54	33	1
		EVLEPSSL5439	640	42	39	1
		EVLEPSSL5445	749	54	45	1
		EVLEPSSL5451	795	42	51	1
	Laminate Single Sided Gallery Pannel - Connector Ends - 42" High	EVLEPSSR4227	409	42	27	1
		EVLEPSSR4233	456	42	33	1
		EVLEPSSR4239	512	42	39	1
		EVLEPSSR4245	587	42	45	1
		EVLEPSSR4251	629	42	51	1
	Laminate Single Sided Gallery Pannel - Connector Ends - 48" High	EVLEPSSR4827	447	48	27	1
		EVLEPSSR4833	507	48	33	1
		EVLEPSSR4839	568	48	39	1
		EVLEPSSR4845	629	42	45	1
		EVLEPSSR4851	712	42	51	1
	Laminate Single Sided Gallery Pannel - Connector Ends - 54" High	EVLEPSSR5427	491	54	27	1
		EVLEPSSR5433	561	54	33	1
		EVLEPSSR5439	640	54	39	1
		EVLEPSSR5445	749	42	45	1
		EVLEPSSR5451	795	42	51	1




EVLEPDCNC - LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, BASE POWER, FINISHED ENDS

- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two panels in straight run.
- Finished in thermally fused laminate.
- Locking connection on both side.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Gallery Panel	EVLEPDC4251NC	795	42	51	1
	Finished Ends - 42" High	EVLEPDC4263NC	819	42	63	1
		EVLEPDC4275NC	1009	42	75	1
	Laminate Double Sided Gallery Panel	EVLEPDC4851NC	685	48	51	1
	Finished Ends - 48" High	EVLEPDC4863NC	908	48	63	1
		EVLEPDC4875NC	1103	48	75	1
	Laminate Double Sided Gallery Panel	EVLEPDC4851NC	685	54	51	1
	Finished Ends - 54" High	EVLEPDC4863NC	908	54	63	1
		EVLEPDC4875NC	1103	54	75	1


EVICLXPNC - LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, BELTLINE POWER, FINISHED ENDS

- Attaches in middle of panel run with connector with "U" channel
- To be installed in middle between two beltline panels in straight run .
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Middle Gallery	EVICLXP4251NC	629	42	51	1
	Panel - Finished Ends - 42" High	EVICLXP4263NC	819	42	63	1
		EVICLXP4275NC	1009	42	75	1
	Laminate Double Sided Middle Gallery	EVICLXP4851NC	685	48	51	1
	Panel - Finished Ends - 48" High	EVICLXP4863NC	908	48	63	1
		EVICLXP4875NC	1103	48	75	1
	Laminate Double Sided Middle Gallery	EVICLXP5451NC	795	54	51	1
	Panel - Finished Ends - 54" High	EVICLXP5463NC	1039	54	63	1
		EVICLXP5475NC	1201	54	75	1


EVLEPDC - LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, BASE POWER, CONNECTOR ENDS

- Attaches to end of run connector with "U" channel.
- To be installed in middle between two panels in straight run.
- Finished in thermally fused laminate.
- Locking connection both sides.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Middle Gallery Panel - Connector End - 42" High	EVLEPDC4251	629	42	51	1
		EVLEPDC4263	819	42	63	1
		EVLEPDC4275	1009	42	75	1
	Laminate Single Sided Middle Gallery Panel - Connector End - 48" High	EVLEPDC4851	685	48	51	1
		EVLEPDC4863	908	48	63	1
		EVLEPDC4875	1103	48	75	1
	Laminate Single Sided Middle Gallery Panel - Connector End - 54" High	EVLEPDC5451	795	54	51	1
		EVLEPDC5463	1039	54	63	1
		EVLEPDC5475	1201	54	75	1

EVICLXP - LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, BELTLINE POWER, CONNECTOR ENDS


- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two panels in straight run on one side.
- Finished in thermally fused laminate.
- Locking connection on both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Gallery Panel Connector Ends - 42" High	EVICLXP4251	629	42	51	1
		EVICLXP4263	819	42	63	1
		EVICLXP4275	1009	42	75	1
	Laminate Double Sided Gallery Panel Connector Ends - 48" High	EVICLXP4851	685	48	51	1
		EVICLXP4863	908	48	63	1
		EVICLXP4875	1103	48	75	1
	Laminate Double Sided Gallery Panel Connector Ends - 54" High	EVICLXP5451	795	54	51	1
		EVICLXP5463	1039	54	63	1
		EVICLXP5475	1201	42	75	1




EVLEPSCNC - LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, BASE POWER, FINISHED ENDS

- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two panels in straight run on one side.
- Cut out for electrics at base height.
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Gallery Panel - Finished End - 42" High	EVLEPSC4227NC	409	42	27	1
		EVLEPSC4233NC	456	42	33	1
		EVLEPSC4239NC	512	42	39	1
		EVLEPSC4245NC	587	42	45	1
		EVLEPSC4251NC	629	42	51	1
	Laminate Single Sided Gallery Panel - Finished End - 48" High	EVLEPSC4827NC	447	48	27	1
		EVLEPSC4833NC	507	48	33	1
		EVLEPSC4839NC	568	48	39	1
		EVLEPSC4845NC	629	48	45	1
		EVLEPSC4851NC	712	48	51	1
	Laminate Single Sided Gallery Panel - Finished End - 54" High	EVLEPSC5427NC	491	54	27	1
		EVLEPSC5433NC	561	54	33	1
		EVLEPSC5439NC	640	54	39	1
		EVLEPSC5445NC	749	54	45	1
		EVLEPSC5451NC	795	54	51	1


EVLEPSC - LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, BASE POWER, CONNECTOR END

- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two panels in straight run on one side.
- Finished in thermally fused laminate.
- Locking connection on one side.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Middle Gallery Panel - Connector Ends - 42" High	EVLEPSC4227	409	42	27	1
		EVLEPSC4233	456	42	33	1
		EVLEPSC4239	512	42	39	1
		EVLEPSC4245	587	42	45	1
		EVLEPSC4251	629	42	51	1
	Laminate Single Sided Middle Gallery Panel - Connector Ends - 48" High	EVLEPSC4827	447	48	27	1
		EVLEPSC4833	507	48	33	1
		EVLEPSC4839	568	48	39	1
		EVLEPSC4845	629	42	45	1
		EVLEPSC4851	712	42	51	1
	Laminate Single Sided Middle Gallery Panel - Connector Ends - 54" High	EVLEPSC5427	491	54	27	1
		EVLEPSC5433	561	54	33	1
		EVLEPSC5439	640	42	39	1
		EVLEPSC5445	749	54	45	1
		EVLEPSC5451	795	42	51	1


EVLEPSCNC - LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, BELTLINE POWER, FINISHED ENDS

- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two beltline panels in straight run.
- Cut out for electrics at beltline height.
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Gallery Panel Finished Ends - 42" High	EVLEPSCB4227NC	409	42	27	1
		EVLEPSCB4233NC	456	42	33	1
		EVLEPSCB4239NC	512	42	39	1
		EVLEPSCB4245NC	629	42	45	1
		EVLEPSCB4251NC	629	42	51	1
	Laminate Single Sided Gallery Panel Finished Ends - 48" High	EVLEPSCB4827NC	447	48	27	1
		EVLEPSCB4833NC	507	48	33	1
		EVLEPSCB4839NC	568	48	39	1
		EVLEPSCB4845NC	629	48	45	1
		EVLEPSCB4851NC	712	48	51	1
	Laminate Single Sided Gallery Panel Finished Ends - 54" High	EVLEPSCB5427NC	491	54	27	1
		EVLEPSCB5433NC	561	54	33	1
		EVLEPSCB5439NC	640	54	39	1
		EVLEPSCB5445NC	749	54	45	1
		EVLEPSCB5451NC	795	54	51	1

EVLEPSC - LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, BELTLINE POWER, CONNECTOR END



- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two panels in straight run on one side.
- Finished in thermally fused laminate.
- Locking connection on one side.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Middle Gallery Panel - Connector Ends - 42" High	EVLEPSCB4227	409	42	27	1
		EVLEPSCB4233	456	42	33	1
		EVLEPSCB4239	512	42	39	1
		EVLEPSCB4245	587	42	45	1
		EVLEPSCB4251	629	42	51	1
	Laminate Single Sided Middle Gallery Panel - Connector Ends - 48" High	EVLEPSCB4827	447	48	27	1
		EVLEPSCB4833	507	48	33	1
		EVLEPSCB4839	568	48	39	1
		EVLEPSCB4845	629	48	45	1
		EVLEPSCB4851	712	48	51	1
	Laminate Single Sided Middle Gallery Panel - Connector Ends - 54" High	EVLEPSCB5427	491	54	27	1
		EVLEPSCB5433	561	54	33	1
		EVLEPSCB5439	640	54	39	1
		EVLEPSCB5445	749	54	45	1
		EVLEPSCB5451	795	42	51	1





EVLXPMNC - LAMINATE GALLERY EXTENSION PANEL, FINISHED END

- Locking connection on one side, no connection at end.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Gallery Extension Panel	EVLXPML4224NC	335	42	24	1
	Finished End - 42" High	EVLXPML4230NC	409	42	30	1
		EVLXPML4236NC	456	42	36	1
		EVLXPML4242NC	511	42	42	1
		EVLXPML4248NC	586	42	48	1
	Laminate Gallery Extension Panel	EVLXPML4824NC	385	48	24	1
	Finished End - 48" High	EVLXPML4830NC	447	48	30	1
		EVLXPML4836NC	507	48	36	1
		EVLXPML4842NC	568	48	42	1
		EVLXPML4848NC	629	48	48	1
	Laminate Gallery Extension Panel	EVLXPML5424NC	685	54	24	1
	Finished End - 54" High	EVLXPML5430NC	491	54	30	1
		EVLXPML5436NC	561	54	36	1
		EVLXPML5442NC	640	54	42	1
		EVLXPML5448NC	749	54	48	1
	Laminate Gallery Extension Panel	EVLXPMR4224NC	335	42	24	1
	Finished End - 42" High	EVLXPMR4230NC	409	42	30	1
		EVLXPMR4236NC	456	42	36	1
		EVLXPMR4242NC	511	42	42	1
		EVLXPMR4248NC	586	42	48	1
	Laminate Gallery Extension Panel	EVLXPMR4824NC	385	48	24	1
	Finished End - 48" High	EVLXPMR4830NC	447	48	30	1
		EVLXPMR4836NC	507	48	36	1
		EVLXPMR4842NC	568	48	42	1
		EVLXPMR4848NC	629	48	48	1
	Laminate Gallery Extension Panel	EVLXPMR5424NC	420	54	24	1
	Finished End - 54" High	EVLXPMR5430NC	491	54	30	1
		EVLXPMR5436NC	561	54	36	1
		EVLXPMR5442NC	640	54	42	1
		EVLXPMR5448NC	749	54	48	1

EVLXPM - LAMINATE GALLERY STRAIGHT EXTENSION PANEL, CONNECTOR ENDS



- Locking connection both sides.
- Finished in thermally fused laminate.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Gallery Straight Extension	EVLXPML4224	629	42	24	1
	Panel - Connector Ends - Left - 42" High	EVLXPML4230	409	42	30	1
		EVLXPML4236	456	42	36	1
		EVLXPML4242	511	42	42	1
		EVLXPML4248	586	42	48	1
	Laminate Gallery Straight Extension	EVLXPML4824	385	48	24	1
	Panel - Connector Ends - Left - 48" High	EVLXPML4830	447	48	30	1
		EVLXPML4836	507	48	36	1
		EVLXPML4842	568	48	42	1
		EVLXPML4848	629	48	48	1
	Laminate Gallery Straight Extension	EVLXPML5424	420	54	24	1
	Panel - Connector Ends - Left - 54" High	EVLXPML5430	491	54	30	1
		EVLXPML5436	561	54	36	1
		EVLXPML5442	640	54	42	1
		EVLXPML5448	749	54	48	1
	Laminate Gallery Straight Extension	EVLXPMR4224	335	42	24	1
	Panel - Connector Ends - Right - 42" High	EVLXPMR4230	409	42	30	1
		EVLXPMR4236	456	42	36	1
		EVLXPMR4242	511	42	42	1
		EVLXPMR4248	586	42	48	1
	Laminate Gallery Straight Extension	EVLXPMR4824	385	48	24	1
	Panel - Connector Ends - Right - 48" High	EVLXPMR4830	447	48	30	1
		EVLXPMR4836	507	48	36	1
		EVLXPMR4842	568	48	42	1
		EVLXPMR4848	629	48	48	1
	Laminate Gallery Straight Extension	EVLXPMR5424	420	54	24	1
	Panel - Connector Ends - Right - 54" High	EVLXPMR5430	491	54	30	1
		EVLXPMR5436	561	54	36	1
		EVLXPMR5442	640	54	42	1
		EVLXPMR5448	749	54	48	1









EV2LXP - LAMINATE GALLERY TWO-WAY EXTENSION PANEL, FINISHED ENDS

- Panel connects at 90 degree with extension panel.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Corner connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Left - 42" High	EV2LXPL4225	337	42	25	1
		EV2LXPL4231	409	42	31	1
		EV2LXPL4237	456	42	37	1
		EV2LXPL4243	512	42	43	1
		EV2LXPL4249	587	42	49	1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Left - 48" High	EV2LXPL4825	385	48	25	1
		EV2LXPL4831	447	48	31	1
		EV2LXPL4837	507	48	37	1
		EV2LXPL4843	568	48	43	1
		EV2LXPL4849	629	48	49	1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Left - 54" High	EV2LXPL5425	451	54	25	1
		EV2LXPL5431	516	54	31	1
		EV2LXPL5437	580	54	37	1
		EV2LXPL5443	705	54	43	1
		EV2LXPL5449	795	54	49	1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Right - 42" High	EV2LXPR4225	337	42	25	1
		EV2LXPR4231	409	42	33	1
		EV2LXPR4237	456	42	37	1
		EV2LXPR4243	512	42	43	1
		EV2LXPR4249	587	42	49	1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Right - 48" High	EV2LXPR4825	385	48	25	1
		EV2LXPR4831	447	48	33	1
		EV2LXPR4837	507	48	37	1
		EV2LXPR4843	568	48	43	1
		EV2LXPR4849	629	48	49	1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Right - 54" High	EV2LXPR5425	451	54	25	1
		EV2LXPR5431	516	54	31	1
		EV2LXPR5437	580	54	37	1
		EV2LXPR5443	705	54	43	1
		EV2LXPR5449	795	54	49	1

EV3LXP - LAMINATE GALLERY THREE-WAY EXTENSION PANEL, FINISHED ENDS

- Panel connects "T" configuration with extension panel.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Corner connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 42" High	EV3LXL4249	629	42	49	1
		EV3LXL4261	749	42	61	1
		EV3LXL4273	871	42	73	1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 48" High	EV3LXL4849	712	48	49	1
		EV3LXL4861	875	48	61	1
		EV3LXL4873	1039	48	73	1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 54" High	EV3LXL5449	795	54	49	1
		EV3LXL5461	1039	54	61	1
		EV3LXL5473	1201	54	73	1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 42" High	EV3LXPR4249	629	42	49	1
		EV3LXPR4261	749	42	61	1
		EV3LXPR4273	871	42	73	1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 48" High	EV3LXPR4849	712	48	49	1
		EV3LXPR4861	875	48	61	1
		EV3LXPR4873	1039	48	73	1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 54" High	EV3LXPR5449	795	54	49	1
		EV3LXPR5461	1039	54	61	1
		EV3LXPR5473	1201	54	73	1



EV4LXP - LAMINATE DOUBLE GALLERY PANEL FOR FOUR-WAY, FINISHED ENDS

- Panel connects "+" configuration with extension panel.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Corner connecting brackets to be ordered separately

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Gallery Panel	EV4LXP4249	629	42	49	1
	Four-Way - Finished Ends - 42" High	EV4LXP4261	819	42	61	1
		EV4LXP4273	1009	42	73	1
	Laminate Double Gallery Panel	EV4LXP4849	685	48	49	1
	Four-Way - Finished Ends - 48" High	EV4LXP4861	908	48	61	1
		EV4LXP4873	1103	48	73	1
	Laminate Double Gallery Panel	EV4LXP5449	795	54	49	1
	Four-Way - Finished Ends - 48" High	EV4LXP5461	1039	54	61	1
		EV4LXP5473	1201	54	73	1

EV4LXPM - LAMINATE GALLERY EXTENSION PANEL FOR FOUR-WAY CONFIGURATION, FINISHED ENDS

- Locking connection on one side only for four way panel.
- Finished in thermally fused laminate.
- Universal to be used on both sides of four way laminate panel.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Gallery Extension Panel	EV4LXPM4224	335	42	24	1
	Four-Way - Finished Ends - 42" High	EV4LXPM4230	409	42	30	1
		EV4LXPM4236	456	42	36	1
		EV4LXPM4242	511	42	42	1
		EV4LXPM4248	586	42	58	1
	Laminate Gallery Extension Panel	EV4LXPM4824	385	48	24	1
	Four-Way - Finished Ends - 42" High	EV4LXPM4830	447	48	30	1
		EV4LXPM4836	507	48	36	1
		EV4LXPM4842	568	48	42	1
		EV4LXPM4848	629	48	48	1
	Laminate Gallery Extension Panel	EV4LXPM5424	420	54	24	1
	Four-Way - Finished Ends - 42" High	EV4LXPM5430	491	54	30	1
		EV4LXPM5436	561	54	36	1
		EV4LXPM5442	640	54	42	1
		EV4LXPM5448	749	54	48	1

EVPERCH - EVOLVE PANEL CONNECTOR WITH U CHANNEL

- U channel attaches with screws to laminate end panel or laminate middle panel.
- Evolve panels attaches to connector.
- Pass thru at bottom and beltline location for power/data.
- U channel is welded to connector.
- Includes connector with U channel and hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Panel Connector	EVPERCH42	156	42	2.875	1
U Channel	EVPERCH48	168	48	2.875	1
	EVPERCH54	181	54	2.875	1



EVPBERCH - EVOLVE PANEL CONNECTOR WITH U CHANNEL FOR BELTLINE PANELS

- U channel attaches with screws to laminate middle panel.
- Evolve panels attaches to connector.
- Pass thru at bottom and beltline location for power/data.
- U channel is welded to connector.
- Includes connector with U channel and hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Panel Connector	EVPBERCH42	156	42	2.875	1
U Channel	EVPBERCH48	168	48	2.875	1
	EVPBERCH54	181	54	2.875	1



EVPERCHNR - NO RACEWAY PANEL CONNECTOR WITH U CHANNEL

- U channel attaches with screws to laminate end panel or laminate middle panel
- Evolve NR panels attaches to connector
- U channel is welded to NR connector
- Includes NR connector with U channel and hardware

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
No Raceway Connector with U Channel	EVPERCH42NR	156	42	2.875	1
	EVPERCH48NR	168	48	2.875	1
	EVPERCH54NR	181	54	2.875	1



EVPGDCP - GALLERY PANEL DATA POST / COMM LAY-IN


- One way post attaches to Gallery Panel at the end to bring power and/or data cables from ceiling to Evolve panels.
- Accommodates up to 25 CAT 5 cables with electric. Accommodates up to 45 CAT 5 cables without electric.
- Middle Gallery panel with bottom cut out for electric must be ordered.
- Standard data post extension used above.
- Standard data post extension to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Data Post	EVPGDCP42	209	42	3	
	EVPGDCP48	245	48	3	
	EVPGDCP54	268	54	3	




EVHLPBB01 - LAMINATE GALLERY PANEL BOTTOM BRACKET

- Laminate panel bottom bracket connects two laminate end panels at bottom with screws.
- Available in standard paint colors.
- Bracket and screws included

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
 Bottom Bracket	EVHLPBB01	42	1.5	8	1


EVHLPB01 - LAMINATE GALLERY PANEL CORNER BRACKET

- Laminate panel corner bottom bracket connects two laminate panels at 90 degree.
- Available in standard paint colors.
- Bracket and screws included.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
 Corner Bracket	EVHLPB01	41	1.5	4	4


EVPTTAU - EVOLVE CONNECTOR WITH U CHANNEL TOP TRIM ALUMINUM

- Aluminum top trim longer by 0.625" to cover width of connector with U channel.
- Trim can not span a post.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
 Top Trim Aluminum	EVPTTAU24	22	1	24.625	1
	EVPTTAU30	24	1	30.625	1
	EVPTTAU36	27	1	36.625	1
	EVPTTAU42	31	1	42.625	1
	EVPTTAU48	43	1	48.625	1
	EVPTTAU54	49	1	54.625	1
	EVPTTAU60	53	1	60.625	1
	EVPTTAU66	59	1	66.625	1
	EVPTTAU72	66	1	72.625	1
EVPTTAU78	73	1	78.625	1	
EVPTTAU84	78	1	84.625	1	


EVLEP - 1" LAMINATE END PANEL

- 1" Laminate End Panel attaches to an end of run connector.
- Left Hand or Right Hand available.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach a worksurface on one side.
- 1" Laminate end panel have panel leveling glides.
- If wood grain is selected, grain runs vertically.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	1" Laminate End Panel - Right - 42" High	EVLEPR4224	341	42	24	1
		EVLEPR4230	427	42	30	1
		EVLEPR4236	511	42	36	1
		EVLEPR4242	596	42	42	1
		EVLEPR4248	681	42	48	1
	1" Laminate End Panel - Left - 42" High	EVLEPL4224	341	42	24	1
		EVLEPL4230	427	42	30	1
		EVLEPL4236	511	42	36	1
		EVLEPL4242	596	42	42	1
		EVLEPL4248	681	42	48	1
1" Laminate End Panel - Right - 48" High	EVLEPR4824	385	48	24	1	
	EVLEPR4830	488	48	30	1	
	EVLEPR4836	585	48	36	1	
	EVLEPR4842	679	48	42	1	
	EVLEPR4848	779	48	48	1	
1" Laminate End Panel - Left - 48" High	EVLEPL4824	385	48	24	1	
	EVLEPL4830	488	48	30	1	
	EVLEPL4836	585	48	36	1	
	EVLEPL4842	679	48	42	1	
	EVLEPL4848	779	48	48	1	

EVLMP - 1" LAMINATE MIDDLE PANEL


- 1" Laminate Middle Panel attaches to a double inline connector.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach worksurfaces on both sides.
- 1" Laminate middle panel has panel leveling glides.
- If wood grain is selected, grain runs vertically.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	1" Laminate Middle Panel - 42" High	EVLMP4224	381	42	24	1
		EVLMP4230	464	42	30	1
		EVLMP4236	550	42	36	1
		EVLMP4242	639	42	42	1
		EVLMP4248	768	42	48	1
	1" Laminate Middle Panel - 48" High	EVLMP4824	426	48	24	1
		EVLMP4830	525	48	30	1
		EVLMP4836	622	48	36	1
		EVLMP4842	721	48	42	1
		EVLMP4848	819	48	48	1




EVLEPXXYYA - 1" LAMINATE END PANEL WITH ACCESSORY RAIL

- 1" Laminate End Panel attaches to an end of run connector.
- Includes accessory rail.
- Accessories can be used on accessory rail. Please see accessory section for additional details.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach a worksurface on one side.
- 1" Laminate end panel have panel leveling glides.
- If wood grain is selected, grain runs vertically.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	1" Laminate End Panel with Accessory Rail - Right - 42" High	EVLEPR4224A	386	42	24	1
		EVLEPR4230A	470	42	30	1
		EVLEPR4236A	557	42	36	1
		EVLEPR4242A	645	42	42	1
		EVLEPR4248A	734	42	48	1
	1" Laminate End Panel with Accessory Rail - Left - 42" High	EVLEPL4224A	386	42	24	1
		EVLEPL4230A	470	42	30	1
		EVLEPL4236A	557	42	36	1
		EVLEPL4242A	645	42	42	1
		EVLEPL4248A	734	42	48	1
	1" Laminate End Panel with Accessory Rail - Right - 48" High	EVLEPR4824A	432	48	24	1
		EVLEPR4830A	523	48	30	1
		EVLEPR4836A	590	48	36	1
		EVLEPR4842A	676	48	42	1
		EVLEPR4848A	827	48	48	1
	1" Laminate End Panel with Accessory Rail - Left - 48" High	EVLEPL4824A	432	48	24	1
EVLEPL4830A		523	48	30	1	
EVLEPL4836A		590	48	36	1	
EVLEPL4842A		676	48	42	1	
EVLEPL4848A		827	48	48	1	

EVLMPXXYYA - 1" LAMINATE MIDDLE PANEL WITH ACCESSORY RAIL


- 1" Laminate Middle Panel attaches to a double inline connector.
- Includes accessory rail.
- Accessories can be used on accessory rail. Please see accessory section for additional details.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach a worksurface on one side.
- 1" Laminate middle panel has panel leveling glides.
- If wood grain is selected, grain runs vertically.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	1" Laminate Middle Panel with Accessory Rail - 42" High	EVLMP4224A	435	42	24	1
		EVLMP4230A	521	42	30	1
		EVLMP4236A	612	42	36	1
		EVLMP4242A	696	42	42	1
		EVLMP4248A	786	42	48	1
	1" Laminate Middle Panel with Accessory Rail - 48" High	EVLMP4824A	480	48	24	1
		EVLMP4830A	585	48	30	1
		EVLMP4836A	679	48	36	1
		EVLMP4842A	779	48	42	1
		EVLMP4848A	877	48	48	1

EVPDIC - DOUBLE INLINE PANEL CONNECTOR

- Used to connect 1" laminate middle panel to panels of equal height in a straight run.
- Aluminum top trim for double inline connector must be used.
- Provides slotted support for worksurfaces and hardware support.
- Includes two slotted posts with leveling glides and connection hardware.
- Use 17" flexible mesh jumper cable to pass-through panels.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Double Inline Panel Connector	EVPDIC42	152	42	2	
	EVPDIC48	161	48	2	



EVPBIC - BELTLINE DOUBLE INLINE PANEL CONNECTOR


- Used to connect 1" laminate middle panel to panels of equal height in a straight run.
- Use in-between beltline panels.
- Aluminum top trim for double inline connector must be used.
- Provides slotted support for worksurfaces and hardware support.
- Includes two slotted posts with leveling glides and connection hardware.
- Use 17" flexible mesh jumper cable to pass-through panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Beltline Double Inline Panel Connector	EVPBIC42	152	42	2	
	EVPBIC48	161	48	2	




EVPDVTF - DOUBLE INLINE CONNECTOR TRIM

- Attaches to exposed side of double inline connector.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Double Inline Connector Trim	EVPDVTF42	19	42		
		EVPDVTF48	24	48		


EVPTTA - DOUBLE INLINE PANEL CONNECTOR TOP TRIM - ALUMINUM

- Aluminum top trim is longer by 1.125" to cover width of panel and double inline connector.
- Trim cannot span a post connector.
- Available in standard and premium paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Double Inline Connector Trim - Aluminum	EVPTTA25	22		25	
		EVPTTA31	24		31	
		EVPTTA37	19		37	
		EVPTTA43	31		43	
		EVPTTA49	43		49	
		EVPTTA55	49		55	
		EVPTTA61	53		61	
		EVPTTA67	59		67	
		EVPTTA73	66		73	
		EVPTTA79	73		79	
EVPTTA85	78		83			


EVPDS - DOOR PANEL - SOLID

- All door surfaces are high pressure laminate.
- HP Laminate finish available in all standard Evolve colors.
- Two panel widths: 36" or 42" High.
- 84" Door Panel height = 66"H panel plus one 18"H Panel Extension Module.
- 90" Door Panel height = 66" H panel plus one 24"H or two 12"H Panel Extension Modules.
- Door and door trim can be specified left- or right-handed (see diagram).
- Handedness of Door Panel can be changed in the field.
- Select door frame color from standard trim colors.
- Door Sizes:
 - 36"W Door is 33.63"W without frame (This door is not ADA compliant)
 - 42"W Door is 39.63"W without frame
 - 84"H Door is 81.5"H without frame
 - 90"H Door is 87.5"H without frame
- If laminate is selected in a wood grain, the grain runs vertical.
- Customer is responsible to confirm and meet all city, county or any other municipality codes in relation to door clearances.


	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			HPL		H	W	D
	Door Panel - Solid - 84" High x 36" Wide	EVPDS8436L	2599		84	36	2 7/8
		EVPDS8436R	2599		84	36	2 7/8
	Door Panel - Solid - 84" High x 42" Wide	EVPDS8442L	3008		84	42	2 7/8
		EVPDS8442R	3008		84	42	2 7/8
	Door Panel - Solid - 90" High x 36" Wide	EVPDS9036L	2599		90	36	2 7/8
		EVPDS9036R	2599		90	36	2 7/8
	Door Panel - Solid - 90" High x 42" Wide	EVPDS9042L	3008		90	42	2 7/8
		EVPDS9042R	3008		90	42	2 7/8

EVPDG- FULL GLAZED DOOR PANEL


- All door surfaces are high pressure laminate with window.
- HP laminate finish available in all standard Evolve colors.
- Two panels width 36" or 42"
- 84" Door panel height = 66"H panel and 18" H Panel Extension Modules.
- 90" Door panel height = 66"H panel and 24" H or two 12" H Panel extension modules.
- Door and door trim can be specified left or right handed (see diagram).
- Handedness of Door can be changed in field.
- Select frame color from standard trim colors.
- Door Sizes:
 - 36"W Door is 33.63"W without frame (This door is not ADA compliant)
 - 42"W Door is 39.63"W without frame
 - 84"H Door is 81.5"H without frame
 - 90"H Door is 87.5"H without frame
- If laminate is selected in wood grain, the grain runs vertical.
- Customer is responsible to confirm and meet, city, county or any other municipality codes in relation to door clearances
- Knob or lever to be ordered separately

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Door Panel - Glazed - 84" High x 36" Wide	EVPDG8436L	2920	3035	84	36	2 7/8
		EVPDG8436R	2343	3035	84	36	2 7/8
	Door Panel - Glazed - 84" High x 42" Wide	EVPDG8442L	3328	3443	84	42	2 7/8
		EVPDG8442R	3328	3443	84	42	2 7/8
	Door Panel - Glazed - 90" High x 36" Wide	EVPDG9036L	2920	3035	90	36	2 7/8
		EVPDG9036R	2920	3035	90	36	2 7/8
	Door Panel - Glazed - 90" High x 42" Wide	EVPDG9042L	3328	3443	90	42	2 7/8
		EVPDG9042R	3443	3443	90	42	2 7/8






Right Hand Hung Door



Left Hand Hung Door



Knob Lock Set
(Knob Lock Set is not ADA compliant)
Lock set sold separately from doors.
Specific core #'s and Master Key not available

EVPSL01 108




Lever Lock Set
Lock set sold separately from doors.
Specific core #'s and Master Key not available

EVPSL02 148



EVHLPF01 - LOW PROFILE FOOT

- Used to provide additional support to panel run without adding panels
- Connects to inline connector or end of run at base of panels

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Low Profile Foot	EVHLPF01	117	11	1	11


EVPSL/R - SLIDING PRIVACY DOOR

- Sliding Privacy Door attaches to Evolve Panels using standard connectors to add privacy. Brackets that attach to Connectors are included.
- This door must mount on panels of equal width. It is also intended to be used for openings of equal width.
- Left (L) or right-handedness (R) is determined by the direction of door movement (from compressed to expanded position), while facing the door on the panel mounted side.
- Painted frame may match any Evolve Standard Paint Finish. The door interior is standard with a louvered acrylic finish.
- Telescoping arms eliminate the need for thresholds, wheels or casters.
- 81" H door must connect to panels 84" or higher.
- Thickness of louvered acrylic is 6 mm.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Sliding Privacy Door - 66" High	EVPSL6636R	2924	66	36	3
		EVPSL6636L	2924	66	36	3
		EVPSL6642R	3000	66	42	3
		EVPSL6642L	3000	66	42	3
	Sliding Privacy Door - 81" High	EVPSL8136R	3088	81	36	3
		EVPSL8136L	3088	81	36	3
		EVPSL8142R	3315	81	42	3
		EVPSL8142L	3315	81	42	3


EVPSLOCK - SLIDING DOOR LOCK

- Lock bracket attaches to sliding door with screws.
- Includes strike plate bracket which attaches to slots in connector.
- Lock included.
- Lock sets sold separately from sliding doors.
- Available in Tungsten only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Sliding Door Lock - Right	EVPSLOCKR	268	2.65	1.2	0.9
	Sliding Door Lock - Left	EVPSLOCKL	268	2.65	1.2	0.9

EVMPK02 - MINI PANEL KIT


- Evolve's Mini Panel Kits are available to our dealers and their sales staff.
- All Mini Panel Kit orders receive standard freight terms (5% of list)
- The Evolve mini panel is an excellent sales tool featuring a cut away of a module and samples of various hardware and electrical components and consists of the following:
 - 1 EVPP3024 30 x 24 Premium with cut-away
 - 1 EVPCP232 Two-way corner post
 - 1 EVPER30 End of run trim kit
 - 1 EVDHPT24 High Profile Top Cap
 - 1 EVDCPHP2 Two-way High Profile Top Cap
 - 1 EVDPE4 Post Extension Lay in
 - 1 EVE8PD24 Power distribution housing
 - 1 EVE8CP16 Jumper Cable
 - 1 EVE8RDA/B Duplex Receptacle
 - 1 Pizza cutter spline tool
 - 1 Replacement fabric
 - 1 Panel Bag with Evolve Logo
 - 1 Parts Bag with Evolve Logo

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Mini Panel Kit	EVMPK02	2501	30	24	2 7/8




EVPRGLAXXY - Acoustic Grid 5FT WIDE

- PET Acoustic Grid installed on top of panels
- Acoustic Grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 30-30 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors
- Separate PET colors available for outer skirt and inner structure
- Top trim with channel to be ordered separately
- Shipped KD , to be assembled on job site
- Additional sizes available up to 10' x 12'

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA4860D	2320	5.5	60	48
	EVPRGLA6060D	2749	5.5	60	60
	EVPRGLA7260D	3178	5.5	60	72
	EVPRGLA8460D	3607	5.5	60	84
	EVPRGLA9060D	3821	5.5	60	90
	EVPRGLA9660D	4068	5.5	60	96


EVPRGLAXXY - Acoustic Grid 6FT WIDE

- PET Acoustic Grid installed on top of panels
- Acoustic Grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 24-24-24 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors
- Separate PET colors available for outer skirt and inner structure
- Top trim with channel to be ordered separately
- Shipped KD , to be assembled on job site
- Additional sizes available up to 10' x 12'

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA4872D	2789	5.5	72	48
	EVPRGLA6072D	3310	5.5	72	60
	EVPRGLA7272D	3829	5.5	72	72
	EVPRGLA8472D	4348	5.5	72	84
	EVPRGLA9072D	4606	5.5	72	90
	EVPRGLA9672D	4898	5.5	72	96


EVPRGLAXXY - Acoustic Grid 7FT WIDE

- PET Acoustic Grid installed on top of panels
- Acoustic Grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 24-36-24 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors
- Separate PET colors available for outer skirt and inner structure
- Top trim with channel to be ordered separately
- Shipped KD , to be assembled on job site
- Additional sizes available up to 10' x 12'

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA4884D	3118	5.5	84	48
	EVPRGLA6084D	3691	5.5	84	60
	EVPRGLA7284D	4265	5.5	84	72
	EVPRGLA8484D	4839	5.5	84	84
	EVPRGLA9084D	5126	5.5	84	90
	EVPRGLA9684D	5444	5.5	84	96


EVPRGLAXYY - Acoustic Grid 7-1/2 FT WIDE

- PET Acoustic Grid installed on top of panels
- Acoustic Grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 30-30-30 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors
- Separate PET colors available for outer skirt and inner structure
- Top trim with channel to be ordered separately
- Shipped KD, to be assembled on job site
- Additional sizes available up to 10' x 12'

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA4890D	3238	5.5	90	48
	EVPRGLA6090D	3838	5.5	90	60
	EVPRGLA7290D	4439	5.5	90	72
	EVPRGLA8490D	5040	5.5	90	84
	EVPRGLA9090D	5341	5.5	90	90
	EVPRGLA9690D	5673	5.5	90	96


EVPRGLAXYY - Acoustic Grid 8FT WIDE

- PET Acoustic Grid installed on top of panels
- Acoustic Grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 30-36-30 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors
- Separate PET colors available for outer skirt and inner structure
- Top trim with channel to be ordered separately
- Shipped KD, to be assembled on job site
- Additional sizes available up to 10' x 12'

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA4896D	3478	5.5	96	48
	EVPRGLA6096D	4106	5.5	96	60
	EVPRGLA7296D	4733	5.5	96	72
	EVPRGLA8496D	5362	5.5	96	84
	EVPRGLA9096D	5678	5.5	96	90
	EVPRGLA9696D	6022	5.5	96	96

EVPRGLAXYY - Acoustic Grid 12FT WIDE


- PET Acoustic Grid installed on top of panels
- Acoustic Grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 24-30--36-30-24 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors
- Top trim with channel to be ordered separately
- Beam kit above opening for Acoustic Grid to be ordered separately
- Shipped KD, to be assembled on job site

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA120144D	8004	5.5	144	120



EVPTTCA - ALUMINUM TOP TRIM WITH CHANNEL

- Top trim with channel
- Available in standard paint colors
- Note: Trim can span inline connector, but not a Post

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPTTCA18	16	18	2.875	
	EVPTTCA24	23	24	2.875	
	EVPTTCA30	30	30	2.875	
	EVPTTCA36	32	36	2.875	
	EVPTTCA42	39	42	2.875	
	EVPTTCA48	48	48	2.875	
	EVPTTCA54	56	54	2.875	
	EVPTTCA60	62	60	2.875	
	EVPTTCA66	68	66	2.875	
	EVPTTCA72	76	72	2.875	
	EVPTTCA78	82	78	2.875	
	EVPTTCA84	91	84	2.875	
	EVPTTCA90	97	90	2.875	
	EVPTTCA96	105	96	2.875	





When ordering Panel Extension Modules, Inline Panel Extension Connectors (EVPIEC) must be ordered separately. Please see EVPIEC for details.

Inline Panel Extension Connectors connect two panel extension modules of equal height in a straight run.


Extension connectors do **not** provide support for hang-on storage components above 66"H.

When specifying stacking panels up to 66" H and using a single full height connector additional single clamps (EVCLVAR \$7 list each) are recommended. Order 2 clamps per extension module.




EXTENSION MODULES BY TYPE


Fabric Panel Extension Module




Fabric Panel Extension Module - Premium




Tempered Glass Panel Extension Module




Tempered Glass Panel Extension Module - Premium




Write Board Extension Module - Single Sided




Write Board Extension Module - Double Sided




Laminate Extension Module - Single Sided




Laminate Extension Module - Double Sided




Air Flow Extension Module




Open Panel Extension Module



Panel Mount Privacy Glass







Panel Mount PET Felt Divider




EVPFE - FABRIC PANEL EXTENSION MODULE

- Attaches on top of a panel.
- Modules can be stacked to add privacy or divide space.
- Panel Extension Modules are not load bearing if installed higher than 66" High.
- Each side of the fabric module may have a different fabric within the same grade at no charge.
- If different grades of fabric are used on one module, the entire module must be priced at highest grade.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric Panel Extension Module - 6" High	EVPFE0618	168	175	6	18	2 7/8
		EVPFE0624	170	182	6	24	2 7/8
		EVPFE0630	186	200	6	30	2 7/8
		EVPFE0636	207	223	6	36	2 7/8
		EVPFE0642	234	247	6	42	2 7/8
		EVPFE0648	251	270	6	48	2 7/8
		EVPFE0654	271	290	6	54	2 7/8
		EVPFE0660	291	315	6	60	2 7/8
	Fabric Panel Extension Module - 12" High	EVPFE1218	168	175	12	18	2 7/8
		EVPFE1224	170	182	12	24	2 7/8
		EVPFE1230	186	200	12	30	2 7/8
		EVPFE1236	207	223	12	36	2 7/8
		EVPFE1242	234	247	12	42	2 7/8
		EVPFE1248	251	270	12	48	2 7/8
		EVPFE1254	271	290	12	54	2 7/8
		EVPFE1260	291	315	12	60	2 7/8
	Fabric Panel Extension Module - 18" High	EVPFE1818	202	216	18	18	2 7/8
		EVPFE1824	210	229	18	24	2 7/8
		EVPFE1830	228	251	18	30	2 7/8
		EVPFE1836	264	288	18	36	2 7/8
		EVPFE1842	290	321	18	42	2 7/8
		EVPFE1848	317	349	18	48	2 7/8
		EVPFE1854	343	380	18	54	2 7/8
		EVPFE1860	373	413	18	60	2 7/8
	Fabric Panel Extension Module - 24" High	EVPFE2418	202	216	24	18	2 7/8
		EVPFE2424	210	229	24	24	2 7/8
		EVPFE2430	228	251	24	30	2 7/8
		EVPFE2436	264	288	24	36	2 7/8
		EVPFE2442	290	321	24	42	2 7/8
		EVPFE2448	317	349	24	48	2 7/8
		EVPFE2454	343	380	24	54	2 7/8
		EVPFE2460	373	413	24	60	2 7/8





EVPFPE - FABRIC PANEL EXTENSION MODULE - PREMIUM

- Attaches on top of a panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" High.
- Each side of each module may have a different fabric within the same grade at no charge.
- If different grades of fabric are used on the Panel Extension Module, the module must be priced at highest grade.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric Panel Extension Module - Premium - 24" High	EVPFPE2418	273	288	24	18	2 7/8
		EVPFPE2424	291	312	24	24	2 7/8
		EVPFPE2430	327	350	24	30	2 7/8
		EVPFPE2436	368	392	24	36	2 7/8
		EVPFPE2442	413	444	24	42	2 7/8
		EVPFPE2448	443	477	24	48	2 7/8
		EVPFPE2454	490	527	24	54	2 7/8
		EVPFPE2460	534	575	24	60	2 7/8


EVPGTE - TEMPERED GLASS PANEL EXTENSION MODULE

- Attaches on top of panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted Glass (FRST) 40% upcharge. Contact EVOLVE Customer Support for details.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Tempered Glass Panel Extension Module - 6" High	EVPGTE0618	322	6	18	2 7/8
		EVPGTE0624	348	6	24	2 7/8
		EVPGTE0630	417	6	30	2 7/8
		EVPGTE0636	437	6	36	2 7/8
		EVPGTE0642	534	6	42	2 7/8
		EVPGTE0648	596	6	48	2 7/8
		EVPGTE0654	651	6	54	2 7/8
		EVPGTE0660	702	6	60	2 7/8
	Tempered Glass Panel Extension Module - 12" High	EVPGTE1218	322	12	18	2 7/8
		EVPGTE1224	348	12	24	2 7/8
		EVPGTE1230	417	12	30	2 7/8
		EVPGTE1236	437	12	36	2 7/8
		EVPGTE1242	534	12	42	2 7/8
		EVPGTE1248	596	12	48	2 7/8
		EVPGTE1254	651	12	54	2 7/8
		EVPGTE1260	702	12	60	2 7/8
	Tempered Glass Panel Extension Module - 18" High	EVPGTE1818	484	18	18	2 7/8
		EVPGTE1824	498	18	24	2 7/8
		EVPGTE1830	533	18	30	2 7/8
		EVPGTE1836	582	18	36	2 7/8
		EVPGTE1842	660	18	42	2 7/8
		EVPGTE1848	739	18	48	2 7/8
		EVPGTE1854	801	18	54	2 7/8
		EVPGTE1860	860	18	60	2 7/8
	Tempered Glass Panel Extension Module - 24" High	EVPGTE2418	484	24	18	2 7/8
		EVPGTE2424	498	24	24	2 7/8
		EVPGTE2430	533	24	30	2 7/8
		EVPGTE2436	582	24	36	2 7/8
		EVPGTE2442	660	24	42	2 7/8
		EVPGTE2448	739	24	48	2 7/8
		EVPGTE2454	801	24	54	2 7/8
		EVPGTE2460	860	24	60	2 7/8

EVPGPTE - TEMPERED GLASS PREMIUM PANEL EXTENSION MODULE

- Attaches to top of a panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- Standard in clear (CLR) or smoked glass (SMK) as an option. Please note the smoked glass (SMK) has 51% light transmittance.
- Frosted Glass (FRST) 40% upcharge. Contact EVOLVE Customer Support for details.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Tempered Glass Premium Panel Extension Module - 24" High	EVPGPTE2418	477	24	18	2 7/8
		EVPGPTE2424	529	24	24	2 7/8
		EVPGPTE2430	604	24	30	2 7/8
		EVPGPTE2436	688	24	36	2 7/8
		EVPGPTE2442	762	24	42	2 7/8
		EVPGPTE2448	855	24	48	2 7/8
		EVPGPTE2454	932	24	54	2 7/8
		EVPGPTE2460	1010	224	60	2 7/8



EVPSG - PASS THRU SLIDING GLASS EXTENSION MODULE

- Pass thru with sliding glass door module.
- Attaches on top of a panel.
- Module can be stacked to add privacy or divide space.
- Panel extension module is not load bearing if installed higher than 66" High.
- When ordering panel extension modules , additional connectors are required.
- *Top Trims are not included with Extension Modules.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRS	H	W	D
Reception Panel Extension Module - 6" High	EVPSGE0636	349	419	6	36	2 7/8
	EVPSGE0642	373	449	6	42	2 7/8
	EVPSGE0648	454	543	6	48	2 7/8

EVPSG - PASS THRU SLIDING GLASS EXTENSION MODULE

- Pass thru with sliding glass door module.
- Attaches on top of a panel.
- Module can be stacked to add privacy or divide space.
- Panel extension module is not load bearing if installed higher than 66" High.
- When ordering panel extension modules , additional connectors are required.
- *Top Trims are not included with Extension Modules.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRS	H	W	D
Reception Panel Extension Module - 12" High	EVPSGE1236	422	507	12	36	2 7/8
	EVPSGE1242	447	537	12	42	2 7/8
	EVPSGE1248	468	564	12	48	2 7/8

EVPSGX - TALK THRU GLASS EXTENSION MODULE

- Talk thru glass module.
- Attaches on top of a panel.
- Module can be stacked to add privacy or divide space.
- Panel extension module is not load bearing if installed higher than 66" High.
- When ordering panel extension modules , additional connectors are required.
- *Top Trims are not included with Extension Modules.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRS	H	W	D
Reception Panel Extension Module - 24" High	EVPSGXE2436	543	651	24	36	2 7/8
	EVPSGXE2442	598	717	24	42	2 7/8
	EVPSGXE2448	651	783	24	48	2 7/8

EVPSGX - TALK THRU GLASS EXTENSION MODULE


- Talk thru glass module.
- Attaches on top of a panel.
- Module can be stacked to add privacy or divide space.
- Panel extension module is not load bearing if installed higher than 66" High.
- When ordering panel extension modules , additional connectors are required.
- *Top Trims are not included with Extension Modules.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRS	H	W	D
Reception Panel Extension Module - 30" High	EVPSGXE3036	592	710	30	36	2 7/8
	EVPSGXE3042	666	799	30	42	2 7/8
	EVPSGXE3048	721	864	30	48	2 7/8

EVPW1SE - WRITE BOARD EXTENSION MODULE - SINGLE SIDED


- Attaches on top of a panel.
- Provides writing surface on a Single Side.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- High pressure only
- Use erasable Write Board markers only.
- *Top Trims are not included with Extension Modules.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Write Board Extension Module - Single Sided 6"High	EVPW1SE0618	228	235	6	36	7/8
	EVPW1SE0624	265	273	6	36	2 7/8
	EVPW1SE0636	337	346	6	36	2 7/8
	EVPW1SE0642	381	386	6	42	2 7/8
	EVPW1SE0648	415	426	6	48	2 7/8
	EVPW1SE0654	468	479	6	54	2 7/8
	EVPW1SE0660	492	503	6	60	2 7/8
Write Board Extension Module - Single Sided 12"High	EVPW1SE1218	228	235	12	36	2 7/8
	EVPW1SE1224	265	273	12	36	2 7/8
	EVPW1SE1236	337	346	12	36	2 7/8
	EVPW1SE1242	381	386	12	42	2 7/8
	EVPW1SE1248	415	426	12	48	2 7/8
	EVPW1SE1254	468	479	12	54	2 7/8
	EVPW1SE1260	492	503	12	60	2 7/8
Write Board Extension Module - Single Sided 18"High	EVPW1SE1818	244	253	18	18	2 7/8
	EVPW1SE1824	280	290	18	24	2 7/8
	EVPW1SE1830	315	323	18	30	2 7/8
	EVPW1SE1836	367	380	18	36	2 7/8
	EVPW1SE1842	411	426	18	42	2 7/8
	EVPW1SE1848	451	467	18	48	2 7/8
	EVPW1SE1854	491	507	18	54	2 7/8
	EVPW1SE1860	529	547	18	60	2 7/8
Write Board Extension Module - Single Sided 24"High	EVPW1SE2418	244	253	24	18	2 7/8
	EVPW1SE2424	280	291	24	24	2 7/8
	EVPW1SE2430	315	326	24	30	2 7/8
	EVPW1SE2436	367	380	24	36	2 7/8
	EVPW1SE2442	411	427	24	42	2 7/8
	EVPW1SE2448	451	468	24	48	2 7/8
	EVPW1SE2454	491	507	24	54	2 7/8
	EVPW1SE2460	529	548	24	60	2 7/8







EVPW2SE - WRITE BOARD EXTENSION MODULE - DOUBLE SIDED

- Attaches on top of a panel.
- Provides writing surface on two sides.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- High pressure only
- Use erasable Write Board markers only.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Write Board Extension Module - Double Sided - 6" High	EVPW2SE0618	245	6	18	2.78
		EVPW2SE0624	290	6	24	2.78
		EVPW2SE0630	334	6	30	2.78
		EVPW2SE0636	383	6	36	2.78
		EVPW2SE0642	435	6	42	2.78
		EVPW2SE0648	485	6	48	2.78
		EVPW2SE0654	560	6	54	2.78
		EVPW2SE0660	574	6	60	2.78
	Write Board Extension Module - Double Sided - 12" High	EVPW2SE1218	245	12	18	2.78
		EVPW2SE1224	290	12	24	2.78
		EVPW2SE1230	334	12	30	2.78
		EVPW2SE1236	383	12	36	2.78
		EVPW2SE1242	435	12	42	2.78
		EVPW2SE1248	485	12	48	2.78
		EVPW2SE1254	560	12	54	2.78
		EVPW2SE1260	574	12	60	2.78
	Write Board Extension Module - Double Sided - 18" High	EVPW2SE1818	295	18	18	2.78
		EVPW2SE1824	348	18	24	2.78
		EVPW2SE1830	400	18	30	2.78
		EVPW2SE1836	468	18	36	2.78
		EVPW2SE1842	529	18	42	2.78
		EVPW2SE1848	590	18	48	2.78
		EVPW2SE1854	652	18	54	2.78
		EVPW2SE1860	712	18	60	2.78
	Write Board Extension Module - Double Sided - 24" High	EVPW2SE2418	295	24	18	2.78
		EVPW2SE2424	348	24	24	2.78
		EVPW2SE2430	400	24	30	2.78
		EVPW2SE2436	468	24	36	2.78
		EVPW2SE2442	529	24	42	2.78
		EVPW2SE2448	590	24	48	2.78
		EVPW2SE2454	652	24	54	2.78
		EVPW2SE2460	712	24	60	2.78

EVPH1SE - LAMINATE EXTENSION MODULE - SINGLE SIDED





- Attaches on top of a panel.
- Laminate face on the module provides a durable, washable surface on Single Side of the panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- Available in high pressure only.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Laminate Extension Module - Single Sided 6" High	EVPH1SE0618	228	235	6	18	2 7/8
		EVPH1SE0624	265	268	6	24	2 7/8
		EVPH1SE0630	297	299	6	30	2 7/8
		EVPH1SE0636	337	341	6	36	2 7/8
		EVPH1SE0642	381	383	6	42	2 7/8
		EVPH1SE0648	415	427	6	48	2 7/8
		EVPH1SE0654	468	479	6	54	2 7/8
		EVPH1SE0660	492	497	6	60	2 7/8
	Laminate Extension Module - Single Sided 12" High	EVPH1SE1218	228	235	12	18	2 7/8
		EVPH1SE1224	265	274	12	24	2 7/8
		EVPH1SE1230	297	303	12	30	2 7/8
		EVPH1SE1236	337	348	12	36	2 7/8
		EVPH1SE1242	381	389	12	42	2 7/8
		EVPH1SE1248	415	427	12	48	2 7/8
		EVPH1SE1254	468	480	12	54	2 7/8
		EVPH1SE1260	492	504	12	60	2 7/8
	Laminate Extension Module - Single Sided 18" High	EVPH1SE1818	304	312	18	18	2 7/8
		EVPH1SE1824	359	368	18	24	2 7/8
		EVPH1SE1830	413	426	18	30	2 7/8
		EVPH1SE1836	472	485	18	36	2 7/8
		EVPH1SE1842	533	546	18	42	2 7/8
		EVPH1SE1848	585	599	18	48	2 7/8
		EVPH1SE1854	633	651	18	54	2 7/8
		EVPH1SE1860	697	716	18	60	2 7/8
	Laminate Extension Module - Single Sided 24" High	EVPH1SE2418	304	315	24	18	2 7/8
		EVPH1SE2424	359	371	24	24	2 7/8
		EVPH1SE2430	413	427	24	30	2 7/8
		EVPH1SE2436	472	487	24	36	2 7/8
		EVPH1SE2442	533	548	24	42	2 7/8
		EVPH1SE2448	585	601	24	48	2 7/8
		EVPH1SE2454	633	654	24	54	2 7/8
		EVPH1SE2460	697	719	24	60	2 7/8






EVPH2SE - LAMINATE EXTENSION MODULE - DOUBLE SIDED

- Attaches on top of a panel.
- Laminate faces on both sides of the module provide durable, washable surfaces
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H
- When ordering Panel Extension Modules, additional connectors are required.
- Available in high pressure only.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Laminate Extension Module - Double Sided 6" High	EVPH2SE0618	245	6	18	2 7/8
		EVPH2SE0624	290	6	24	2 7/8
		EVPH2SE0630	334	6	30	2 7/8
		EVPH2SE0636	383	6	36	2 7/8
		EVPH2SE0642	435	6	42	2 7/8
		EVPH2SE0648	485	6	48	2 7/8
		EVPH2SE0654	560	6	54	2 7/8
		EVPH2SE0660	587	6	60	2 7/8
	Laminate Extension Module - Double Sided 12" High	EVPH2SE1218	245	12	18	2 7/8
		EVPH2SE1224	290	12	24	2 7/8
		EVPH2SE1230	334	12	30	2 7/8
		EVPH2SE1236	383	12	36	2 7/8
		EVPH2SE1242	435	12	42	2 7/8
		EVPH2SE1248	485	12	48	2 7/8
		EVPH2SE1254	560	12	54	2 7/8
		EVPH2SE1260	574	12	60	2 7/8
	Laminate Extension Module - Double Sided 18" High	EVPH2SE1818	352	18	18	2 7/8
		EVPH2SE1824	426	18	24	2 7/8
		EVPH2SE1830	492	18	30	2 7/8
		EVPH2SE1836	571	18	36	2 7/8
		EVPH2SE1842	645	18	42	2 7/8
		EVPH2SE1848	731	18	48	2 7/8
		EVPH2SE1854	801	18	54	2 7/8
		EVPH2SE1860	863	18	60	2 7/8
	Laminate Extension Module - Double Sided 24" High	EVPH2SE2418	352	24	18	2 7/8
		EVPH2SE2424	426	24	24	2 7/8
		EVPH2SE2430	492	24	30	2 7/8
		EVPH2SE2436	571	24	36	2 7/8
		EVPH2SE2442	645	24	42	2 7/8
		EVPH2SE2448	731	24	48	2 7/8
		EVPH2SE2454	801	24	54	2 7/8
		EVPH2SE2460	863	24	60	2 7/8

EVPAE - AIR FLOW EXTENSION MODULE





- Metal air flow panel extension
- Attaches to top of panel
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Air Flow Extension Module - 12" High	EVPAE1224	295	12	24	2 7/8
		EVPAE1230	352	12	30	2 7/8
		EVPAE1236	399	12	36	2 7/8
		EVPAE1242	440	12	42	2 7/8
		EVPAE1248	498	12	48	2 7/8
		EVPAE1254	575	18	54	2 7/8
	Air Flow Extension Module - 18" High	EVPAE1824	371	18	24	2 7/8
		EVPAE1830	433	18	30	2 7/8
		EVPAE1836	480	18	36	2 7/8
		EVPAE1842	525	18	42	2 7/8
		EVPAE1848	604	18	48	2 7/8
		EVPAE1854	694	18	54	2 7/8
	Air Flow Extension Module - 24" High	EVPAE2424	371	24	24	2 7/8
		EVPAE2430	433	24	30	2 7/8
		EVPAE2436	480	24	36	2 7/8
		EVPAE2442	525	24	42	2 7/8
		EVPAE2448	604	24	48	2 7/8
		EVPAE2454	688	18	54	2 7/8
		EVPAE2460	780	24	60	2 7/8




EVPOE - OPEN PANEL EXTENSION MODULE

- Attaches to top portion of a panel.
- Modules can be stacked to add privacy or to divide space
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Open Panel Extension Module - 6" High	EVPOE0618	262	6	18	2 7/8
		EVPOE0624	268	6	24	2 7/8
		EVPOE0630	327	6	30	2 7/8
		EVPOE0636	341	6	36	2 7/8
		EVPOE0642	414	6	42	2 7/8
		EVPOE0648	465	6	48	2 7/8
		EVPOE0654	507	6	54	2 7/8
		EVPOE0660	547	6	60	2 7/8
	Open Panel Extension Module - 12" High	EVPOE1218	264	12	18	2 7/8
		EVPOE1224	270	12	24	2 7/8
		EVPOE1230	327	12	30	2 7/8
		EVPOE1236	341	12	36	2 7/8
		EVPOE1242	414	12	42	2 7/8
		EVPOE1248	466	12	48	2 7/8
		EVPOE1254	507	12	54	2 7/8
		EVPOE1260	549	12	60	2 7/8
	Open Panel Extension Module - 18" High	EVPOE1818	385	18	18	2 7/8
		EVPOE1824	391	18	24	2 7/8
		EVPOE1830	414	18	30	2 7/8
		EVPOE1836	453	18	36	2 7/8
		EVPOE1842	510	18	42	2 7/8
		EVPOE1848	575	18	48	2 7/8
		EVPOE1854	623	18	54	2 7/8
		EVPOE1860	671	18	60	2 7/8
	Open Panel Extension Module - 24" High	EVPOE2418	391	24	18	2 7/8
		EVPOE2424	385	24	24	2 7/8
		EVPOE2430	414	24	30	2 7/8
		EVPOE2436	453	24	36	2 7/8
		EVPOE2442	510	24	42	2 7/8
		EVPOE2448	575	24	48	2 7/8
		EVPOE2454	623	24	54	2 7/8
		EVPOE2460	671	24	60	2 7/8


EVPIECBS - BRIDGE PANEL INLINE EXTENSION CONNECTOR

- Connects bridge panel to inline extension connector.
- Includes one bridge extension connector and connecting hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Bridge Panel Inline Extension Connector	EVPIECBS06	44	6	3	3
	EVPIECBS12	44	12	3	3
	EVPIECBS18	52	18	3	3
	EVPIECBS24	52	24	3	3


EVPEERBSA - BRIDGE PANEL END OF RUN EXTENSION CONNECTOR - ALUMINUM TRIM

- Connects at end of run of bridge panel and can attach panel to fixed wall.
- Adds 1" to width of panel run.
- Provides slotted support for worksurfaces and hang on components up to 66"H.
- Includes one slotted bridge extension connector and connecting hardware and trim kit.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Bridge Panel End of Run Extension Connector Aluminum Trim	EVPEERBSA06	48	6	3	3
	EVPEERBSA12	48	12	3	3
	EVPEERBSA18	58	18	3	3
	EVPEERBSA24	58	24	3	3

EVPICBS - BRIDGE PANEL INLINE CONNECTOR WITHOUT ALUMINUM INSERT

- Connects two bridge panels to inline connector.
- Inline connector in middle between two bridge panels, above opening, using double clamp at bottom.
- Includes one bridge extension connector without aluminum insert, includes connecting hardware.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Bridge Panel Inline Connector without Aluminum Insert	EVPICBS06	44	6	3	3
	EVPICBS12	44	12	3	3
	EVPICBS18	52	18	3	3
	EVPICBS24	52	24	3	3

EVPCPB1 - BRIDGE PANEL CORNER EXTENSION POST 1 WAY



- Connects at end of a run of extension modules.
- Post and connecting hardware add 3.25" to power beam run.

- Includes one extension post, one slotted extension connectors for bridge panel, connecting hardware and trim kit.




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Bridge Panel Inline Extension Connector	EVPCEPBSA106	81	6	3	3
	EVPCEPBSA112	81	12	3	3
	EVPCEPBSA118	103	18	3	3
	EVPCEPBSA124	103	24	3	3

EVPCEPB2 - BRIDGE PANEL CORNER EXTENSION POST 2 WAY

- Connects two bridge panels in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.

- Includes one extension post, two one slotted extension connectors for bridge panel, connecting hardware and trim kit.




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Bridge Panel Corner Extension Post 2 way	EVPCEPBSA206	83	6	3	3
	EVPCEPBSA212	83	12	3	3
	EVPCEPBSA218	131	18	3	3
	EVPCEPBSA224	131	24	3	3

EVPCEPB3 - BRIDGE PANEL CORNER EXTENSION POST 3 WAY

- Connects three bridge panels in T degree configuration.
- Post and connecting hardware add 3.25" to power beam run.


- Includes one extension post, three one slotted extension connectors for bridge panel, connecting hardware and trim kit.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Bridge Panel Corner Extension Post 3 way	EVPCEPBSA306	100	6	3	3
	EVPCEPBSA312	100	12	3	3
	EVPCEPBSA318	154	18	3	3
	EVPCEPBSA324	154	24	3	3

EVPCEPB4 - BRIDGE PANEL CORNER EXTENSION POST 4 WAY

- Connects four bridge panels in X degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Includes one extension post, four one slotted extension connectors for bridge panel, connecting hardware and trim kit.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Bridge Panel Corner Extension Post 4 way	EVPCEPBS406	115	6	3	3
	EVPCEPBS412	115	12	3	3
	EVPCEPBS418	170	18	3	3
	EVPCEPBS424	170	24	3	3

EVPCEIPBSA2 - BRIDGE PANEL INLINE TWO WAY POST EXTENSION

- Connects two bridge panels in straight run.
- Post and connecting hardware add 3.25" to power beam run.
- Includes one extension post, two slotted extension connectors for bridge panel, connecting hardware and trim kit.




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Bridge Panel Inline Extension Post 2 way	EVPCEIPBSA206	88	6	3	3
	EVPCEIPBSA212	88	12	3	3
	EVPCEIPBSA218	143	18	3	3
	EVPCEIPBSA224	143	24	3	3

EVPFEB - FABRIC PANEL BRIDGE MODULE




- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps on top and at bottom.
- Each side of fabric module may have different fabric within the same grade at no charge.
- If different grades of fabric are used, the entire module must be price at highest grade.
- When ordering bridge modules , additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Fabric Panel Bridge Module - 6" High	EVPFEB0618	168	175	6	18	3
	EVPFEB0624	170	182	6	24	3
	EVPFEB0630	186	200	6	30	3
	EVPFEB0636	207	223	6	36	3
	EVPFEB0642	234	247	6	42	3
	EVPFEB0648	251	270	6	48	3
	EVPFEB0654	271	290	6	54	3
	EVPFEB0660	291	315	6	60	3
Fabric Panel Bridge Module - 12" High	EVPFEB1218	168	175	12	18	3
	EVPFEB1224	170	182	12	24	3
	EVPFEB1230	186	200	12	30	3
	EVPFEB1236	207	223	12	36	3
	EVPFEB1242	234	247	12	42	3
	EVPFEB1248	251	270	12	48	3
	EVPFEB1254	271	290	12	54	3
	EVPFEB1260	291	315	12	60	3
Fabric Panel Bridge Module - 18" High	EVPFEB1818	202	216	18	18	3
	EVPFEB1824	210	229	18	24	3
	EVPFEB1830	228	251	18	30	3
	EVPFEB1836	264	288	18	36	3
	EVPFEB1842	290	321	18	42	3
	EVPFEB1848	317	349	18	48	3
	EVPFEB1854	343	380	18	54	3
	EVPFEB1860	373	413	18	60	3
Fabric Panel Bridge Module - 24" High	EVPFEB2418	202	216	24	18	3
	EVPFEB2424	210	229	24	24	3
	EVPFEB2430	228	251	24	30	3
	EVPFEB2436	264	288	24	36	3
	EVPFEB2442	290	321	24	42	3
	EVPFEB2448	317	349	24	48	3
	EVPFEB2454	343	380	24	54	3
	EVPFEB2460	373	413	24	60	3


EVPFEB - FABRIC PANEL BRIDGE MODULE - PREMIUM

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps on top and at bottom.
- Each side of fabric module may have different fabric within the same grade at no charge.
- If different grades of fabric are used, the entire module must be price at highest grade.
- When ordering bridge modules , additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Fabric Panel Bridge Module - Premium	EVPFEB2418	273	288	24	18	3
	EVPFEB2424	291	312	24	24	3
	EVPFEB2430	327	350	24	30	3
	EVPFEB2436	368	392	24	36	3
	EVPFEB2442	413	444	24	42	3
	EVPFEB2448	443	477	24	48	3
	EVPFEB2454	490	527	24	54	3
	EVPFEB2460	534	575	24	60	3


EVPGTBE - TEMPERED GLASS BRIDGE MODULE

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps on top and at bottom.
- Standard in Clear (CLR) or smoked (SMK) as a option.
- Please note that smoked glass (SMK) has 51% light transmittence.
- Frosted glass (FRST) 40% upcharge. Contact Evolve Customer support for details.
- When ordering bridge modules, additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Tempered Glass Bridge Module - 6" High	EVPGTBE0618	322	6	18	3
		EVPGTBE0624	348	6	24	3
		EVPGTBE0630	417	6	30	3
		EVPGTBE0636	437	6	36	3
		EVPGTBE0642	534	6	42	3
		EVPGTBE0648	596	6	48	3
		EVPGTBE0654	651	6	54	3
	EVPGTBE0660	702	6	60	3	
	Tempered Glass Bridge Module - 12" High	EVPGTBE1218	322	12	18	3
		EVPGTBE1224	348	12	24	3
EVPGTBE1230		417	12	30	3	
EVPGTBE1236		437	12	36	3	
EVPGTBE1242		534	12	42	3	
EVPGTBE1248		596	12	48	3	
EVPGTBE1254		651	12	54	3	
EVPGTBE1260	702	12	60	3		
Tempered Glass Bridge Module - 18" High	EVPGTBE1818	484	18	18	3	
	EVPGTBE1824	498	18	24	3	
	EVPGTBE1830	533	18	30	3	
	EVPGTBE1836	582	18	36	3	
	EVPGTBE1842	660	18	42	3	
	EVPGTBE1848	739	18	48	3	
	EVPGTBE1854	801	18	54	3	
EVPGTBE1860	860	18	60	3		
Tempered Glass Bridge Module - 24" High	EVPGTBE2418	484	24	18	3	
	EVPGTBE2424	498	24	24	3	
	EVPGTBE2430	533	24	30	3	
	EVPGTBE2436	582	24	36	3	
	EVPGTBE2442	660	24	42	3	
	EVPGTBE2448	739	24	48	3	
	EVPGTBE2454	801	24	54	3	
EVPGTBE2460	860	24	60	3		

EVPGPTEB - TEMPERED GLASS BRIDGE MODULE - PREMIUM

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps at bottom.
- Standard in Clear (CLR) or smoked (SMK) as a option.
- Please note that smoked glass (SMK) has 51% light transmittence.
- Frosted glass (FRST) 40% upcharge. Contact Evolve Customer support for details.
- When ordering bridge modules, additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Tempered Glass Bridge Module - Premium	EVPGPTEB2418	477	24	18	3
		EVPGPTEB2424	529	24	24	3
		EVPGPTEB2430	604	24	30	3
		EVPGPTEB2436	688	24	36	3
		EVPGPTEB2442	762	24	42	3
		EVPGPTEB2448	855	24	48	3
		EVPGPTEB2454	932	24	54	3
		EVPGPTEB2460	1010	24	60	3



EVPW1SEB - WRITE BOARD BRIDGE MODULE - SINGLE SIDED

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps at bottom.
- Provides writing surface on Single side.
- Panel extension module is not load bearing if installed higher than 66" High.


- Use erasable Write Board markers only.
- When ordering bridge modules, additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Write Board Bridge Module - 6" High Single Sided	EVPW1SEB0618	228	235	6	18	3
	EVPW1SEB0624	265	274	6	24	3
	EVPW1SEB0630	297	303	6	30	3
	EVPW1SEB0636	337	348	6	36	3
	EVPW1SEB0642	381	389	6	42	3
	EVPW1SEB0648	415	480	6	48	3
	EVPW1SEB0654	468	480	6	54	3
	EVPW1SEB0660	492	504	6	60	3
Write Board Bridge Module - 12" High Single Sided	EVPW1SEB1218	228	235	12	18	3
	EVPW1SEB1224	265	274	12	24	3
	EVPW1SEB1230	297	303	12	30	3
	EVPW1SEB1236	337	348	12	36	3
	EVPW1SEB1242	381	389	12	42	3
	EVPW1SEB1248	415	427	12	48	3
	EVPW1SEB1254	468	480	12	54	3
	EVPW1SEB1260	492	504	12	60	3
Write Board Bridge Module - 18" High Single Sided	EVPW1SEB1818	304	315	18	18	3
	EVPW1SEB1824	359	371	18	24	3
	EVPW1SEB1830	413	427	18	30	3
	EVPW1SEB1836	472	487	18	36	3
	EVPW1SEB1842	533	548	18	42	3
	EVPW1SEB1848	585	601	18	48	3
	EVPW1SEB1854	633	654	18	54	3
	EVPW1SEB1860	697	719	18	60	3
Write Board Bridge Module - 24" High Single Sided	EVPW1SEB2418	304	315	24	18	3
	EVPW1SEB2424	359	371	24	24	3
	EVPW1SEB2430	413	427	24	30	3
	EVPW1SEB2436	472	487	24	36	3
	EVPW1SEB2442	533	548	24	42	3
	EVPW1SEB2448	585	601	24	48	3
	EVPW1SEB2454	633	654	24	54	3
	EVPW1SEB2460	697	719	24	60	3

EVPW2SEB - WRITE BOARD BRIDGE MODULE - DOUBLE SIDED


- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps at bottom.
- Provides writing surface on Single side.
- Panel extension module is not load bearing if installed higher than 66" High.
- Available in high pressure only.
- Use erasable Write Board markers only.
- When ordering bridge modules, additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				H	W	D	
	Write Board Bridge Module - 6" High Double Sided	EVPW2SEB0618	245	6	18	3	
		EVPW2SEB0624	290	6	24	3	
		EVPW2SEB0630	334	6	30	3	
		EVPW2SEB0636	383	6	36	3	
		EVPW2SEB0642	435	6	42	3	
		EVPW2SEB0648	485	6	48	3	
		EVPW2SEB0654	560	6	54	3	
		EVPW2SEB0660	574	6	60	3	
		Tempered Glass Bridge Module - 12" High Double Sided	EVPW2SEB1218	245	12	18	3
			EVPW2SEB1224	290	12	24	3
EVPW2SEB1230	334		12	30	3		
EVPW2SEB1236	383		12	36	3		
EVPW2SEB1242	435		12	42	3		
EVPW2SEB1248	485		12	48	3		
EVPW2SEB1254	560		12	54	3		
EVPW2SEB1260	574		12	60	3		
Tempered Glass Bridge Module - 18" High Double Sided	EVPW2SEB1818	352	18	18	3		
	EVPW2SEB1824	426	18	24	3		
	EVPW2SEB1830	492	18	30	3		
	EVPW2SEB1836	571	18	36	3		
	EVPW2SEB1842	645	18	42	3		
	EVPW2SEB1848	731	18	48	3		
	EVPW2SEB1854	801	18	54	3		
	EVPW2SEB1860	863	18	60	3		
Tempered Glass Bridge Module - 24" High Double Sided	EVPW2SEB2418	352	24	18	3		
	EVPW2SEB2424	426	24	24	3		
	EVPW2SEB2430	492	24	30	3		
	EVPW2SEB2436	571	24	36	3		
	EVPW2SEB2442	645	24	42	3		
	EVPW2SEB2448	731	24	48	3		
	EVPW2SEB2454	801	24	54	3		
	EVPW2SEB2460	863	24	60	3		




EVPH1SEB - LAMINATE BRIDGE MODULE - SINGLE SIDED

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps at bottom.
- Laminate face on module provides durable, washable surface on Single side of panel.
- Panel extension module is not load bearing if installed higher than 66" High.
- Available in high pressure only.
- When ordering bridge modules , additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Laminate Bridge Module - 6" High Single Sided	EVPH1SEB0618	228	235	6	18	3
	EVPH1SEB0624	265	274	6	24	3
	EVPH1SEB0630	297	303	6	30	3
	EVPH1SEB0636	337	348	6	36	3
	EVPH1SEB0642	381	389	6	42	3
	EVPH1SEB0648	415	427	6	48	3
	EVPH1SEB0654	468	480	6	54	3
	EVPH1SEB0660	492	504	6	60	3
Laminate Bridge Module - 12" High Single Sided	EVPH1SEB1218	228	235	12	18	3
	EVPH1SEB1224	265	274	12	24	3
	EVPH1SEB1230	297	303	12	30	3
	EVPH1SEB1236	337	348	12	36	3
	EVPH1SEB1242	381	389	12	42	3
	EVPH1SEB1248	415	427	12	48	3
	EVPH1SEB1254	468	480	12	54	3
	EVPH1SEB1260	492	504	12	60	3
Laminate Bridge Module - 18" High Single Sided	EVPH1SEB1818	304	315	18	18	3
	EVPH1SEB1824	359	371	18	24	3
	EVPH1SEB1830	413	427	18	30	3
	EVPH1SEB1836	472	487	18	36	3
	EVPH1SEB1842	533	548	18	42	3
	EVPH1SEB1848	585	601	18	48	3
	EVPH1SEB1854	633	654	18	54	3
	EVPH1SEB1860	697	719	18	60	3
Laminate Bridge Module - 24" High Single Sided	EVPH1SEB2418	304	315	24	18	3
	EVPH1SEB2424	359	371	24	24	3
	EVPH1SEB2430	413	427	24	30	3
	EVPH1SEB2436	472	487	24	36	3
	EVPH1SEB2442	533	548	24	42	3
	EVPH1SEB2448	585	601	24	48	3
	EVPH1SEB2454	633	654	24	54	3
	EVPH1SEB2460	697	719	24	60	3

EVPH2SEB - LAMINATE BRIDGE MODULE - DOUBLE SIDED


- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps at bottom.
- Laminate face on both sides of the module provides durable, washable surface.
- Panel extension module is not load bearing if installed higher than 66" High.
- When ordering panel extension modules, additional connectors are required.
- Available in high pressure only.
- When ordering bridge modules , additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Laminate Bridge Module - 6" High Double Sided	EVPH2SEB0618	245	6	18	3
	EVPH2SEB0624	290	6	24	3
	EVPH2SEB0630	334	6	30	3
	EVPH2SEB0636	383	6	36	3
	EVPH2SEB0642	435	6	42	3
	EVPH2SEB0648	485	6	48	3
	EVPH2SEB0654	560	6	54	3
	EVPH2SEB0660	574	6	60	3
Laminate Bridge Module - 12" High Double Sided	EVPH2SEB1218	245	12	18	3
	EVPH2SEB1224	290	12	24	3
	EVPH2SEB1230	334	12	30	3
	EVPH2SEB1236	383	12	36	3
	EVPH2SEB1242	435	12	42	3
	EVPH2SEB1248	485	12	48	3
	EVPH2SEB1254	560	12	54	3
	EVPH2SEB1260	574	12	60	3
Laminate Bridge Module - 18" High Double Sided	EVPH2SEB1818	352	18	18	3
	EVPH2SEB1824	426	18	24	3
	EVPH2SEB1830	492	18	30	3
	EVPH2SEB1836	571	18	36	3
	EVPH2SEB1842	645	18	42	3
	EVPH2SEB1848	731	18	48	3
	EVPH2SEB1854	801	18	54	3
	EVPH2SEB1860	863	18	60	3
Laminate Bridge Module - 24" High Double Sided	EVPH2SEB2418	352	24	18	3
	EVPH2SEB2424	426	24	24	3
	EVPH2SEB2430	492	24	30	3
	EVPH2SEB2436	571	24	36	3
	EVPH2SEB2442	645	24	42	3
	EVPH2SEB2448	731	24	48	3
	EVPH2SEB2454	801	24	54	3
	EVPH2SEB2460	863	24	60	3




EVMPMPXXGI6P - 6" H PANEL MOUNT PRIVACY GLASS W/ ALUMINUM TRIM

- Attaches on top of Evolve Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim must be specified for entire station when ordering panel mount privacy glass.
- Includes aluminum trim with channel and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR) or frosted (FRST) glass.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide	EVMPMP24GI6P	255	315	6	24	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide	EVMPMP30GI6P	276	320	6	30	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVMPMP36GI6P	304	333	6	36	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVMPMP42GI6P	318	367	6	42	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVMPMP48GI6P	326	401	6	48	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVMPMP54GI6P	338	432	6	54	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVMPMP60GI6P	348	467	6	60	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVMPMP66GI6P	402	533	6	66	2 7/8
6" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVMPMP72GI6P	414	534	6	72	2 7/8	

EVPMPXXGI9P - 9" H PANEL MOUNT PRIVACY GLASS W/ ALUMINUM TRIM


- Attaches on top of Evolve Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim must be specified for entire station when ordering panel mount privacy glass.
- Includes aluminum trim with channel and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR) or frosted (FRST) glass.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide	EVPMP24GI9P	255	315	9	24	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide	EVPMP30GI9P	276	320	9	30	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVPMP36GI9P	304	333	9	36	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVPMP42GI9P	318	370	9	42	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVPMP48GI9P	326	382	9	48	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVPMP54GI9P	338	413	9	54	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVPMP60GI9P	348	447	9	60	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVPMP66GI9P	402	534	9	66	2 7/8
9" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVPMP72GI9P	414	556	9	72	2 7/8	




EVMPMPXXGIP - 12" PANEL MOUNT PRIVACY GLASS W/ ALUMINUM TRIM

- Attaches on top of Evolve Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR), frosted (FRST) or writeable (WRW) glass.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
			CLR	FRST	WRW	H	W	D
	Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide	EVMPMP24GIP	263	321	429	12	24	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide	EVMPMP30GIP	286	327	437	12	30	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVMPMP36GIP	304	333	447	12	36	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVMPMP42GIP	318	367	492	12	42	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVMPMP48GIP	335	401	538	12	48	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVMPMP54GIP	349	433	580	12	54	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVMPMP60GIP	359	467	626	12	60	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVMPMP66GIP	402	533	713	12	66	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVMPMP72GIP	427	556	745	12	72	2 7/8


EVMPMPNXXGIP - 12" H PANEL MOUNT PRIVACY GLASS W/ NOTCHED TOP TRIM FOR INLINE VARIABLE HEIGHT CONNECTOR

- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum top trim with channel with notched end and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	Panel Mount Privacy Glass w/ Notched Top Trim for Variable Height Connector - 12" High	EVMPMPN24GIP	263	321	12	24	2 7/8
		EVMPMPN30GIP	286	327	12	30	2 7/8
		EVMPMPN36GIP	304	333	12	36	2 7/8
		EVMPMPN42GIP	318	367	12	42	2 7/8
		EVMPMPN48GIP	335	401	12	48	2 7/8
		EVMPMPN54GIP	349	433	12	54	2 7/8
		EVMPMPN60GIP	359	467	12	60	2 7/8


EVPMPDNXXGIP - 12" H PANEL MOUNT PRIVACY GLASS W/ DOUBLE NOTCHED TOP TRIM FOR INLINE VARIABLE HEIGHT CONNECTOR

- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum top trim with channel with notched ends and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	Frosted	H	W	D
 Panel Mount Privacy Glass w/ double notched top trim for variable height connector - 12" High	EVPMPDN24GIP	263	321	12	24	2 7/8
	EVPMPDN30GIP	286	327	12	30	2 7/8
	EVPMPDN36GIP	304	333	12	36	2 7/8
	EVPMPDN42GIP	318	367	12	42	2 7/8
	EVPMPDN48GIP	335	401	12	48	2 7/8
	EVPMPDN54GIP	349	433	12	54	2 7/8
	EVPMPDN60GIP	359	467	12	60	2 7/8

EVPMPXXGI18P - 18" H PANEL MOUNT PRIVACY GLASS


- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	Frosted	H	W	D
 18" H Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide	EVPMP24G118P	393	480	18	24	2 7/8
	EVPMP30G118P	427	490	18	30	2 7/8
	EVPMP36G118P	455	498	18	36	2 7/8
	EVPMP42G118P	475	549	18	42	2 7/8
	EVPMP48G118P	503	599	18	48	2 7/8
	EVPMP54G118P	521	649	18	54	2 7/8
	EVPMP60G118P	539	702	18	60	2 7/8
	EVPMP66G118P	604	797	18	66	2 7/8
	EVPMP72G118P	639	833	18	72	2 7/8




EVMPNXXG118P - 18" H PANEL MOUNT PRIVACY GLASS WITH NOTCHED TOP TRIM FOR VARIABLE HEIGHT CONNECTOR

- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide	EVMPN24G118P	393	480	18	24	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide	EVMPN30G118P	427	490	18	30	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVMPN36G118P	455	498	18	36	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVMPN42G118P	475	549	18	42	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVMPN48G118P	503	599	18	48	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVMPN54G118P	521	649	18	54	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVMPN60G118P	539	702	18	60	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVMPN66G118P	604	797	18	66	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVMPN72G118P	639	833	18	72	2 7/8	

EVPMPDNXXGI18P-18"H PANEL MOUNT PRIVACY GLASS WITH DOUBLE NOTCHED TOP TRIM FOR VARIABLE HEIGHT CONNECTOR

- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide	EVPMPDN24GI18P	393	480	18	24	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide	EVPMPDN30GI18P	427	490	18	30	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVPMPDN36GI18P	455	498	18	36	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVPMPDN42GI18P	475	549	18	42	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVPMPDN48GI18P	503	599	18	48	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVPMPDN54GI18P	521	649	18	54	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVPMPDN60GI18P	539	702	18	60	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVPMPDN66GI18P	604	797	18	66	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVPMPDN72GI18P	639	833	18	72	2 7/8	



EVMPMPXXGI6PU - 6" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANEL ON ONE END

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from one end.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	Frosted	H	W	D
6" H Panel Mount Privacy Glass U Channel for Gallery Panel	EVMPMP24GI6PU	294	337	6	24	5/8
	EVMPMP30GI6PU	315	343	6	30	5/8
	EVMPMP36GI6PU	327	378	6	36	5/8
	EVMPMP42GI6PU	347	413	6	42	5/8
	EVMPMP48GI6PU	359	447	6	48	5/8
	EVMPMP54GI6PU	370	483	6	54	5/8
	EVMPMP60GI6PU	402	533	6	60	5/8
	EVMPMP66GI6PU	427	556	6	66	5/8
	EVMPMP72GI6PU	451	579	6	72	5/8

EVMPMPXXGI9PU - 9" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANEL ON ONE END

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from one end.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	Frosted	H	W	D
9" H Panel Mount Privacy Glass U Channel for Gallery Panel	EVMPMP24GI9PU	294	337	9	24	5/8
	EVMPMP30GI9PU	343	343	9	30	5/8
	EVMPMP36GI9PU	378	343	9	36	5/8
	EVMPMP42GI9PU	413	413	9	42	5/8
	EVMPMP48GI9PU	447	447	9	48	5/8
	EVMPMP54GI9PU	483	483	9	54	5/8
	EVMPMP60GI9PU	402	533	9	60	5/8
	EVMPMP66GI9PU	427	556	9	66	5/8
	EVMPMP72GI9PU	451	579	9	72	5/8

EVMPMPXXGI12PU - 12" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANEL ON ONE END

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from one end.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	Frosted	H	W	D
12" H Panel Mount Privacy Glass U Channel for Gallery Panel	EVMPMP24GI12PU	294	337	12	24	5/8
	EVMPMP30GI12PU	315	343	12	30	5/8
	EVMPMP36GI12PU	327	378	12	36	5/8
	EVMPMP42GI12PU	347	413	12	42	5/8
	EVMPMP48GI12PU	359	447	12	48	5/8
EVMPMP54GI12PU	370	483	12	54	5/8	

EVPMP60GIPU	402	533	12	60 5/8
EVPMP66GIPU	427	556	12	66 5/8
EVPMP72GIPU	451	579	12	72 5/8

EVPMPXXGI18PU - 18" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANEL ON ONE END

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from one end.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	Frosted	H	W	D
18" H Panel Mount Privacy Glass U Channel for Gallery Panel	EVPMP24GI18PU	427	490	18	24	5/8
	EVPMP30GI18PU	455	498	18	30	5/8
	EVPMP36GI18PU	475	549	18	36	5/8
	EVPMP42GI18PU	503	599	18	42	5/8
	EVPMP48GI18PU	521	649	18	48	5/8
	EVPMP54GI18PU	539	702	18	54	5/8
	EVPMP60GI18PU	604	797	18	60	5/8
	EVPMP66GI18PU	639	833	18	66	5/8
	EVPMP72GI18PU	675	870	18	72	5/8

EVPMPXXGI6PDU - 6" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANELS ON BOTH ENDS

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from both ends.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	Frosted	H	W	D
6" H Panel Mount Privacy Glass U Channel for Gallery Panel	EVPMP24GI6PDU	294	337	6	25	1/4
	EVPMP30GI6PDU	312	343	6	31	1/4
	EVPMP36GI6PDU	327	378	6	37	1/4
	EVPMP42GI6PDU	346	413	6	43	1/4
	EVPMP48GI6PDU	359	447	6	49	1/4
	EVPMP54GI6PDU	370	483	6	55	1/4
	EVPMP60GI6PDU	402	533	6	61	1/4
	EVPMP66GI6PDU	427	556	6	67	1/4
	EVPMP72GI6PDU	451	579	6	73	1/4

EVPMPXXGI9PDU - 9" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANELS ON BOTH ENDS


- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from both ends.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	Frosted	H	W	D
9" H Panel Mount Privacy Glass U Channel for Gallery Panel	EVPMP24GI9PDU	294	337	9	25	1/4
	EVPMP30GI9PDU	312	343	9	31	1/4
	EVPMP36GI9PDU	327	378	9	37	1/4
	EVPMP42GI9PDU	346	413	9	43	1/4
	EVPMP48GI9PDU	359	447	9	49	1/4
	EVPMP54GI9PDU	370	483	9	55	1/4
	EVPMP60GI9PDU	402	533	9	61	1/4
	EVPMP66GI9PDU	427	556	9	67	1/4
	EVPMP72GI9PDU	451	579	9	73	1/4


EVPMPXXGIPDU - 12" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANELS ON BOTH ENDS

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from both ends.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	12" H Panel Mount Privacy Glass	EVPMP24GIPDU	294	337	12	25 1/4	
	U Channel for Gallery Panel	EVPMP30GIPDU	312	343	12	31 1/4	
		EVPMP36GIPDU	327	378	12	37 1/4	
		EVPMP42GIPDU	346	413	12	43 1/4	
		EVPMP48GIPDU	359	447	12	49 1/4	
		EVPMP54GIPDU	370	483	12	55 1/4	
		EVPMP60GIPDU	402	533	12	61 1/4	
		EVPMP66GIPDU	427	556	12	67 1/4	
		EVPMP72GIPDU	451	579	12	73 1/4	

EVPMPXXGI18PDU - 18" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANELS ON BOTH ENDS


- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from both ends.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	18" H Panel Mount Privacy Glass	EVPMP24GI18PDU	428	488	18	25 1/4	
	U Channel for Gallery Panel	EVPMP30GI18PDU	455	498	18	31 1/4	
		EVPMP36GI18PDU	474	550	18	37 1/4	
		EVPMP42GI18PDU	503	599	18	43 1/4	
		EVPMP48GI18PDU	521	648	18	49 1/4	
		EVPMP54GI18PDU	539	700	18	55 1/4	
		EVPMP60GI18PDU	603	797	18	61 1/4	
		EVPMP66GI18PDU	640	833	18	67 1/4	
		EVPMP72GI18PDU	675	870	18	73 1/4	




EVMPMPXXGI6W - 6" H PRIVACY GLASS W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Attaches on top of Evolve 1" Laminate Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim has rail for accessories.
- Includes aluminum trim with end caps and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR) or frosted (FRST) glass.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 24" Wide	EVMPMP24GI6W	263	323	6	24	1
	6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 30" Wide	EVMPMP30GI6W	286	328	6	30	1
	6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 36" Wide	EVMPMP36GI6W	304	334	6	36	1
	6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 42" Wide	EVMPMP42GI6W	318	368	6	42	1
	6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 48" Wide	EVMPMP48GI6W	335	400	6	48	1


EVMPMPXXGI9W - 9" H PRIVACY GLASS W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Attaches on top of Evolve 1" Laminate Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim has rail for accessories.
- Includes aluminum trim with end caps and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR) or frosted (FRST) glass.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 24" Wide	EVMPMP24GI9W	263	323	9	24	1
	9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 30" Wide	EVMPMP30GI9W	286	328	9	30	1
	9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 36" Wide	EVMPMP36GI9W	304	334	9	36	1
	9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 42" Wide	EVMPMP42GI9W	318	368	9	42	1
	9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 48" Wide	EVMPMP48GI9W	335	400	9	48	1


EVPMPXXGIW - 12" H PRIVACY GLASS W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Attaches on top of Evolve 1" Laminate Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim has rail for accessories.
- Includes aluminum trim with end caps and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR), frosted (FRST) or writeable (WRW) glass.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
			CLR	FRST	WRW	H	W	D
	12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 24" Wide	EVPMP24GIW	263	323	429	12	24	1
	12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 30" Wide	EVPMP30GIW	286	328	437	12	30	1
	12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 36" Wide	EVPMP36GIW	304	334	446	12	36	1
	12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 42" Wide	EVPMP42GIW	318	368	492	12	42	1
	12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 48" Wide	EVPMP48GIW	335	400	537	12	48	1


EVFPDW - 6" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify color.
- Aluminum top trim available in standard paint finishes.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	6" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel	EVFPD0624W	105	6	24	1
		EVFPD0630W	122	6	30	1
		EVFPD0636W	145	6	36	1
		EVFPD0642W	163	6	42	1
		EVFPD0648W	240	6	48	1
		EVFPD0654W	262	6	54	1
		EVFPD0660W	281	6	60	1
		EVFPD0666W	297	6	66	1
		EVFPD0672W	335	6	72	1

EVFPDW - 9" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL


- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify color.
- Aluminum top trim available in standard paint finishes.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	9" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel	EVFPD0924W	105	9	24	1
		EVFPD0930W	122	9	30	1
		EVFPD0936W	145	9	36	1
		EVFPD0942W	163	9	42	1
		EVFPD0948W	240	9	48	1
		EVFPD0954W	262	9	54	1
		EVFPD0960W	281	9	60	1
		EVFPD0966W	297	9	66	1
		EVFPD0972W	335	9	72	1




EVFPDW - 12" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify color.
- Aluminum top trim available in standard paint finishes.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>12" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel</p>	EVFPD1224W	105	12	24	1
	EVFPD1230W	122	12	30	1
	EVFPD1236W	145	12	36	1
	EVFPD1242W	163	12	42	1
	EVFPD1248W	240	12	48	1
	EVFPD1254W	262	12	54	1
	EVFPD1260W	281	12	60	1
	EVFPD1266W	297	12	66	1
	EVFPD1272W	335	12	72	1


EVFPDW - 18" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify color.
- Aluminum top trim available in standard paint finishes.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>18" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel</p>	EVFPD1824W	131	18	24	1
	EVFPD1830W	153	18	30	1
	EVFPD1836W	181	18	36	1
	EVFPD1842W	202	18	42	1
	EVFPD1848W	299	18	48	1
	EVFPD1854W	326	18	54	1
	EVFPD1860W	352	18	60	1
	EVFPD1866W	370	18	66	1
	EVFPD1872W	420	18	72	1


EVFDK06P - 6" PANEL MOUNTED FELT DIVIDER

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
- 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
 <p>6" Privacy felt panel integrated with aluminum top trim</p>	EVFDK0624P	105	6	24	2 7/8
	EVFDK0630P	122	6	30	2 7/8
	EVFDK0636P	145	6	36	2 7/8
	EVFDK0642P	163	6	42	2 7/8
	EVFDK0648P	240	6	48	2 7/8
	EVFDK0654P	262	6	54	2 7/8
	EVFDK0660P	281	6	60	2 7/8
	EVFDK0666P	297	6	66	2 7/8
	EVFDK0672P	335	6	72	2 7/8


EVFDK09P - 9" PANEL MOUNTED FELT DIVIDER

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
- 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
 <p>9" Privacy felt panel integrated with aluminum top trim</p>	EVFDK0924P	105	9	24	2 7/8
	EVFDK0930P	122	9	30	2 7/8
	EVFDK0936P	145	9	36	2 7/8
	EVFDK0942P	163	9	42	2 7/8
	EVFDK0948P	240	9	48	2 7/8
	EVFDK0954P	262	9	54	2 7/8
	EVFDK0960P	281	9	60	2 7/8
	EVFDK0966P	297	9	66	2 7/8
	EVFDK0972P	335	9	72	2 7/8

EVFDK12P - 12" PANEL MOUNTED FELT DIVIDER


- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
- 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
 <p>12" Privacy felt panel integrated with aluminum top trim</p>	EVFDK01224P	105	12	24	2 7/8
	EVFDK01230P	122	12	30	2 7/8
	EVFDK01236P	145	12	36	2 7/8
	EVFDK01242P	163	12	42	2 7/8
	EVFDK01248P	240	12	48	2 7/8
	EVFDK01254P	262	12	54	2 7/8
	EVFDK01260P	281	12	60	2 7/8




EVFDK12PN - 12" PANEL MOUNTED FELT DIVIDER, 1 NOTCH

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
- 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
 <p>12" Privacy felt panel integrated with aluminum top trim with 1 Notch</p>	EVFDK1224PN	105	12	22.68	2 7/8
	EVFDK1230PN	122	12	28.68	2 7/8
	EVFDK1236PN	145	12	34.68	2 7/8
	EVFDK1242PN	163	12	40.68	2 7/8
	EVFDK1248PN	240	12	46.68	2 7/8
	EVFDK1254PN	262	12	52.68	2 7/8
	EVFDK1260PN	281	12	58.68	2 7/8


EVFDK12PDN - 12" PANEL MOUNTED FELT DIVIDER, 2 NOTCHES

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
- 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
 <p>12" Privacy felt panel integrated with aluminum top trim with 2 Notches</p>	EVFDK1224PDN	105	12	21.44	2 7/8
	EVFDK1230PDN	122	12	27.44	2 7/8
	EVFDK1236PDN	145	12	33.44	2 7/8
	EVFDK1242PDN	163	12	39.44	2 7/8
	EVFDK1248PDN	240	12	45.44	2 7/8
	EVFDK1254PDN	262	12	51.44	2 7/8
	EVFDK1260PDN	281	12	57.44	2 7/8


EVFDK18P - 18" PANEL MOUNTED FELT DIVIDER

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
- 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
 <p>18" Privacy felt panel integrated with aluminum top trim</p>	EVFDK01824P	131	18	24	2 7/8
	EVFDK01830P	153	18	30	2 7/8
	EVFDK01836P	181	18	36	2 7/8
	EVFDK01842P	202	18	42	2 7/8
	EVFDK01848P	295	18	48	2 7/8
	EVFDK01854P	326	18	54	2 7/8
	EVFDK01860P	352	18	60	2 7/8
	EVFDK01866P	370	18	66	2 7/8
	EVFDK01872P	420	18	72	2 7/8


EVFPDK06XXPCF - 6" H PANEL MOUNT PRIVACY DIVIDER CEILING FILLER KIT

- Privacy Felt Divder integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and Felt tile.
- Felt tile and attachment hardware to ship separately.
- Felt material available in 3 different colors. Please specify colors.
- Aluminum top trim available in standard paint finishes.
- PVC cap for closing gap at ceiling included.
- PVC cap available in white only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Mount Felt Divider Ceiling Filler Kit	EVFDK0618PCF	100	6	18	
	EVFDK0624PCF	119	6	24	
	EVFDK0630PCF	141	6	30	
	EVFDK0636PCF	166	6	36	
	EVFDK0642PCF	187	6	42	
	EVFDK0648PCF	276	6	48	
	EVFDK0654PCF	299	6	54	
	EVFDK0660PCF	325	6	60	
	EVFDK0666PCF	341	6	66	
	EVFDK0672PCF	385	6	72	


EVFPDK06XXPCFP - 6" H PANEL MOUNT PRIVACY DIVIDER CEILING FILLER KIT

- Privacy Felt Divder integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and Felt tile.
- Felt tile and attachment hardware to ship separately.
- Felt material available in 3 different colors. Please specify colors.
- Felt tile is longer and ovarhangs half of width of post.
- Aluminum trim is width of panel.
- Aluminum top trim available in standard paint finishes.
- PVC cap for closing gap at ceiling included.
- PVC cap available in white only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Mount Felt Divider Ceiling Filler at Post Kit	EVFDK0619PCF	119	6	19 3/4	
	EVFDK0625PCF	141	6	25 3/4	
	EVFDK0631PCF	166	6	31 3/4	
	EVFDK0637PCF	187	6	37 3/4	
	EVFDK0643PCF	276	6	43 3/4	
	EVFDK0649PCF	299	6	49 3/4	
	EVFDK0655PCF	325	6	55 3/4	
	EVFDK0661PCF	341	6	61 3/4	
	EVFDK0667PCF	385	6	67 3/4	
	EVFDK0673PCF	431	6	73 3/4	

EVFPDK09XXPCF - 9" H PANEL MOUNT PRIVACY DIVIDER CEILING FILLER KIT


- Privacy Felt Divder integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and Felt tile.
- Felt tile and attachment hardware to ship separately.
- Felt material available in 3 different colors. Please specify colors.
- Aluminum top trim available in standard paint finishes.
- PVC cap for closing gap at ceiling included.
- PVC cap available in white only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Mount Felt Divider Ceiling Filler Kit	EVFDK0918PCF	100	9	18	
	EVFDK0924PCF	119	9	24	
	EVFDK0930PCF	141	9	30	
	EVFDK0936PCF	166	9	36	
	EVFDK0942PCF	187	9	42	
	EVFDK0948PCF	276	9	48	
	EVFDK0954PCF	299	9	54	
	EVFDK0960PCF	325	9	60	
	EVFDK0966PCF	341	9	66	
	EVFDK0972PCF	385	9	72	



EVFPDK09XXPCFP - 9" H PANEL MOUNT PRIVACY DIVIDER CEILING FILLER KIT


- Privacy Felt Divider integrated with aluminum top trim
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and Felt tile.
- Felt tile and attachment hardware to ship separately.
- Felt material available in 3 different colors. Please specify colors.
- Felt tile is longer and overhangs half of width of post.
- Aluminum trim is width of panel.
- Aluminum top trim available in standard paint finishes.
- PVC cap for closing gap at ceiling included.
- PVC cap available in white only.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Panel Mount Felt Divider Ceiling Filler at Post Kit	EVFDK0919PCF	119	9	19 3/4	
	EVFDK0925PCF	141	9	25 3/4	
	EVFDK0931PCF	166	9	31 3/4	
	EVFDK0937PCF	187	9	37 3/4	
	EVFDK0943PCF	276	9	43 3/4	
	EVFDK0949PCF	299	9	49 3/4	
	EVFDK0955PCF	325	9	55 3/4	
	EVFDK0961PCF	341	9	61 3/4	
	EVFDK0967PCF	385	9	67 3/4	
	EVFDK0973PCF	431	9	73 3/4	

EVPTFC - CEILING FILLER PVC CAP FOR FELT DIVIDER

- To be installed on top on felt divider when used as ceiling filler.
- Field installed on top of felt divider to close gap at ceiling.
- Available in 18"-96" lengths.
- Available in white only.
- Felt divider with top trim kit to be ordered separately.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
PVC Cap for Felt Divider	EVPTFC18	15	1 3/8	18	3/4
	EVPTFC24	17	1 3/8	24	3/4
	EVPTFC30	21	1 3/8	30	3/4
	EVPTFC36	24	1 3/8	36	3/4
	EVPTFC42	26	1 3/8	42	3/4
	EVPTFC48	39	1 3/8	48	3/4
	EVPTFC54	42	1 3/8	54	3/4
	EVPTFC60	44	1 3/8	60	3/4
	EVPTFC66	48	1 3/8	66	3/4
	EVPTFC72	52	1 3/8	72	3/4
	EVPTFC78	58	1 3/8	78	3/4
	EVPTFC84	62	1 3/8	84	3/4
	EVPTFC90	68	1 3/8	90	3/4
	EVPTFC96	73	1 3/8	96	3/4

EVFELTPXXHWR - ALUMINUM TOP TRIM WITH CHANNEL


- Top trim with channel.
- Available in standard paint colors.
- Note: Trim can span inline connector, but not a Post



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Aluminum Top Trip	EVFELTP18HWR	39		18	2.875
	EVFELTP24HWR	40		24	2.875
	EVFELTP30HWR	46		30	2.875
	EVFELTP36HWR	51		36	2.875
	EVFELTP42HWR	58		42	2.875
	EVFELTP48HWR	63		48	2.875
	EVFELTP54HWR	69		54	2.875
	EVFELTP60HWR	76		60	2.875
	EVFELTP66HWR	83		66	2.875
	EVFELTP72HWR	94		72	2.875

EVFELTXXYP - FELT TILE


- Felt tile.
- Available in standard felt colors.
- Top trim with channel and PVC cap to be ordered separately.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>Felt Tile - 6" High</p>	EVFELT0618P	28	6	18	
	EVFELT0624P	35	6	24	
	EVFELT0630P	49	6	30	
	EVFELT0636P	62	6	36	
	EVFELT0642P	77	6	42	
	EVFELT0648P	95	6	48	
	EVFELT0654P	108	6	54	
	EVFELT0660P	120	6	60	
	EVFELT0666P	135	6	66	
	EVFELT0672P	148	6	72	
<p>Felt Tile - 9" High</p>	EVFELT0918P	48	9	18	
	EVFELT0924P	58	9	24	
	EVFELT0930P	68	9	30	
	EVFELT0936P	82	9	36	
	EVFELT0942P	92	9	42	
	EVFELT0948P	153	9	48	
	EVFELT0954P	168	9	54	
	EVFELT0960P	183	9	60	
	EVFELT0966P	198	9	66	
	EVFELT0972P	210	9	72	




EVPP - GLAZED FREESTANDING PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Glazed Monolithic Freestanding Privacy Panel	EVPPXGT4218	650	783	42	18	27/8
	EVPPXGT4224	715	875	42	24	27/8
	EVPPXGT4230	777	961	42	30	27/8
	EVPPXGT4236	836	1044	42	36	27/8
	EVPPXGT4242	903	1138	42	42	27/8


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Glazed Monolithic Freestanding Privacy Panel	EVPPXGT5418	757	918	54	18	27/8
	EVPPXGT5424	835	1027	54	24	27/8
	EVPPXGT5430	908	1129	54	30	27/8
	EVPPXGT5436	977	1228	54	36	27/8
	EVPPXGT5442	1055	1338	54	42	27/8


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Glazed Monolithic Freestanding Privacy Panel	EVPPXGT6618	872	1068	66	18	27/8
	EVPPXGT6624	958	1188	66	24	27/8
	EVPPXGT6630	1045	1306	66	30	27/8
	EVPPXGT6636	1124	1419	66	36	27/8
	EVPPXGT6642	1218	1551	66	42	27/8

EVPP - GLAZED MOBILE PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Mobile Glazed Monolithic Privacy Panel	EVPPXGT4218M	714	846	42	18	2 7/8
	EVPPXGT4224M	780	939	42	24	2 7/8
	EVPPXGT4230M	841	1024	42	30	2 7/8
	EVPPXGT4236M	899	1106	42	36	2 7/8
	EVPPXGT4242M	966	1203	42	42	2 7/8


DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		CLR	FRST	WRW	H	W	D
 Mobile Glazed Monolithic Privacy Panel	EVPPXGT5418M	822	982	1374	54	18	2 7/8
	EVPPXGT5424M	898	1091	1582	54	24	2 7/8
	EVPPXGT5430M	971	1193	1783	54	30	2 7/8
	EVPPXGT5436M	1041	1293	1984	54	36	2 7/8
	EVPPXGT5442M	1120	1401	2195	54	42	2 7/8


DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		CLR	FRST	WRW	H	W	D
 Mobile Glazed Monolithic Privacy Panel	EVPPXGT6618M	935	1133	1615	66	18	2 7/8
	EVPPXGT6624M	1021	1252	1860	66	24	2 7/8
	EVPPXGT6630M	1108	1371	2105	66	30	2 7/8
	EVPPXGT6636M	1188	1482	2341	66	36	2 7/8
	EVPPXGT6642M	1281	1615	2598	66	42	2 7/8




EVPP - MONOLITHIC PRIVACY PANEL - RIBBED POLYCARBONATE

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Freestanding Ribbed Monolithic Privacy Panel	EVPPXGR4218	691	42	18	2 7/8
	EVPPXGR4224	724	42	24	2 7/8
	EVPPXGR4230	789	42	30	2 7/8
	EVPPXGR4236	853	42	36	2 7/8
	EVPPXGR4242	920	42	42	2 7/8


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Freestanding Ribbed Monolithic Privacy Panel	EVPPXGR5418	810	54	18	2 7/8
	EVPPXGR5424	860	54	24	2 7/8
	EVPPXGR5430	934	54	30	2 7/8
	EVPPXGR5436	1010	54	36	2 7/8
	EVPPXGR5442	1091	54	42	2 7/8


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Freestanding Ribbed Monolithic Privacy Panel	EVPPXGR6618	887	66	18	2 7/8
	EVPPXGR6624	980	66	24	2 7/8
	EVPPXGR6630	1066	66	30	2 7/8
	EVPPXGR6636	1151	66	36	2 7/8
	EVPPXGR6642	1244	66	42	2 7/8

EVPP - MONOLITHIC PRIVACY PANEL - RIBBED POLYCARBONATE

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Mobile Ribbed Monolithic Privacy Panel	EVPPXGR4218M	754	42	18	2 7/8
	EVPPXGR4224M	789	42	24	2 7/8
	EVPPXGR4230M	853	42	30	2 7/8
	EVPPXGR4236M	917	42	36	2 7/8
	EVPPXGR4242M	983	42	42	2 7/8


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Mobile Ribbed Monolithic Privacy Panel	EVPPXGR5418M	877	54	18	2 7/8
	EVPPXGR5424M	924	54	24	2 7/8
	EVPPXGR5430M	1000	54	30	2 7/8
	EVPPXGR5436M	1074	54	36	2 7/8
	EVPPXGR5442M	1156	54	42	2 7/8


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Mobile Ribbed Monolithic Privacy Panel	EVPPXGR6618M	951	66	18	2 7/8
	EVPPXGR6624M	1045	66	24	2 7/8
	EVPPXGR6630M	1066	66	30	2 7/8
	EVPPXGR6636M	1215	66	36	2 7/8
	EVPPXGR6642M	1307	66	42	2 7/8




EVPP - MONOLITHIC PRIVACY PANEL - GLAZED

- Includes panel with two connectors with T legs
- 3" thick freestanding panels with flat foot
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)
- Includes end of run trim


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Freestanding Glazed Monolithic Privacy Panel	EVPPXGTF4218	650	783	42	18	27/8
	EVPPXGTF4224	715	875	42	24	27/8
	EVPPXGTF4230	777	961	42	30	27/8
	EVPPXGTF4236	836	1044	42	36	27/8
	EVPPXGTF4242	903	1138	42	42	27/8


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Freestanding Glazed Monolithic Privacy Panel	EVPPXGTF5418	757	918	54	18	27/8
	EVPPXGTF5424	835	1027	54	24	27/8
	EVPPXGTF5430	908	1129	54	30	27/8
	EVPPXGTF5436	977	1228	54	36	27/8
	EVPPXGTF5442	1055	1338	54	42	27/8


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Freestanding Glazed Monolithic Privacy Panel	EVPPXGTF6618	872	1068	66	18	27/8
	EVPPXGTF6624	958	1188	66	24	27/8
	EVPPXGTF6630	1045	1306	66	30	27/8
	EVPPXGTF6636	1124	1419	66	36	27/8
	EVPPXGTF6642	1218	1551	66	42	27/8

EVPP - MONOLITHIC PRIVACY PANEL - RIBBED POLYCARBONATE

- Includes panel with two connectors with T legs
- 3" thick freestanding panels with flat foot
- 22" deep T-legs for stability (9.5" on each side)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Freestanding Ribbed Monolithic Privacy Panel	EVPPXGRF4218	691	42	18	2 7/8
		EVPPXGRF4224	724	42	24	2 7/8
		EVPPXGRF4230	789	42	30	2 7/8
		EVPPXGRF4236	853	42	36	2 7/8
		EVPPXGRF4242	920	42	42	2 7/8


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Freestanding Ribbed Monolithic Privacy Panel	EVPPXGRF5418	810	54	18	2 7/8
		EVPPXGRF5424	860	54	24	2 7/8
		EVPPXGRF5430	934	54	30	2 7/8
		EVPPXGRF5436	1010	54	36	2 7/8
		EVPPXGRF5442	1091	54	42	2 7/8

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Freestanding Ribbed Monolithic Privacy Panel	EVPPXGRF6618	887	66	18	2 7/8
		EVPPXGRF6624	980	66	24	2 7/8
		EVPPXGRF6630	1066	66	30	2 7/8
		EVPPXGRF6636	1151	66	36	2 7/8
		EVPPXGRF6642	1244	66	42	2 7/8




EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Glazed module and 29"H legs

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Freestanding Glazed Monolithic Privacy Panel	EVPPXGT7824	894	1087	78	24	2 7/8
		EVPPXGT7830	966	1189	78	30	2 7/8
		EVPPXGT7836	1038	1288	78	36	2 7/8
		EVPPXGT7842	1117	1398	78	42	2 7/8


EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Ribbled module and 29"H legs

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Freestanding Ribbed Monolithic Privacy Panel	EVPPXGR7824	927	78	24	2 7/8
		EVPPXGR7830	1003	78	30	2 7/8
		EVPPXGR7836	927	78	36	2 7/8
		EVPPXGR7842	1160	78	42	2 7/8


EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Glazed module and 29"H legs

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Mobile Glazed Monolithic Privacy Panel	EVPPXGT7824M	959	1151	78	24	2 7/8
	EVPPXGT7830M	1032	1253	78	30	2 7/8
	EVPPXGT7836M	1102	1352	78	36	2 7/8
	EVPPXGT7842M	1179	1462	78	42	2 7/8

EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH


- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Ribbed module and 29"H legs

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Mobile Ribbed Monolithic Privacy Panel	EVPPXGR7824M	992	78	24	2 7/8
	EVPPXGR7830M	1067	78	30	2 7/8
	EVPPXGR7836M	992	78	36	2 7/8
	EVPPXGR7842M	1224	78	42	2 7/8




EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH

- Includes panel with two connectors with T legs
- 3" thick freestanding panels with flat foot
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Glazed module and 29"H legs

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Freestanding Glazed Monolithic Privacy Panel	EVPPXGTF7824	894	1087	78	24	2 7/8
	EVPPXGTF7830	966	1189	78	30	2 7/8
	EVPPXGTF7836	1038	1288	78	36	2 7/8
	EVPPXGTF7842	1117	1398	78	42	2 7/8


EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH

- Includes panel with two connectors with T legs
- 3" thick freestanding panels with flat foot
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Ribbed module and 29"H legs

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Freestanding Ribbed Monolithic Privacy Panel	EVPPXGRF7824	927	78	24	2 7/8
	EVPPXGRF7830	1003	78	30	2 7/8
	EVPPXGRF7836	927	78	36	2 7/8
	EVPPXGRF7842	1160	78	42	2 7/8


EVPP - GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Available in clear glass (CLR) and frosted glass (FRST)
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Freestanding Glazed Privacy Panel	EVPPGT5424	862	1068	54	24	27/8
	EVPPGT5430	947	1188	54	30	27/8
	EVPPGT5436	1031	1304	54	36	27/8
	EVPPGT5442	1121	1431	54	42	27/8
	EVPPGT5448	1210	1556	54	48	27/8
	EVPPGT5454	1304	1690	54	54	27/8
	EVPPGT5460	1386	1801	54	60	27/8


EVPP - GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Available in clear glass (CLR) and frosted glass (FRST)
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Freestanding Glazed Privacy Panel	EVPPGT6624	1077	1357	66	24	27/8
	EVPPGT6630	1181	1505	66	30	27/8
	EVPPGT6636	1346	1731	66	36	27/8
	EVPPGT6642	1460	1893	66	42	27/8
	EVPPGT6648	1575	2054	66	48	27/8
	EVPPGT6654	1704	2235	66	54	27/8
	EVPPGT6660	1845	2428	66	60	27/8

EVPP - MOBILE GLAZED PRIVACY PANEL


- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Available in clear glass (CLR) and frosted glass (FRST)
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 Mobile Glazed Privacy Panel	EVPPGT5424M	926	1133	54	24	27/8
	EVPPGT5430M	1011	1252	54	30	27/8
	EVPPGT5436M	1094	1368	54	36	27/8
	EVPPGT5442M	1185	1495	54	42	27/8
	EVPPGT5448M	1274	1619	54	48	27/8
	EVPPGT5454M	1368	1754	54	54	27/8
	EVPPGT5460M	1450	1865	54	60	27/8




EVPP - MOBILE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Available in clear glass (CLR) and frosted glass (FRST)
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 <p>Mobile Glazed Privacy Panel</p>	EVPPGT6624M	1141	1422	66	24	27/8
	EVPPGT6630M	1246	1568	66	30	27/8
	EVPPGT6636M	1409	1795	66	36	27/8
	EVPPGT6642M	1524	1956	66	42	27/8
	EVPPGT6648M	1639	2118	66	48	27/8
	EVPPGT6654M	1769	2299	66	54	27/8
	EVPPGT6660M	1907	2493	66	60	27/8


EVPP - LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Bottom Two Modules are Laminate w/12" Tempered Glass on top.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 <p>Freestanding Laminate Glazed Privacy Panel</p>	EVPPHGTU5424	1052	1193	54	24	27/8
	EVPPHGTU5430	1168	1332	54	30	27/8
	EVPPHGTU5436	1285	1474	54	36	27/8
	EVPPHGTU5442	1401	1613	54	42	27/8
	EVPPHGTU5448	1518	1754	54	48	27/8
	EVPPHGTU5454	1646	1906	54	54	27/8
	EVPPHGTU5460	1764	2047	54	60	27/8


EVPP - LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Bottom Two Modules are Laminate w/12" Tempered Glass on top.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 <p>Freestanding Laminate Glazed Privacy Panel</p>	EVPPHGTU6624	1177	1338	66	24	27/8
	EVPPHGTU6630	1314	1501	66	30	27/8
	EVPPHGTU6636	1478	1699	66	36	27/8
	EVPPHGTU6642	1612	1859	66	42	27/8
	EVPPHGTU6648	1745	2021	66	48	27/8
	EVPPHGTU6654	1898	2202	66	54	27/8
	EVPPHGTU6660	2064	2401	66	60	27/8


EVPP - MOBILE LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Bottom Two Modules are Laminate w/12" Tempered Glass on top.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 <p>Mobile Laminate Glazed Privacy Panel</p>	EVPPHGTU5424M	1117	1258	54	24	2 7/8
	EVPPHGTU5430M	1231	1395	54	30	2 7/8
	EVPPHGTU5436M	1350	1537	54	36	2 7/8
	EVPPHGTU5442M	1468	1677	54	42	2 7/8
	EVPPHGTU5448M	1582	1818	54	48	2 7/8
	EVPPHGTU5454M	1709	1971	54	54	2 7/8
	EVPPHGTU5460M	1828	2112	54	60	2 7/8


EVPP - MOBILE LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Bottom Two Modules are Laminate w/12" Tempered Glass on top.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 <p>Mobile Laminate Glazed Privacy Panel</p>	EVPPHGTU6624M	1241	1401	66	24	2 7/8
	EVPPHGTU6630M	1378	1565	66	30	2 7/8
	EVPPHGTU6636M	1542	1763	66	36	2 7/8
	EVPPHGTU6642M	1676	1922	66	42	2 7/8
	EVPPHGTU6648M	1811	2084	66	48	2 7/8
	EVPPHGTU6654M	1961	2266	66	54	2 7/8
	EVPPHGTU6660M	2128	2465	66	60	2 7/8

EVPP - LAMINATE GLAZED PRIVACY PANEL


- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Laminate Base Module w/24" Tempered Glass above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST	H	W	D
 <p>Freestanding Laminate Glazed Privacy Panel</p>	EVPPHGT5424	911	1024	54	24	2 7/8
	EVPPHGT5430	1012	1146	54	30	2 7/8
	EVPPHGT5436	1117	1269	54	36	2 7/8
	EVPPHGT5442	1219	1393	54	42	2 7/8
	EVPPHGT5448	1318	1514	54	48	2 7/8
	EVPPHGT5454	1427	1645	54	54	2 7/8
	EVPPHGT5460	1523	1759	54	60	2 7/8




EVPP - LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Laminate Base Module w/36" Tempered Glass above.
- Includes end of run trim.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Freestanding Laminate Glazed Privacy Panel	EVPPHGT6624	1128	1277	66	24	2 7/8
		EVPPHGT6630	1249	1422	66	30	2 7/8
		EVPPHGT6636	1406	1612	66	36	2 7/8
		EVPPHGT6642	1525	1755	66	42	2 7/8
		EVPPHGT6648	1649	1904	66	48	2 7/8
		EVPPHGT6654	1790	2072	66	54	2 7/8
		EVPPHGT6660	1953	2267	66	60	2 7/8


EVPP - MOBILE LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Laminate Base Module w/36" Tempered Glass above.
- Includes end of run trim.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Mobile Laminate Glazed Privacy Panel	EVPPHGT6624M	1192	1342	66	24	2 7/8
		EVPPHGT6630M	1313	1486	66	30	2 7/8
		EVPPHGT6636M	1471	1676	66	36	2 7/8
		EVPPHGT6642M	1589	1819	66	42	2 7/8
		EVPPHGT6648M	1713	1968	66	48	2 7/8
		EVPPHGT6654M	1854	2135	66	54	2 7/8
		EVPPHGT6660M	2018	2331	66	60	2 7/8


EVPP - MOBILE LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Laminate Base Module w/24" Tempered Glass above.
- Includes end of run trim.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Mobile Laminate Glazed Privacy Panel	EVPPHGT5424M	975	1089	54	24	2 7/8
		EVPPHGT5430M	1076	1211	54	30	2 7/8
		EVPPHGT5436M	1179	1334	54	36	2 7/8
		EVPPHGT5442M	1283	1458	54	42	2 7/8
		EVPPHGT5448M	1384	1578	54	48	2 7/8
		EVPPHGT5454M	1491	1708	54	54	2 7/8
		EVPPHGT5460M	1587	1823	54	60	2 7/8


EVPP - LAMINATE PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Laminate.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Freestanding Laminate Privacy Panel	EVPPH2S5424	961	54	24	27/8
	EVPPH2S5430	1079	54	30	27/8
	EVPPH2S5436	1203	54	36	27/8
	EVPPH2S5442	1316	54	42	27/8
	EVPPH2S5448	1427	54	48	27/8
	EVPPH2S5454	1550	54	54	27/8
	EVPPH2S5460	1660	54	60	27/8


EVPP - LAMINATE PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Laminate.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Freestanding Laminate Privacy Panel	EVPPH2S6624	1164	66	24	27/8
	EVPPH2S6630	1315	66	30	27/8
	EVPPH2S6636	1488	66	36	27/8
	EVPPH2S6642	1637	66	42	27/8
	EVPPH2S6648	1781	66	48	27/8
	EVPPH2S6654	1932	66	54	27/8
	EVPPH2S6660	2091	66	60	27/8

EVPP - MOBILE LAMINATE PRIVACY PANEL


- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Laminate.
- Available in clear glass (CLR) and frosted glass (FRST)
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Mobile Laminate Privacy Panel	EVPPH2S5424M	1024	54	24	27/8
	EVPPH2S5430M	1142	54	30	27/8
	EVPPH2S5436M	1266	54	36	27/8
	EVPPH2S5442M	1381	54	42	27/8
	EVPPH2S5448M	1491	54	48	27/8
	EVPPH2S5454M	1613	54	54	27/8
	EVPPH2S5460M	1725	54	60	27/8



EVPP - MOBILE LAMINATE PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Laminate.
- Includes end of run trim.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Mobile Laminate Privacy Panel	EVPPH2S6624M	1228	66	24	2 7/8
	EVPPH2S6630M	1380	66	30	2 7/8
	EVPPH2S6636M	1552	66	36	2 7/8
	EVPPH2S6642M	1701	66	42	2 7/8
	EVPPH2S6648M	1846	66	48	2 7/8
	EVPPH2S6654M	1996	66	54	2 7/8
	EVPPH2S6660M	2155	66	60	2 7/8

EVPP - FABRIC WRITE BOARD PRIVACY PANEL


- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Fabric Base Module with Write Board above.
- Includes end of run trim.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		GR 1	GR 2	H	W	D
Freestanding Write Board Privacy Panel	EVPPF2W5424	928	945	54	24	2 7/8
	EVPPF2W5430	1039	1058	54	30	2 7/8
	EVPPF2W5436	1150	1177	54	36	2 7/8
	EVPPF2W5442	1261	1289	54	42	2 7/8
	EVPPF2W5448	1388	1421	54	48	2 7/8
	EVPPF2W5454	1508	1544	54	54	2 7/8
	EVPPF2W5460	1615	1657	54	60	2 7/8

EVPP - MOBILE FABRIC WRITE BOARD PRIVACY PANEL


- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Fabric Base Module with Write Board above.
- Includes end of run trim.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		GR 1	GR 2	H	W	D
Mobile Write Board Glazed Privacy Panel	EVPPF2W6624M	1185	1203	66	24	2 7/8
	EVPPF2W6630M	1378	1399	66	30	2 7/8
	EVPPF2W6636M	1546	1569	66	36	2 7/8
	EVPPF2W6642M	1699	1728	66	42	2 7/8
	EVPPF2W6648M	1867	1898	66	48	2 7/8
	EVPPF2W6654M	2023	2066	66	54	2 7/8
	EVPPF2W6660M	2218	2255	66	60	2 7/8


EVPP - MOBILE FABRIC WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Fabric Base Module with Write Board above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		GR 1	GR 2	H	W	D
 <p>Mobile Write Board Privacy Panel</p>	EVPPF2W5424M	993	1009	54	24	2 7/8
	EVPPF2W5430M	1103	1124	54	30	2 7/8
	EVPPF2W5436M	1214	1241	54	36	2 7/8
	EVPPF2W5442M	1324	1353	54	42	2 7/8
	EVPPF2W5448M	1452	1483	54	48	2 7/8
	EVPPF2W5454M	1571	1607	54	54	2 7/8
	EVPPF2W5460M	1680	1722	54	60	2 7/8


EVPP - MOBILE LAMINATE WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Laminate Base Module with Write Board above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>Mobile Write Board Laminate Privacy Panel</p>	EVPPH2W6624M	1268	66	24	2 7/8
	EVPPH2W6630M	1490	66	30	2 7/8
	EVPPH2W6636M	1692	66	36	2 7/8
	EVPPH2W6642M	1858	66	42	2 7/8
	EVPPH2W6648M	2025	66	48	2 7/8
	EVPPH2W6654M	2200	66	54	2 7/8
	EVPPH2W6660M	2377	66	60	2 7/8

EVPP - LAMINATE WRITE BOARD PRIVACY PANEL


- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Laminate Base Module with Write Board above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>Freestanding Write Board Privacy Panel</p>	EVPPH2W5424	1019	54	24	2 7/8
	EVPPH2W5430	1152	54	30	2 7/8
	EVPPH2W5436	1292	54	36	2 7/8
	EVPPH2W5442	1421	54	42	2 7/8
	EVPPH2W5448	1546	54	48	2 7/8
	EVPPH2W5454	1683	54	54	2 7/8
	EVPPH2W5460	1808	54	60	2 7/8




EVPP - LAMINATE WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Laminated Base Module with Write Board above
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Freestanding Write Board Laminated Privacy Panel	EVPPH2W6624	1205	66	24	2 7/8
	EVPPH2W6630	1426	66	30	2 7/8
	EVPPH2W6636	1629	66	36	2 7/8
	EVPPH2W6642	1793	66	42	2 7/8
	EVPPH2W6648	1960	66	48	2 7/8
	EVPPH2W6654	2135	66	54	2 7/8
	EVPPH2W6660	2314	66	60	2 7/8


EVPP - MOBILE LAMINATE WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Laminated Base Module with Write Board above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Mobile Write Board Privacy Panel	EVPPH2W5424M	1084	54	24	2 7/8
	EVPPH2W5430M	1218	54	30	2 7/8
	EVPPH2W5436M	1354	54	36	2 7/8
	EVPPH2W5442M	1483	54	42	2 7/8
	EVPPH2W5448M	1610	54	48	2 7/8
	EVPPH2W5454M	1747	54	54	2 7/8
	EVPPH2W5460M	1872	54	60	2 7/8

EVPP - FABRIC WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Fabric Base Module with Write Board above
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		GR 1	GR 2	H	W	D
 Freestanding Write Board Glazed Privacy Panel	EVPPF2W6624	1121	1138	66	24	2 7/8
	EVPPF2W6630	1314	1335	66	30	2 7/8
	EVPPF2W6636	1481	1506	66	36	2 7/8
	EVPPF2W6642	1635	1664	66	42	2 7/8
	EVPPF2W6648	1804	1833	66	48	2 7/8
	EVPPF2W6654	1958	2002	66	54	2 7/8
	EVPPF2W6660	2154	2192	66	60	2 7/8


panel connectors



Slotted posts are included with each Variable-Height Corner Post. The height of each slotted post must be specified when ordering a Variable-Height Corner Post. Slotted post height is determined by the height of the connecting panel run.


Example

Step 1 Specify base code listed on pricing page.



Segmented Panel


Step 2 Specify slotted post heights.




Note: To specify height, use the first number of the connecting panel run height dimension.

Slotted Post Positions

As illustrated in the example below, start with position 1 and continue clockwise specifying the height of each slotted post.



Sample Configuration - EVPVPA466-6654



PANEL CONNECTORS BY TYPE

Inline Connector 121-123

- Inline Connector
- Inline Connector for Light Panels
- Inline Connector for Beltline Powered Panels
- Inline Connector for Beltline Powered Light Panels
- Inline Variable - Height Connector
- Inline Variable - Height Connector for Light Panels
- Inline Variable - Height Connector for Beltline Powered Panels
- Inline Variable - Height Connector for Beltline Powered Light Panels

End-of-Run 124

- End-of-Run Post Kit (Wall Mountable) - Aluminum Trim
- End-of-Run Post Kit for Light Panels (Wall Mountable) - Aluminum Trim

Two-Way Post 125-128

- Two-Way Post - Aluminum Trim
- Two-Way Post for Light Panels - Aluminum Trim
- Two-Way Post for Beltline Powered Panels - Aluminum Trim
- Two-Way Post for Beltline Powered Light Panels - Aluminum Trim
- Two-Way Variable - Height Post - Aluminum Trim
- Two-Way Variable - Height Post for Light Panels - Aluminum Trim
- Two-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim
- Two-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim

Three-Way Post 129-132

- Three-Way Post - Aluminum Trim
- Three-Way Post for Light Panels - Aluminum Trim
- Three-Way Post for Beltline Powered Panels - Aluminum Trim
- Three-Way Post for Beltline Powered Light Panels - Aluminum Trim
- Three-Way Variable - Height Post - Aluminum Trim
- Three-Way Variable - Height Post for Light Panels - Aluminum Trim
- Three-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim
- Three-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim

Four-Way Post 133-136

- Four-Way Post
- Four-Way Post for Light Panels
- Four-Way Post for Beltline Powered Panels
- Four-Way Post for Beltline Powered Light Panels
- Four-Way Variable - Height Post - Aluminum Trim
- Four-Way Variable - Height Post for Light Panels - Aluminum Trim
- Four-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim
- Four-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim

One-Way Post 137-138

- One-Way Post - Aluminum Trim
- One-Way Post for Light Panels - Aluminum Trim
- One-Way Post for Beltline Powered Panels - Aluminum Trim
- One-Way Post for Beltline Powered Light Panels - Aluminum Trim

Inline Two-Way Post 139-140

- Inline Two-Way Post - Aluminum Trim
- Inline Two-Way Post for Light Panels - Aluminum Trim
- Inline Two-Way Post for Beltline Powered Panels - Aluminum Trim
- Inline Two-Way Post for Beltline Powered Light Panels - Aluminum Trim

60 Degree 141-143

- Two-Way 60 Degree Post - Aluminum Trim
- Two-Way 60 Degree Post for Beltline Powered Panels - Aluminum Trim
- Two-Way 60 Degree Variable - Height Post - Aluminum Trim
- Two-Way 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim
- Three-Way 60 Degree Post
- Three-Way 60 Degree Post for Beltline Powered Panels
- Three-Way 60 Degree Variable - Height Post - Aluminum Trim
- Three-Way 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim

45 Degree 143-144

- Two-Way 45 Degree Post
- Two-Way 45 Degree Variable - Height Post

Upmount End of Run 144-145

- Upmount End-of-Run Post Kit (Wall Mountable) - Aluminum
- Upmount End-of-Run Post Kit For Light Panels (Wall Mountable) - Aluminum
- Upmount End-of-Run Trim - Aluminum
- Upmount End-of-Run Trim for Light Panels - Aluminum

Extension 146-149

- Inline Extension Connector - Slotted
- End-of-Run Extension Connector - Slotted - Aluminum
- Two-Way Post Extension - Slotted - Aluminum
- Three-Way Post Extension - Slotted - Aluminum
- Four-Way Post Extension - Slotted
- One-Way Post Extension - Slotted - Aluminum
- Inline Two-Way Post Extension - Slotted - Aluminum
- Two-Way 60 Degree Post Extension - Slotted - Aluminum
- Three Way 60 Degree Post Extension - Slotted - Aluminum
- One-Way 60 Degree Post Extension - Slotted - Aluminum
- Two-Way 45 Degree Post Extension - Slotted - Aluminum
- One-Way 45 Degree Post Extension - Slotted - Aluminum


Trims 150-153

- Upmount Extension Trim - Aluminum
- End-of-Run Trim - Aluminum
- End-of-Run Trim for Light Panels - Aluminum
- Panel Trim Variable Height - Aluminum
- Panel Extension Trim - Aluminum
- Flat Trim - Aluminum
- Flat Trim for Light Panels - Aluminum
- Flat Extension Trim - Aluminum
- Panel Top Trim - Aluminum
- Panel Top Single Notched Trim - Aluminum
- Panel Top Double Notched Trim - Aluminum
- Slot Cover




EVPIC - INLINE CONNECTOR

- Connects two panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Inline Connector	EVPLIC30	67	30	2	
	EVPLIC42	78	42	2	
	EVPLIC48	81	48	2	
	EVPLIC54	83	54	2	
	EVPLIC66	92	60	2	


EVPLTIC - LIGHT PANEL INLINE CONNECTOR LEG WITH TRIMS

- Connects two Light panel in straight run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Light Panel Inline Connector Leg with Trims	EVPLTIC30	67	30	2	
	EVPLTIC42	78	42	2	
	EVPLTIC48	81	48	2	
	EVPLTIC54	83	54	2	
	EVPLTIC66	92	66	2	


EVPBIC - INLINE CONNECTOR FOR BELTLINE POWERED PANELS

- Connects two Beltline Powered panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Inline Connector for Beltline Powered Panels	EVPBIC42	78	42	2	
	EVPBIC54	83	54	2	
	EVPBIC66	92	66	2	


EVPBLTIC - BELTLINE LIGHT PANEL INLINE CONNECTOR LEG WITH TRIMS

- Connects two Light panel in straight run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Beltline Light Panel Inline Connector Leg with trims	EVPBLTIC42	78	42	2	
	EVPBLTIC54	83	54	2	
	EVPBLTIC66	92	66	2	


EVPVC - INLINE VARIABLE - HEIGHT CONNECTOR

- Connects two panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Inline Variable - Height Connector	EVPVC42	83	42	2	
	EVPVC48	85	48	2	
	EVPVC54	86	54	2	
	EVPVC66	94	66	2	

EVPLTVC - INLINE VARIABLE HEIGHT CONNECTOR WITH LEG WITH TRIMS


- Connects two Light panels of differing height in straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel height.
- Variable height trim must be ordered separately (see EVPTVAXX).
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Inline Variable Height Connector with Leg with Trims	EVPLTVC42	83	42	2	
	EVPLTVC48	85	48	2	
	EVPLTVC54	86	54	2	
	EVPLTVC66	94	66	2	




EVPBVC - INLINE VARIABLE - HEIGHT CONNECTOR FOR BELTLINE POWERED PANELS

- Connects two Beltline Powered panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Variable - Height Connector for Beltline Powered Panels	EVPBVC54	86	54	2	
		EVPBVC66	94	66	2	


EVPBLTVC - INLINE VARIABLE HEIGHT CONNECTOR FOR BELTLINE LIGHT PANEL

- Connects two Light panels of differing height in straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel height.
- Variable height trim must be ordered separately (see EVPTVAXX)
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Variable Height Connector	EVPBLTVC54	86	54	2	
		EVPBLTVC66	94	60	2	


EVPERA - END-OF-RUN POST KIT (WALL MOUNTABLE) - ALUMINUM TRIM

- Connects at the end of a panel run and can be used to attach a panel to a fixed wall.
- Adds 1" to the width of the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, connecting hardware and trim kit.
- Can be attached to face of another panel to provide off-modular panel connection.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	End-of-Run Post Kit (Wall Mountable) -	EVPERA30	81	30	2 7/8	
	Aluminum Trim	EVPERA42	92	42	2 7/8	
		EVPERA48	99	48	2 7/8	
		EVPERA54	111	54	2 7/8	
		EVPERA66	123	66	2 7/8	

EVPLTERA - END OF RUN POST KIT FOR LIGHT PANEL


- Connects at end of Light panel and can attach to a panel to fixed wall.
- Adds 1" to width of panel run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.
- Can be attached to face of another panel to provide off modular connection.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	End of run post kit for Light Panel	EVPLTERA30	81	30	2	
		EVPLTERA42	92	42	2	
		EVPLTERA48	99	48	2	
		EVPLTERA54	111	54	2	
		EVPLTERA66	123	66	2	



EVPCPA2 - TWO-WAY POST - ALUMINUM TRIM


- Connects two panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Two-Way Post - Aluminum Trim	EVPCPA230	152	30	2 7/8	
	EVPCPA242	190	42	2 7/8	
	EVPCPA248	202	48	2 7/8	
	EVPCPA254	235	54	2 7/8	
	EVPCPA266	276	66	2 7/8	

EVPLTCPA2 - TWO WAY CORNER POST FOR LIGHT PANEL


- Connects two Light panel of equal height in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Two Way Corner Post for Light Panel	EVPLTCPA230	152	30	2 7/8	
	EVPLTCPA242	190	42	2 7/8	
	EVPLTCPA248	202	48	2 7/8	
	EVPLTCPA254	235	54	2 7/8	
	EVPLTCPA266	276	66	2 7/8	

EVPLTCPA2P- TWO WAY CORNER POST FOR LIGHT PANEL


- Connects Light panel and Panel of equal height in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Two Way Corner Post for Light Panel	EVPLTCPA230P	152	30	2 7/8	
	EVPLTCPA242P	190	42	2 7/8	
	EVPLTCPA248P	202	48	2 7/8	
	EVPLTCPA254P	235	54	2 7/8	
	EVPLTCPA266P	276	66	2 7/8	


EVPBCPA2 - TWO-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects two Beltline Powered panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Two-Way Post for Beltline Powered Panels - Aluminum Trim	EVPBCPA242	190	42	2 7/8	
	EVPBCPA254	235	54	2 7/8	
	EVPBCPA266	276	66	2 7/8	


EVPBLTCPA2 - TWO WAY CORNER POST FOR BELTLINE LIGHT PANEL

- Connects two Light panel of equal height in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Two Way Corner Post for Beltline Light Panel	EVPBLTCPA242	190	42	2	
	EVPBLTCPA248	202	48	2	
	EVPBLTCPA254	235	54	2	
	EVPBLTCPA266	276	66	2	

EVPBLTCPA2P - TWO WAY CORNER POST FOR BELTLINE LIGHT PANEL


- Connects Beltline Light panel and Beltline Panel of equal height in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Two Way Corner Post for Beltline Light Panel	EVPBLTCPA242P	190	42	2 7/8	
	EVPBLTCPA248P	202	48	2 7/8	
	EVPBLTCPA254P	235	54	2 7/8	
	EVPBLTCPA266P	276	66	2 7/8	




EVPVPA2 - TWO-WAY VARIABLE - HEIGHT POST - ALUMINIM TRIM

- Connects two panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots as a special at no upcharge. Contact Customer Support
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way Variable - Height Post - Aluminum Trim	EVPVPA242	190	42	2 7/8	
		EVPVPA248	211	48	2 7/8	
		EVPVPA254	235	54	2 7/8	
		EVPVPA266	276	66	2 7/8	


EVPLTVPA2 - TWO WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL

- Connects two Light panel of differing height in 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two Way Variable Height Corner Post for Beltline Light Panel	EVPLTVPA242	190	42	2 7/8	
		EVPLTVPA248	202	48	2 7/8	
		EVPLTVPA254	235	54	2 7/8	
		EVPLTVPA266	276	66	2 7/8	

EVPLTVPA2P- TWO WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL - PANEL


- Connects Light panel and Panel of differing height in 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two Way Variable Height Corner Post for Light Panel-Panel	EVPLTVPA242P	190	42	2 7/8	
		EVPLTVPA248P	202	48	2 7/8	
		EVPLTVPA254P	235	54	2 7/8	
		EVPLTVPA266P	276	66	2 7/8	

EVPBVPA2 - TWO-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINIM TRIM

- Connects two Beltline Powered panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D



Two-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPBVPA254	235	54	2 7/8	
	EVPBVPA266	276	66	2 7/8	

EVPBLTVA2 - TWO WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL

- Connects two Light panel of differing height in 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Leg trim matches selected trim color.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D



Two Way Variable Height Corner Post for Beltline Light Panel	EVPBLTVA254	235	54	2 7/8	
	EVPBLTVA266	276	66	2 7/8	

EVPBLTVA2P - TWO WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL

- Connects Beltline Light panel and Beltline Panel of differing height in 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Two Way Variable Height Corner Post for Beltline Light Panel	EVPBLTVA254P	304	54	2 7/8	
	EVPBLTVA266P	276	66	2 7/8	



EVPCPA3 - THREE-WAY POST - ALUMINUM TRIM

- Connects three panels of equal height in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Three-Way Post - Aluminum Trim	EVPCPA330	188	30	2 7/8	
	EVPCPA342	251	42	2 7/8	
	EVPCPA348	276	48	2 7/8	
	EVPCPA354	304	54	2 7/8	
	EVPCPA366	359	66	2 7/8	

EVPLTCPA3 - THREE WAY CORNER POST FOR LIGHT PANEL


- Connects three Light panel of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Three Way Corner Post for Light Panel	EVPLTCPA330	188	30	2 7/8	
	EVPLTCPA342	251	42	2 7/8	
	EVPLTCPA348	276	48	2 7/8	
	EVPLTCPA354	304	54	2 7/8	
	EVPLTCPA366	359	66	2 7/8	

EVPLTCPA3P - THREE WAY CORNER POST FOR PANEL - LIGHT PANEL


- Connects one Light panel and two Panels of equal height in "T" configuration, Panel-Light Panel-Panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Three Way Corner Post for Panel-Light Panel	EVPLTCPA330P	188	30	2 7/8	
	EVPLTCPA342P	251	42	2 7/8	
	EVPLTCPA348P	276	48	2 7/8	
	EVPLTCPA354P	304	54	2 7/8	
	EVPLTCPA366P	359	66	2 7/8	


EVPLTCPA3PT - THREE WAY CORNER POST FOR LIGHT PANEL -PANEL-LIGHT PANEL

- Connects one Light panel and two Panels of equal height in "T" configuration , Light Panel-Panel-Light Panel.
- Post and connecting hardware add 3.25" to Power Beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, leveling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way Corner Post Light Panel-Panel-Light Panel	EVPLTCPA330PT	188	30	2 7/8	
	EVPLTCPA342PT	251	42	2 7/8	
	EVPLTCPA348PT	276	48	2 7/8	
	EVPLTCPA354PT	304	54	2 7/8	
	EVPLTCPA366PT	359	66	2 7/8	


EVPBCPA3 - THREE-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects three Beltline Powered panels of equal height in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way Post for Beltline Powered Panels - Aluminum Trim	EVPBCPA342	251	42	2 7/8	
	EVPBCPA354	304	54	2 7/8	
	EVPBCPA366	359	66	2 7/8	

EVPLTCPA3 - THREE WAY CORNER POST FOR BELTLINE LIGHT PANEL


- Connects three Light panel of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three Way Corner Post for Beltline Light Panel	EVPLTCPA342	251	42	2	
	EVPLTCPA348	276	48	2	
	EVPLTCPA354	304	54	2	
	EVPLTCPA366	359	66	2	




EVPBLTCPA3P - THREE WAY CORNER POST FOR BELTLINE LIGHT PANEL

- Connects one Beltline Light panel and two Beltline panels of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>Three way Corner Post Light Panel</p>	EVPBLTCPA342P	251	42	2 7/8	
	EVPBLTCPA348P	276	48	2 7/8	
	EVPBLTCPA354P	304	54	2 7/8	
	EVPBLTCPA366P	359	66	2 7/8	


EVPVPA3 - THREE-WAY VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects three panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>Three-Way Variable - Height Post - Aluminum Trim</p>	EVPVPA342	251	42	2 7/8	
	EVPVPA348	276	48	2 7/8	
	EVPVPA354	304	54	2 7/8	
	EVPVPA366	359	66	2 7/8	

EVPLTVPA3 - THREE WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL


- Connects three Light panel of differing height in "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 <p>Three Way Variable Height Corner Post for Light Panel</p>	EVPLTVPA342	251	42	2 7/8	
	EVPLTVPA348	276	48	2 7/8	
	EVPLTVPA354	304	54	2 7/8	
	EVPLTVPA366	359	66	2 7/8	

EVPLTVPA3P- THREE WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL - PANEL

- Connects one Light panel and two Panels of differing height in "T" configuration, Panel-Light Panel-Panel.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Three Way Variable Height Corner Post for Panel-Light Panel-Panel

EVPLTVPA342P	251	42	2 7/8
EVPLTVPA348P	276	48	2 7/8
EVPLTVPA354P	304	54	2 7/8
EVPLTVPA366P	359	66	2 7/8

EVPBVPA3 - THREE-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects three Beltline Powered panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Three-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim

EVPBVPA354	304	54	2 7/8
EVPBVPA366	359	66	2 7/8




EVPBLTVPA3 - THREE WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL

- Connects one Beltline Light panel and two beltline Panels of differing height in "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three Way Variable Height Corner Post for Beltline Light Panel	EVPBLTVPA354	304	54	2 7/8	
		EVPBLTVPA366	359	66	2 7/8	


EVPBLTVPA3P - THREE WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL

- Connects one Beltline Light panel and two Beltline panels of equal height in "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three Way Variable Height Corner Post for Beltline	EVPBLTVPA354P	304	54	2 7/8	
	Light Panel	EVPBLTVPA366P	359	66	2 7/8	


EVPCP4 - FOUR-WAY POST

- Connects four panels of equal height in a "+" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Four-Way Post	EVPCP430	233	30	2 7/8	
	EVPCP442	295	42	2 7/8	
	EVPCP448	327	48	2 7/8	
	EVPCP454	357	54	2 7/8	
	EVPCP466	417	66	2 7/8	


EVPLTCPA4 - FOUR WAY CORNER POST FOR LIGHT PANEL

- Connects three Light panel of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Four Way Corner Post for Light Panel	EVPLTCPA430	233	30	2 7/8	
	EVPLTCPA442	295	42	2 7/8	
	EVPLTCPA448	327	48	2 7/8	
	EVPLTCPA454	357	54	2 7/8	
	EVPLTCPA466	417	66	2 7/8	

EVPLTCPA4P- FOUR WAY CORNER POST FOR LIGHT PANEL - PANEL


- Connects two Beltline Light panel and two Beltline Panels of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Four Way Corner Post for Light Panel-Panel	EVPLTCPA430P	233	30	2 7/8	
	EVPLTCPA442P	295	42	2 7/8	
	EVPLTCPA448P	327	48	2 7/8	
	EVPLTCPA454P	357	54	2 7/8	
	EVPLTCPA466P	417	66	2 7/8	




EVPBCP4 - FOUR-WAY POST FOR BELTLINE POWERED PANELS

- Connects four Beltline Powered panels of equal height in a “+” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four-Way Post for Beltline Powered Panels	EVPBCP442	295	42	2 7/8	
		EVPBCP454	357	54	2 7/8	
		EVPBCP466	417	66	2 7/8	


EVPLTCA4 - FOUR WAY CORNER POST FOR BELTLINE LIGHT PANEL

- Connects four Light panel of equal height in “+” configuration.
- Post and connecting hardware add 3.25” to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four Way Corner Post for Beltline Light Panel	EVPLTCA442	295	42	2	
		EVPLTCA448	327	48	2	
		EVPLTCA454	357	54	2	
		EVPLTCA466	417	66	2	


EVPLTVA4P- FOUR WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL - PANEL

- Connects two Light panels and two Panels of differing height in “+” configuration, Panel-Light Panel-Panel-Light Panel.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25” to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three Way Variable Height Corner Post for Panel-Light Panel-Panel-Light Panel	EVPLTVA442P	295	42	2 7/8	
		EVPLTVA448P	327	48	2 7/8	
		EVPLTVA454P	357	54	2 7/8	
		EVPLTVA466P	417	66	2 7/8	


EVPVPA4 - FOUR-WAY VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects four panels of differing heights in a "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four-Way Variable - Height Corner Post -	EVPVPA442	295	42	2 7/8	
	Aluminum Trim	EVPVPA448	327	48	2 7/8	
		EVPVPA454	357	54	2 7/8	
		EVPVPA466	417	66	2 7/8	


EVPLTVPA4 - FOUR WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL

- Connects four Light panel of differing height in "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four Way Variable Height Corner Post	EVPLTVPA442	295	42	2 7/8	
	for Light Panel	EVPLTVPA448	327	48	2 7/8	
		EVPLTVPA454	357	54	2 7/8	
		EVPLTVPA466	417	66	2 7/8	

EVPBLCPA4P - FOUR WAY CORNER POST FOR BELTLINE LIGHT PANEL


- Connects two Beltline Light panel and two Beltline Panels of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Leg trim matches selected trim color.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four Way Corner Post Beltline Light Panel	EVPBLCPA442P	233	42	2 7/8	
		EVPBLCPA448P	295	48	2 7/8	
		EVPBLCPA454P	327	54	2 7/8	
		EVPBLCPA466P	417	66	2 7/8	




EVPBVPA4 - FOUR-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects four Beltline Powered panels of differing heights in an a "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPBVPA454	357	54	2 7/8	
		EVPBVPA466	417	66	2 7/8	


EVPBLTVA4 - FOUR WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL

- Connects four Light panel of differing height in "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four Way Variable Height Corner Post for Beltline Light Panel Aluminum Trim	EVPBLTVA454	357	54	2 7/8	
		EVPBLTVA466	417	66	2 7/8	


EVPBLTVA4P- FOUR WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL

- Connects two Beltline Light panel and two Beltline Panels of differing height in "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four Way Variable Height Corner Post for Beltline Light Panel	EVPBLTVA454P	357	54	2 7/8	
		EVPBLTVA466P	417	66	2 7/8	


EVPCPA1 - ONE-WAY POST - ALUMINUM TRIM

- Connects at the end of a panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 One-Way Post - Aluminum Trim	EVPCPA130	108	30	2 7/8	
	EVPCPA142	123	42	2 7/8	
	EVPCPA148	144	48	2 7/8	
	EVPCPA154	165	54	2 7/8	
	EVPCPA166	202	66	2 7/8	

EVPLTCPA1 - ONE WAY CORNER POST FOR LIGHT PANEL


- Connects at end of Light panel run in place of EVPERA- End of run post kit..
- Should not be used to attach panel to fixed wall.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support to worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 One Way Corner Post for Light Panel	EVPLTCPA130	108	30	2 7/8	
	EVPLTCPA142	123	30	2 7/8	
	EVPLTCPA148	144	30	2 7/8	
	EVPLTCPA154	165	30	2 7/8	
	EVPLTCPA166	202	30	2 7/8	



EVPBCPA1 - ONE-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects at the end of a Beltline Powered panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
One-Way Post for Beltline Powered Panels - Aluminum Trim	EVPBCPA142	123	42	2 7/8	
	EVPBCPA154	165	54	2 7/8	
	EVPBCPA166	202	66	2 7/8	

EVPBLTCPA1 - ONE WAY CORNER POST FOR BELTLINE LIGHT PANEL


- Connects at end of Light panel run in place of EVPERA- End of run post kit.
- Should not be used to attach pane to fixed wall.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
One Way Corner Post for Beltline Light Panel	EVPBLTCPA142	123	42	2	
	EVPBLTCPA148	144	48	2	
	EVPBLTCPA154	165	54	2	
	EVPBLTCPA166	202	66	2	


EVPIPA2 - INLINE TWO-WAY POST - ALUMINUM TRIM

- Connects two panels of equal height in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Two-Way Post - Aluminum Trim	EVPIPA230	148	30	2 7/8	
		EVPIPA242	186	42	2 7/8	
		EVPIPA248	205	48	2 7/8	
		EVPIPA254	223	54	2 7/8	
		EVPIPA266	265	66	2 7/8	

EVLPTIPA2 - INLINE TWO WAY CORNER POST LIGHT PANEL


- Connects two Light panel of equal height in straight run.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Two way Corner Post Light Panel	EVPLTIPA230	148	30	2 7/8	
		EVPLTIPA242	186	42	2 7/8	
		EVPLTIPA248	205	48	2 7/8	
		EVPLTIPA254	223	54	2 7/8	
		EVPLTIPA266	265	66	2 7/8	



EVPBIPA2 - INLINE TWO-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM


- Connects two Beltline Powered panels of equal height in between a post in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Inline Two-Way Post for Beltline Powered Panels - Aluminum Trim	EVPBIPA242	186	42	2 7/8	
	EVPBIPA254	223	54	2 7/8	
	EVPBIPA266	265	66	2 7/8	

EVPBLTPIPA2 - INLINE TWO WAY CORNER POST BELTLINE LIGHT PANEL


- Connects two Light panel of equal height in straight run.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Leg trim matches selected trim color.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Inline Two Way Corner Post Beltline Light Panel	EVPBLTPIPA242	186	42	2 7/8	
	EVPBLTPIPA248	205	48	2 7/8	
	EVPBLTPIPA254	223	54	2 7/8	
	EVPBLTPIPA266	265	66	2 7/8	


EVP6PA2 - TWO-WAY 60 DEGREE POST - ALUMINUM TRIM

- Connects two panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots as a special at no upcharge. Contact Customer Service.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 60 Degree Post - Aluminum	EVP6PA230	152	30	3.65	
		EVP6PA242	188	42	3.65	
		EVP6PA248	202	48	3.65	
		EVP6PA254	235	54	3.65	
		EVP6PA266	276	66	3.65	


EVPB6PA2 - TWO-WAY 60 DEGREE POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects two Beltline Powered panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 60 Degree Post for Beltline Powered Panels - Aluminum Trim	EVPB6PA242	217	42	3.65	
		EVPB6PA254	235	54	3.65	
		EVPB6PA266	276	66	3.65	

EVP6VPA2 - TWO-WAY 60 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM


- Connects two panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 60 Degree Variable - Height Post - Aluminum Trim	EVP6VPA242	188	42	3.65	
		EVP6VPA248	211	48	3.65	
		EVP6VPA254	235	54	3.65	
		EVP6VPA266	278	66	3.65	




EVPB6VPA2 - TWO-WAY 60 DEGREE VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects two Beltline Powered panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Two-Way 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPB6VPA242	188	42	3.65	
	EVPB6VPA254	235	54	3.65	
	EVPB6VPA266	278	66	3.65	


EVP6P3 - THREE-WAY 60 DEGREE POST

- Connects three panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way 60 Degree Post	EVP6P330	187	30	3.65	
	EVP6P342	249	42	3.65	
	EVP6P348	276	48	3.65	
	EVP6P354	304	54	3.65	
	EVP6P366	359	66	3.65	


EVPB6P3 - THREE-WAY 60 DEGREE POST FOR BELTLINE POWERED PANELS

- Connects three Beltline Powered panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way 60 Degree Post for Beltline Powered Panels	EVPB6P342	238	42	3.65	
	EVPB6P354	290	54	3.65	
	EVPB6P366	341	66	3.65	


EVP6VPA3 - THREE-WAY 60 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects three panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way 60 Degree Variable - Height Post - Aluminum Trim	EVP6VPA342	249	42	3.65	
	EVP6VPA348	276	48	3.65	
	EVP6VPA354	304	54	3.65	
	EVP6VPA366	359	66	3.65	


EVPB6VPA3 - THREE-WAY 60 DEGREE VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects three Beltline Powered panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way for 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPB6VPA342	273	42	3.65	
	EVPB6VPA354	304	54	3.65	
	EVPB6VPA366	359	66	3.65	

EVP4P2 - TWO-WAY 45 DEGREE POST - ALUMINUM TRIM


- Connects two panels of equal height in a 135 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 45 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Two-Way 45 Degree Post Aluminum Trim	EVP4P230	152	30	3.65	
	EVP4P242	188	42	3.65	
	EVP4P248	202	48	3.65	
	EVP4P254	235	54	3.65	
	EVP4P266	276	66	3.65	




EVP4VPA2 - TWO-WAY 45 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects two panels of differing height in a 135 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 45 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 45 Degree Variable - Height Post	EVP4VPA242	249	42	3.65	
	Aluminum Trim	EVP4VPA248	276	48	3.65	
		EVP4VPA254	304	54	3.65	
		EVP4VPA266	359	66	3.65	


EVPUERA - UPMOUNT END-OF-RUN POST KIT - ALUMINUM TRIM

- Used at the end of Panel run to support Worksurfaces and Upmount Overhead Storage.
- Can attach to a Panel run to fixed wall.
- Adds 1" to the width of Light Panel run.
- 10% upcharge for Tungsten trim/paint.
- Aluminum trim must be specified when using premium color paints. Premium color paints are not available on PVC trim.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Upmount End-of-Run Post Kit - Aluminum Trim.	EVPUERA66	138	66	2 7/8	


EVPLUERA - UPMOUNT END-OF-RUN POST KIT FOR LIGHT PANELS (WALL MOUNTABLE) - ALUMINUM

- Used at the end of Panel run to support Worksurfaces and Upmount Overhead Storage.
- Can attach to a Panel run to fixed wall.
- Adds 1" to the width of Light Panel run.
- Includes slotted Connector with leveling glide, connecting hardware, decorative sleeve and trim kit.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Upmount End-of Run Post Kit - for Light Panels - Wall Mountable - Aluminum	EVPLUERA66	138	66	2 7/8	


EVPUETA - UPMOUNT END-OF-RUN TRIM - ALUMINUM

- Replaces existing 66”h End-of-Run Trim Only
- Comes with one Upmount Extension Trim EVPUET12 and one Upmount End-of-Run Trim.
- Must be used in conjunction with slotted connectors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Upmount End-of-Run Trim - Aluminum	EVPUETA66	98		2 7/8	


EVPLUETA - UPMOUNT END-OF-RUN TRIM FOR LIGHT PANELS - ALUMINUM

- Includes one Upmount Extension Trim EVPUETA12 and one Upmount End-of-Run Trim.
- Must be used in conjunction with Slotted Connector.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Upmount End-of-Run Trim for Light Panels - Aluminum	EVPLUETA66	98	63	2 7/8	

EVAFMB01 - FLOOR MOUNT PLATE


- Attaches to floor.
- Secures panel to floor.
- Attachement screws are not included.
- Care should be taken to use correct fastners for type of floor.
- Available in chrome finish only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Floor Mount Plate	EVAFMB01	82	0.25	5	2.5



EVPIECS - INLINE EXTENSION CONNECTOR - SLOTTED


- Connects two extension modules in a straight run.
- Includes one slotted inline extension connector and connecting hardware.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Inline Extension Connector - Slotted	EVPIECS06	44	6	2 7/8	
	EVPIECS12	44	12	2 7/8	
	EVPIECS18	52	18	2 7/8	
	EVPIECS24	52	24	2 7/8	

EVPEERSA - END-OF-RUN EXTENSION CONNECTOR - SLOTTED - ALUMINUM TRIM


- Connects at the end of a run of extension modules, and can be used to attach a panel to a fixed wall.
- Adds 1” to the width of panel run.
- Includes one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
End-of-Run Extension Connector - Slotted - Aluminum Trim	EVPEERSA06	48	6	2 7/8	
	EVPEERSA12	48	12	2 7/8	
	EVPEERSA18	58	18	2 7/8	
	EVPEERSA24	58	24	2 7/8	

EVPCEPSA2 - TWO-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM


- Connects two extension modules in a 90 degree configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Two-Way Post Extension - Slotted Aluminum Trim	EVPCEPSA206	83	6	2 7/8	
	EVPCEPSA212	83	12	2 7/8	
	EVPCEPSA218	131	18	2 7/8	
	EVPCEPSA224	131	24	2 7/8	

EVPCEPSA3 - THREE-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM


- Connects three extension modules in a “T” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Includes one post, three slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Three-Way Post Extension - Slotted Aluminum Trim	EVPCEPSA306	100	6	2 7/8	
	EVPCEPSA312	100	12	2 7/8	
	EVPCEPSA318	154	18	2 7/8	
	EVPCEPSA324	154	24	2 7/8	


EVPCEPS4 - FOUR-WAY POST EXTENSION - SLOTTED

- Connects four extension modules in a “+” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Includes one post, four slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Four-Way Post Extension - Slotted	EVPCEPS406	115	6	2 7/8	
	EVPCEPS412	115	12	2 7/8	
	EVPCEPS418	170	18	2 7/8	
	EVPCEPS424	170	24	2 7/8	


EVPCEPSA1 - ONE-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects at the end of a run of extension modules in place of an EVPEERSA – End-of-Run Extension Connector.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25” to the panel run.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 One-Way Post Extension - Slotted Aluminum Trim	EVPCEPSA106	81	6	2 7/8	
	EVPCEPSA112	81	12	2 7/8	
	EVPCEPSA118	103	18	2 7/8	
	EVPCEPSA124	103	24	2 7/8	

EVPCEPSA2 – INLINE TWO-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM


- Connects two extension modules in a straight line in place of EVPIECS – In-Line Extension Connector.
- Post and connecting hardware adds 3.25” to the panel run.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Inline Two-Way Post Extension - Slotted Aluminum Trim	EVPCEPSA206	88	6	2 7/8	
	EVPCEPSA212	88	12	2 7/8	
	EVPCEPSA218	143	18	2 7/8	
	EVPCEPSA224	143	24	2 7/8	



EVP6CEPSA2 - TWO-WAY 60 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM


- Connects two extension modules in a 120 degree configuration.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Two-Way 60 Degree Post Extension - Slotted - Aluminum Trim	EVP6CEPSA206	83	6	3.65	
	EVP6CEPSA212	83	12	3.65	
	EVP6CEPSA218	129	18	3.65	
	EVP6CEPSA224	129	24	3.65	

EVP6CEPS3 - THREE-WAY 60 DEGREE POST EXTENSION - SLOTTED


- Connects three extension modules in a 120 degree configuration.
- Includes one post, three slotted inline extension connectors and connecting hardware.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Three-Way 60 Degree Post Extension - Slotted	EVP6CEPS306	99	6	3.65	
	EVP6CEPS312	99	12	3.65	
	EVP6CEPS318	154	18	3.65	
	EVP6CEPS324	154	24	3.65	

EVP6CEPSA1 - ONE-WAY 60 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM


- Connects at the end of a run of extension modules in a 120 degree configuration.
- Should not be used to attach a panel to a fixed wall.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
One-Way 60 Degree Post Extension - Slotted - Aluminum Trim	EVP6CEPSA106	81	6	3.65	
	EVP6CEPSA112	81	12	3.65	
	EVP6CEPSA118	101	18	3.65	
	EVP6CEPSA124	101	24	3.65	


EVP4CEPS2 - TWO-WAY 45 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects two extension modules in a 135 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 45 Degree Post Extension - Slotted - Aluminum Trim	EVP4CEPS206	83	6	3.65	
		EVP4CEPS212	83	12	3.65	
		EVP4CEPS218	129	18	3.65	
		EVP4CEPS224	129	24	3.65	


EVP4CEPSA1 - ONE-WAY 45 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects at the end of a run of extension modules in a 135 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.
- Should not be used to attach a panel to a fixed wall.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	One-Way 45 Degree Post Extension - Slotted - Aluminum Trim	EVP4CEPSA106	81	6	3.65	
		EVP4CEPSA112	81	12	3.65	
		EVP4CEPSA118	101	18	3.65	
		EVP4CEPSA124	101	24	3.65	


EVHCBP01 - CEILING BRACKET FOR POST

- Used to secure corner post to ceiling deck (not ceiling grid).
- Note: Care should be taken to attach ceiling brackets to secure ceiling using correct fasteners. Failure to do so may result in collapse of unit and subsequent possible injury
- 4.8" x 4.8" top plate with 1.5 x 1.5 square tube 12" H , square tube fits inside aluminum Corner Post.
- Square tube can slide in post , bracket pushed to ceiling to be secured.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Ceiling Bracket for Post	EVHCBP01	66	12	4.8	4.8

EVHCBIC01 - CEILING BRACKET FOR INLINE CONNECTOR

- Used to secure corner post to ceiling deck (not ceiling grid).
- Note: Care should be taken to attach ceiling brackets to secure ceiling using correct fasteners. Failure to do so may result in collapse of unit and subsequent possible injury
- 4.8" x 4.8" top plate with 7.5"H insert in middle of plate, insert fits inside Inline Connector.
- 7.5" H insert can slide in connector , bracket pushed to ceiling to secure.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Ceiling Bracket for Inline Connector	EVHCBP01	66	7.5	4.8	4.8



EVHCBER01 - CEILING BRACKET FOR END OF RUN CONNECTOR

- Used to secure corner post to ceiling deck (not ceiling grid).
- 4.8" x 4.8" top plate with 7.5"H insert offset from center of plate, insert fits inside End-of-Run or Inline Connector.
- 7.5" H insert can slide in connector , bracket pushed to ceiling to secure.
- Note: Care should be taken to attach ceiling brackets to secure ceiling using correct fasteners. Failure to do so may result in collapse of unit and subsequent possible injury


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Ceiling Bracket for Inline Connector	EVHCBER01	66	7.5	4.8	4.8



EVPUETA - UPMOUNT EXTENSION TRIM - ALUMINUM

- Finishes the exposed connector above a shorter panel.
- Slotted connector not included.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Upmount Extension Trim - Aluminum	EVPUETA12	44	12	2 7/8	



EVPERTA - END-OF-RUN TRIM - ALUMINUM

- Finishes the exposed Connector at the end of a run.
- Slotted Connector not included.
- Please note that actual cut sizes are nominally smaller than quoted


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
End-of-Run Trim - Aluminum	EVPERTA30	49	30	2 7/8	
	EVPERTA42	66	42	2 7/8	
	EVPERTA48	70	48	2 7/8	
	EVPERTA54	74	54	2 7/8	
	EVPERTA66	82	66	2 7/8	
	EVPERTA78	91	78	2 7/8	
	EVPERTA84	94	84	2 7/8	
	EVPERTA90	94	90	2 7/8	



EVPLERTA - END-OF-RUN TRIM FOR LIGHT PANELS - ALUMINUM

- Finishes the exposed Connector at the end of a run of the Light Panels.
- Slotted Connector not included.
- Please note that actual cut sizes are nominally smaller than quoted


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
End-of-Run Trim for Light Panels - Aluminum	EVPLERTA30	50	26 1/4	2 7/8	
	EVPLERTA42	58	38 1/4	2 7/8	
	EVPLERTA48	66	44 1/4	2 7/8	
	EVPLERTA54	77	50 1/4	2 7/8	
	EVPLERTA66	82	62 1/4	2 7/8	
	EVPLERTA72	85	68 1/4	2 7/8	
	EVPLERTA78	88	74 1/4	2 7/8	
	EVPLERTA84	92	80 1/4	2 7/8	



EVPLERTA90 98 86 1/4 2 7/8


EVPTVA - PANEL TRIM - VARIABLE HEIGHT - ALUMINUM

- Attaches to the exposed end of the taller panel when 2 panels of different height meet in straight run.
- Slotted Connector not included.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Trim - Variable Height - Aluminum	EVPTVA06	19	6	2 7/8	
	EVPTVA12	26	12	2 7/8	
	EVPTVA18	32	18	2 7/8	
	EVPTVA24	43	24	2 7/8	
	EVPTVA30	50	30	2 7/8	
	EVPTVA36	58	36	2 7/8	


EVPTFA - PANEL EXTENSION TRIM - ALUMINUM

- Attaches to bottom of exposed end of panel to provide extension for End-of-Run post trim kit when using panel extensions.
- Does not include slotted connector nor connecting hardware.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Extension Trim - Aluminum	EVPTFA12	24	12	2 7/8	
	EVPTFA18	32	18	2 7/8	
	EVPTFA24	41	24	2 7/8	

EVPTFA - FLAT TRIM - ALUMINUM


- To be used with 30"H posts as a replacement trim.
- For "U" trim configuration use three flat trim according to height specifications.
- For "L" trim configuration use two flat trim according to height configurations.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Flat Trim - Aluminum	EVPTFA30	15	29 1/8	2 7/8	
	EVPTFA36	16	34 1/8	2 7/8	
	EVPTFA42	19	41 1/8	2 7/8	
	EVPTFA48	24	47 1/8	2 7/8	
	EVPTFA54	24	53 1/8	2 7/8	
	EVPTFA66	26	65 1/8	2 7/8	
	EVPTFA78	27	77 1/8	2 7/8	
	EVPTFA84	30	83 1/8	2 7/8	
	EVPTFA90	28	89 1/8	2 7/8	
	EVPTFA96	31	95 1/8	2 7/8	




EVPVTFEA - FLAT EXTENSION TRIM - ALUMINUM

- Finishes exposed faces of One-Way, Two-Way, Three-Way and Inline Panels.
- For reconfiguration and replacement use only.
- For "U" trim configuration use three flat trim according to height specification.
- For "L" trim configuration use two flat trim according to height specification.
- Aluminum Trim must be specified when using premium color paints.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Flat Extension Trim - Aluminum	EVPVTFEA12	14	12 3/8	2 7/8	
	EVPVTFEA18	16	18 3/8	2 7/8	
	EVPVTFEA24	16	24 3/8	2 7/8	
	EVPVTFEA30	19	30 3/8	2 7/8	
	EVPVTFEA36	24	36 3/8	2 7/8	
	EVPVTFEA42	25	42 3/8	2 7/8	
	EVPVTFEA48	26	48 3/8	2 7/8	
	EVPVTFEA54	27	54 3/8	2 7/8	
	EVPVTFEA66	30	66 3/8	2 7/8	
	EVPVTFEA78	31	78 3/8	2 7/8	
	EVPVTFEA84	40	84 3/8	2 7/8	
	EVPVTFEA90	41	90 3/8	2 7/8	
	EVPVTFEA96	43	96 3/8	2 7/8	


EVPLVTF A - FLAT TRIM FOR LIGHT PANELS - ALUMINUM

- Finishes exposed faces of One-Way, Two-Way, Three-Way and Inline Panels.
- For reconfiguration and replacement use only.
- For "U" trim configuration use three flat trim according to height specification.
- For "L" trim configuration use two flat trim according to height specification.
- Aluminum Trim must be specified when using premium color paints.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Flat Trim for Light Panels - Aluminum	EVPLVTF A30	15	26 1/4	2 7/8	
	EVPLVTF A42	19	38 1/4	2 7/8	
	EVPLVTF A48	24	44 1/4	2 7/8	
	EVPLVTF A54	24	50 1/4	2 7/8	
	EVPLVTF A66	26	62 1/4	2 7/8	
	EVPLVTF A72	26	68 1/4	2 7/8	
	EVPLVTF A78	27	74 1/4	2 7/8	
	EVPLVTF A84	27	80 1/4	2 7/8	
	EVPLVTF A90	28	86 1/4	2 7/8	


EVPTTA - PANEL TOP TRIM - ALUMINUM - FIELD INSTALLED

- This trim can span an Inline Connector, but not a Post Connector.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Top Trim - Aluminum	EVPTTA18F	14	18	2 7/8	
	EVPTTA24F	19	24	2 7/8	
	EVPTTA30F	25	30	2 7/8	
	EVPTTA36F	27	36	2 7/8	
	EVPTTA42F	32	42	2 7/8	
	EVPTTA48F	41	48	2 7/8	
	EVPTTA54F	48	54	2 7/8	
	EVPTTA60F	52	60	2 7/8	
	EVPTTA66F	58	66	2 7/8	
	EVPTTA72F	63	72	2 7/8	
	EVPTTA78F	70	78	2 7/8	
	EVPTTA84F	77	84	2 7/8	
	EVPTTA90F	81	90	2 7/8	
	EVPTTA96F	88	96	2 7/8	


EVPTNTA - PANEL TOP SINGLE NOTCHED TRIM - ALUMINUM - FIELD INSTALLED

- Used when connecting a lower Panel to a higher Panel
- This trim can span an Inline Connector, but not a Post Connector.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Top Singled Notched Trim - Aluminum	EVPTNTA18F	16	18	2 7/8	
	EVPTNTA24F	22	24	2 7/8	
	EVPTNTA30F	25	30	2 7/8	
	EVPTNTA36F	27	36	2 7/8	
	EVPTNTA42F	31	42	2 7/8	
	EVPTNTA48F	43	48	2 7/8	
	EVPTNTA54F	49	54	2 7/8	
	EVPTNTA60F	55	60	2 7/8	
	EVPTNTA66F	59	66	2 7/8	
	EVPTNTA72F	63	72	2 7/8	
	EVPTNTA78F	68	78	2 7/8	
	EVPTNTA84F	74	84	2 7/8	
	EVPTNTA90F	78	90	2 7/8	
	EVPTNTA96F	81	96	2 7/8	


EVPTDNTA - PANEL TOP DOUBLE NOTCHED TRIM - ALUMINUM - FIELD INSTALLED

- Used when connecting a lower Panel to a higher Panel
- This trim can span an Inline Connector, but not a Post Connector.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Top Double Notched Trim - Aluminum	EVPTDNTA18F	19	18	2 7/8	
	EVPTDNTA24F	25	24	2 7/8	
	EVPTDNTA30F	27	30	2 7/8	
	EVPTDNTA36F	30	36	2 7/8	
	EVPTDNTA42F	32	42	2 7/8	
	EVPTDNTA48F	44	48	2 7/8	
	EVPTDNTA54F	50	54	2 7/8	
	EVPTDNTA60F	58	60	2 7/8	
	EVPTDNTA66F	62	66	2 7/8	
	EVPTDNTA72F	67	72	2 7/8	
	EVPTDNTA78F	73	78	2 7/8	
	EVPTDNTA84F	60	87	2 7/8	
	EVPTDNTA90F	80	90	2 7/8	
	EVPTDNTA96F	83	96	2 7/8	

EVSC12 - SLOT COVER

- Covers the slots of a slotted connector between modules as well as corner post situation.
- Available in all standard colors (Black, Charcoal Silver, Taupe, Tungsten, White and Nevada)
- Sold per foot. The desired quantity of the slot covers is the required length in feet.
- An easy way to calculate the required length is to sum the length of all inline connectors used in a project (including the posts) and multiply by 2.
- Should be field cut to required length.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Slot Cover	EVSC12	8			



electrical

STEP-BY-STEP SPECIFICATION – 8-WIRE ELECTRICAL SYSTEM

Step 1 Determine the location of the source power entering the Panel Run.

1. At the base of the Panel.
 - (a) Use EVE8FR1 Reversible Floor Power Entry (default to EVE8FR1).
 - (b) Select the Panel to which the Floor Power Entry will be attached. This Panel requires an EVEPD Power Distribution Housing.
 - (c) Select the side of the Panel and the receptacle outlet to which the Floor Power Entry is to be attached.
2. From the ceiling.
 - (a) Use EVE8EC1 Ceiling Power Entry.
 - (b) Select the post through which to feed the Ceiling Power Entry.
 - (c) One Panel adjacent to the selected post requires an EVEPD Power Distribution Housing.
 - (d) Attach Ceiling Power entry to the nearest end of the Power Distribution Housing.

Step 2 Determine which Panels are to be powered.

1. Use EVE8PD Power Distribution Housing that corresponds with the width of the Panel.

Step 3 Connect power to the powered Panels.

1. Use EVE8CP16 Jumper Cable between two adjacent powered Panels, separated by an Inline Connector.
2. Use EVE8CP20 Jumper Cable between two adjacent powered Panels separated by a post.
3. Use EVE8CP Pass-Through Cables to connect powered Panels that are separated by one or more non-powered Panels (maximum distance between the powered Panels is 16 feet).
 - (a) The length of the Pass-Through Cable is calculated by adding together the widths of the non-powered Panels (that separate the two powered Panels) and applying an additional 16" to the total. (EVE8PD Power Distribution Housing is positioned 8" in from the ends of the powered Panel.)
 - (b) An additional 3" must be added to the Pass-Through Cable for each post that the cable passes through.
4. From the price list, select the EVE8CP Pass-Through Cable that matches the calculated length. If the length is between listed sizes, use the next size up.

Step 4 Determine the location and circuitry of the receptacles.

1. Each powered Panel has four (4) potential locations for EVE8RD Duplex Receptacles – 2 per side. (Exception: 24" wide Panel has only two potential locations – 1 per side, 18" wide Panel has no locations for receptacles.)
2. At each receptacle location there is a choice of four circuit options. Select a circuit option for each location. Circuits one & two are utility circuits; circuits A & B are dedicated circuits.

BELTLINE TIPS:

DO - use a 17" long Mesh Beltline Jumper when making 90 degree turns in the Beltline raceways only.

DO NOT - use a 20" long Metal Flex Jumper when attempting to make 90 degree turns in the Beltline Raceways. The end connector is too long to make the turn.

DO - use a 20" long Metal Flex Jumper when traveling through a Beltline Post, in a straight line only.

DO NOT - use a 17" long Mesh Beltline Jumper Traveling through a Beltline Post, in a straight line only. The Jumper is too short to make the connection.

EVOLVE'S MODIFIED 8-WIRE ELECTRICAL SYSTEM

Evolve has modified its 8-Wire Electrical System to stay abreast of changing industry standards.

Evolve's electrical system allows for the integration of the commonly required "2+2" configuration (2 utility circuits, 2 dedicated circuits) found in the source power of most of today's North American buildings.

This system is rated for connection to:

1. A grounded 120/240V, single phase, 20 A, 60Hz
2. A 120/208V, 3 phase, 20 A, 60Hz branch circuit

EQUIPMENT AMPERAGE

Calculator	0.25
Electric Eraser	0.50
Pencil Sharpener	1.00
Radio	0.05
Paper Shredder.....	4.40 - 13.00
Electric Typewriter	1.20
Personal Computer.....	2.00 - 4.00
Video Display Terminal	0.08
Draft / Letter Quality Printer.....	1.20 - 3.00

Data/Comm

Evolve's duplex receptacle openings will now conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38 +/- .035 x 2.71 +/- .04. There will no longer be the need to use adapter plates to reduce the size of Evolve's raceway opening, or to use Evolve dedicated data plates for data/comm terminations.

Transition



A transition cable is available to connect the previous electrical system prior to April 1, 2005 to the current system when adding Panels to an existing installation. Also, new raceway covers with the smaller openings can be provided and applied to existing Panels when retrofitted with new electrics.

Fan.....	1.00
Heater.....	8.50 - 12.50
Coffee Pot.....	15.00
Task Light	1.00
Slide Projector.....	2.00 - 6.00
Laser Printer	5.00 - 8.00
Processor / Disk Unit	1.00 - 10.00
Desk Top Plotter	1.50

Some equipment, such as large copiers, printers, plotters, heaters and coffee makers may occupy most of the circuit capacity. It is recommended that such devices be supplied with the power directly from the wall or building receptacle.



WIRING SCHEMATIC



DEFINING “2 + 2” WIRING CONFIGURATIONS

2 + 2 Configuration (8 wire, 4 circuit)

Two Utility Circuits [Evolve’s #1 & #2 circuits] share one neutral wire and one ground wire.
(2 hot [circuit] wires + 1 neutral wire*** + 1 green ground wire* = 4 wires)

Two Dedicated Circuits [Evolve’s “A” & “B” circuits] share one neutral wire and one ground wire.
(2 hot [circuit] wires + 1 neutral wire*** + 1 green/yellow ground wire** = 4 wires)

NOTE:

It is the ground wire that makes the difference between “Utility” and “Dedicated” circuits. Refer to Wiring Schematics found in the Price List.

* A Green ground wire is a “system” ground. This means it could be grounded to any piece of metal, including the Panel.


** A Green/Yellow ground wire is isolated, within the wiring conduit, all the way back to the box at the source (building ground).

*** All Neutral Wires are 10 gauge rather than 12 gauge meaning they are larger than normal, allowing greater protection against “noise” or interference on the circuit.

This page provides an exploded view of a sample configuration highlighting each **Electrical** component required when specifying this configuration.


Components

- A.** EVE8PD42 Power Distribution Housing
Note: 8 wire, 4 circuits (3rd/4th circuits dedicated) labeled A or B.
- B.** EVE8CP16 Jumper Cable
Note: EVE8CP16 connects two powered panels positioned side by side, separated by an Inline Connector
EVE8CP20 connects two powered panels separated by a post.
- C.** EVE8RD Duplex Receptacle
- D.** EVE8CP Pass-Through Cable
Note: Pass-Through Extension Cable (EVE8CPF154) available – extends power capability beyond 208".



This page provides an exploded view of a sample configuration highlighting each **Beltline Power Panel** component required when specifying this configuration.


- | | |
|---|---|
| <p>A. EVE8PD36 Power Distribution Housing
Note: 8 wire, 4 circuits (3rd/4th circuits dedicated) labeled A or B.</p> <p>B. EVE8CP17 Jumper Cable
Note: EVE8CP17 connects two powered panels positioned side by side, separated by an Inline Connector</p> <p>C. EVE8RD Duplex Receptacle</p> <p>D. EVE8CP Pass-Through Cable
Note: Pass-Through Extension Cable (EVE8CPF154) available – extends power capability beyond 208".</p> | <p>E. EVE8CP20 Jumper Cable
Note: EVE8CP20 connects two powered panels separated by a post, in a straight line.</p> <p>F. EVE8CP17 Jumper Cable
Note: EVE8CP17 connects two powered panels separated by a post, for turns through post.</p> <p>G. EVE8CPCP Base to Belt Pass Through Kit
Note: For use in Chimney Panels only.</p> |
|---|---|



ELECTRICAL


EVE8PD - POWER DISTRIBUTION HOUSING

- Power housing is specified per panel size (e.g. EVE8PD36 is for use in a 36" panel).
- 8 wire, 4 circuits (2+2 configuration).
- Provides two duplex receptacles per panel side on all panel widths except the 24" wide panel.
- 24" wide panel allows for only one (1) duplex receptacle per panel side.
- Each power distribution housing supports 15-20 amps.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
 Power Distribution Housing	EVE8PD24	148		6 1/4	
	EVE8PD30	200		11 1/2	
	EVE8PD36	210		17 1/2	
	EVE8PD42	215		23 1/2	
	EVE8PD48	233		29 1/2	
	EVE8PD54	234		39 1/4	
	EVE8PD60	235		41 1/2	


EVE8CP16 - JUMPER CABLE

- The EVE8CP16 electrically connects two powered panels positioned side by side, separated by an Inline connector.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
 Jumper Cable	EVE8CP16	123		16	


EVE8CP - FLEXIBLE MESH JUMPER CABLE

- Used to connect two power distribution housings at the beltline level at 90 degrees.
- 18.5" flexible mesh jumper replaces EVE8CP20 jumper for corner post applications.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
 Flexible Mesh Jumper Cable	EVE8CP17	114		17 1/2	
	EVE8CP18	141		18 1/2	

EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT

- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately).


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
 Chimney Panel Jumper Cable Kit	EVE8CPCP	310			



ELECTRICAL


EVE8CPXX-H - PASS-THROUGH CABLE

- Flexible metal conduit with wire mesh distributes electrical power through non-powered beams.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached). To this, add 16" (distance from the edge of the panel to the distribution housing x 2).
- Add additional 3" when passing through a post. See the Tips at the beginning of the section for more details.
- Hybrid pass-through cables with wire mesh allows connection at 90 degree post at one end for Evolve panels including Beltline and Power Beam

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	L	D
	Pass-Through Cable	EVE8CP40-H	191		40	
		EVE8CP46-H	198		46	
		EVE8CP52-H	203		52	
		EVE8CP58-H	216		58	
		EVE8CP64-H	225		64	
		EVE8CP70-H	232		70	
		EVE8CP76-H	234		76	
		EVE8CP82-H	244		82	
		EVE8CP88-H	252		88	
		EVE8CP94-H	259		88	
		EVE8CP100-H	267		100	
		EVE8CP106-H	280		106	
		EVE8CP118-H	293		118	
		EVE8CP130-H	322		130	
		EVE8CP142-H	337		142	
		EVE8CP154-H	352		154	
		EVE8CP172-H	379		172	
		EVE8CP190-H	397		190	
	EVE8CP208-H	412		208		

EVE8CI-1 - "I" CONNECTOR

- Female - Female connector used to connect two Pass-Through Cables


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	"I" Connector	EVE8CI-1	85			

EVE8RD - DUPLEX RECEPTACLE

- Duplex receptacles are rated for 15 Amps.
- EVE8RD1 = Circuit #1 (utility circuit)
- EVE8RD2 = Circuit #2 (utility circuit)
- EVE8RDA = Circuit A (dedicated)
- EVE8RDB = Circuit B (dedicated)

NOTE:

- EVE8RD1 and EVE8RD2 (#1 and #2 share common ground)
- EVE8RDA and EVE8RDB (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- Standard in black. Available in White or Nevada with upcharge, add \$3.00.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Duplex Receptacle	EVE8RD1	32	2	4 5/8	1 1/4
		EVE8RD2	32	2	4 5/8	1 1/4
		EVE8RDA	32	2	4 5/8	1 1/4
		EVE8RDB	32	2	4 5/8	1 1/4

ELECTRICAL


EVE8RDxca - CALIFORNIA CONTROLLED DUPLEX RECEPTACLE

- California Title 24 meets federal and LEED certification guidelines
- Allows circuit to be controlled or switched off when utility is not in use.
- Duplex receptacles are rated for 15 Amps.
- EVE8RD1CA = Circuit #1 (utility circuit)
- EVE8RD2CA = Circuit #2 (utility circuit)
- EVE8RDACA = Circuit A (dedicated)
- EVE8RDBCA = Circuit B (dedicated)

NOTE:

- EVE8RD1CA and EVE8RD2CA (#1 and #2 share common ground)
- EVE8RDACA and EVE8RDBCA (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- Available in BLK finish only.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Duplex Receptacle	EVE8RD1CA	35	2	4 5/8	1 1/4
	EVE8RD2CA	35	2	4 5/8	1 1/4
	EVE8RDACA	35	2	4 5/8	1 1/4
	EVE8RDBCA	35	2	4 5/8	1 1/4



EVEUSB01 - USB MODULE

- Includes two USB ports.
- Available in White and Black.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
USB Module - White	EVEUSB01WHT	205	2	4 5/8	1 1/4
USB Module - Black	EVEUSB01BLK	205	2	4 5/8	1 1/4




EVE8FR1 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptacle by snapping into the base power way or Beltline power way.
- Includes 72" long flexible vinyl conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

EVE8FR2 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptacle by snapping into the base power way or Beltline power way.
- Includes 144" long flexible vinyl conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
Reversible Floor Power Entry	EVE8FR1	333		72	
	EVE8FR2	431		144	



EVE8F - FLOOR POWER ENTRY

- Snaps in end of power distribution housing.
- Includes flexible vinyl conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
Floor Power Entry	EVE8F1P	323		72	
	EVE8F2P	418		144	



ELECTRICAL


VE8EC - CEILING POWER ENTRY

- Snaps into the end of a Power Distribution Housing.
- Flexible metal conduit extends into the ceiling through a corner post and post extension.
- Must be hard wired to source power by a licensed electrician.
- 4" junction box included.
- Post extension ordered separately
- Can feed directly into beltline power when Beltline Post Connectors are specified.
- Cannot feed through Inline or End-of-run Connectors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	L	D
	Ceiling Power Entry	EVE8EC1	258		132	
		EVE8EC2	451		144	
		EVE8EC3	509		180	


EVEENY-2 - HARDWARE POWER ENTRY BOX - NEW YORK

- A licensed electrician must provide hard wire connection within the junction box.
- Not for use in panels less than 36"W.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Hardware Power Entry Box - New York	EVEENY2	427	3	28	2 1/5


EVEJBC-1 - HARDWARE JUNCTION BOX - CHICAGO

- Can be retrofitted in any size of panel at the receptacle location.
- Gives access from one side only at each location.
- Customer to supply conduit, wiring, receptacle, and face plate.
- 2 per panel, except 24" panels only one is needed.
- A licensed electrician must provide hardware connection with the junction box.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Hardware Junction Box - Chicago	EVEJBC-1	98			

EVDPE - POST EXTENSION DATA/COMM LAY-IN


- Attaches to the top of a post to bring power and/or data cables from the ceiling to the panel power way
- Three-sided power pole with snap-on fourth side.
- Post extension can be opened on one side for lay-in or power and/or data cables.
- Made of aluminum and can be field cut.
- Accommodates up to 25CAT 5 Cables with electric. Accommodates up to 45 CAT 5 Cables without electric.
- Actual size interior dimension of post, 1.80" x 1.80"

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Post Extension Data/Comm Lay-in	EVDPE64	165	64	2	
		EVDPE82	200	82	2	

ELECTRICAL


EVDP6E - 60° POST EXTENSION DATA/COMM LAY-IN

- Attaches to the top of at 60° corner post to bring power and/or data cables from the ceiling to the panel power way.
- Two-sided power pole with snap-on third side.
- Post extension can be opened on one side for lay-in or power and/or data cables.
- Made of aluminum and can be field cut.
- Accommodates up to 6 CAT 5 Cables with electric. Accommodates up to 20 CAT 5 Cables without electric.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	60° Post Extension Data/Comm Lay-in	EVDP6E64	165	64	2	
		EVDP6E82	200	82	2	

EVDP4E - 45° POST EXTENSION DATA/COMM LAY-IN

- Attaches to the top of at 45° corner post to bring power and/or data cables from the ceiling to the panel power way.
- Two-sided power pole with snap-on third side.
- Post extension can be opened on one side for lay-in or power and/or data cables.
- Made of aluminum and can be field cut.
- Accommodates up to 6 CAT 5 Cables with electric. Accommodates up to 20 CAT 5 Cables without electric.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	45° Post Extension Data/Comm Lay-in	EVDP4E64	172	64	3.65	
		EVDP4E84	166	84	3.65	



ELECTRICAL

EVLEDES - STARTER LED TASK LIGHT


- Undercabinet slim profile LED linear light fixture with lens and On/Off switch.
- May be used as stand-alone or extended with add-on section below (EVLEDES_DSC).
- Plug-in power supply with 72" cord length plus 78" DC cable.
- Includes magnet mounting bracket with optional adhesive metal plate.
- Light enclosure in clear anodizing finish. Color temperature cool white 4000K.
- Lifespan rated 30,000 hours.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Led Task Light	EVLEDES24	251	1	22.9	1
	EVLEDES36	289	1	33.5	1
	EVLEDES48	321	1	45.5	1

EVLEDES - ADD-ON LED TASK LIGHT


- Undercabinet slim profile LED linear add-on light fixture with lens.
- Daisy chain unit with 39" linking cable, no power supply.
- Add-on units can only be linked up to a total of 48 watts per power supply; this is equivalent to 10 feet of nominal length of light per power supply.
- Includes magnet mounting bracket with optional adhesive metal plate. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Led Task Light	EVLEDES24DSC	206	1	24	39
	EVLEDES36DSC	242	1	36	39
	EVLEDES48DSC	275	1	48	39

EVLEDESOS - OCCUPANCY SENSOR

- Inline add-on controller for dimming and occupancy sensor.
- Sensor bypass switch.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Occupancy Sensor	EVLEDESOS	103	6	2.4	2

ELECTRICAL

EVELEDVS - VOYAGE LED SINGLE LIGHT FIXTURE

- Single arm option with 6 ft. cord.
- Touch & hold dimming capability.
- Brightness adjustment from 100% to 15%.
- Available in Designer White (WHT), Black (BLK) or Silver (SIL).
- Mercury free LEDs and 94% post consumer recyclability by weight.
- Mounting accessories sold separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Voyage LED Single Light Fixture	EVELEDVS	693			
	Voyage LED Single Light Fixture w/Occupancy Sensor	EVELEDVSO	1027			

EVELEDVD - VOYAGE LED DOUBLE LIGHT FIXTURE

- Double arm option with 6 ft. cord.
- Touch & hold dimming capability.
- Brightness adjustment from 100% to 15%.
- Available in Designer White (WHT), Black (BLK) or Silver (SIL).
- Mercury free LEDs and 94% post consumer recyclability by weight.
- Mounting accessories sold separately.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Voyage LED Double Light Fixture	EVELEDVD	704			
	Voyage LED Double Light Fixture w/Occupancy Sensor	EVELEDVDO	1041			



ELECTRICAL


EVELEDRS - REVO LED SINGLE LIGHT FIXTURE

- Single arm option with 9 ft. cord.
- Touch & hold dimming capability.
- Brightness adjustment from 100% to 15%.
- Available in Designer White (WHT), Black (BLK) or Silver (SIL).
- Mercury free LEDs and 94% post consumer recyclability by weight.
- Mounting accessories sold separately.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Revo LED Single Light Fixture	EVELEDRS	693			
	Revo LED Single Light Fixture w/Occupancy Sensor	EVELEDRSO	1027			

EVELEDRD - REVO LED DOUBLE LIGHT FIXTURE


- Double arm option with 9 ft. cord.
- Touch & hold dimming capability.
- Brightness adjustment from 100% to 15%.
- Available in Designer White (WHT), Black (BLK) or Silver (SIL).
- Mercury free LEDs and 94% post consumer recyclability by weight.
- Mounting accessories sold separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Revo LED Double Light Fixture	EVELEDRD	704			
	Revo LED Double Light Fixture w/Occupancy Sensor	EVELEDRDO	1041			

EVELEDAFS - FREESTANDING BASE


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Freestanding Base	EVELEDAFS	196			

EVELEDACM - CLAMP MOUNT


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Clamp Mount	EVELEDACM	175			

ELECTRICAL


EVELEDASW - SLATWALL MOUNT

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Slatwall Mount	EVELEDASW	175			

EVELEDAPM - PANEL MOUNT


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Mount	EVELEDAPM	175			

EVELEDASM - SURFACE MOUNT

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Surface Mount	EVELEDASM	175			

EVECC - CORD COVER


- Attaches to panels vertically between modules to provide enclosures for power or data cords.
 - Available in 21" and 36" lengths, 6 per pack.
 - Can be field cut to required length.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Inline Cord Cover For use at panel Inline connections	EVECC121	31	21		
	EVECC136	48	36		
 Corner Cord Cover For use at panel Inline connections	EVECC221	31	21		
	EVECC236	48	36		




EVH8RC - RACEWAY COVERS

- Raceway Cover with 1.38" x 2.71" duplex receptacle openings.
- Includes up to three receptacle opening shields depending on width of raceway cover.
- Raceway Covers are sold individually.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Raceway Covers	EVH8RC18	22	6	18	
	EVH8RC24	32	6	24	
	EVH8RC30	44	6	30	
	EVH8RC36	50	6	36	
	EVH8RC42	55	6	42	
	EVH8RC48	60	6	48	
	EVH8RC54	70	6	54	
	EVH8RC60	77	6	60	



EVEMAE - MINI-ADAPT POWER MODULE

- Attaches to scoop at the back of the worksurface.
- Includes two Simplex outlets.
- 6' black cord
- Available in black only.
- Note: Height (H) is measured above the worksurface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Mini-Adapt Power Module	EVEMAE1	211	2	3 5/8	3


EVEMAD - MINI-ADAPT POWER MODULE

- Attaches to scoop at the back of the worksurface.
- Includes two Voice/Data Port, Voice/Data Adapter Kit.
- Accepts Cat3, Cat 5, Cat 5e, Cat 6 jacks.
- Available in black only.
- Note: Height (H) is measured above the worksurface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
  Mini-Adapt Power Module	EVEMAD1	171	2	3 5/8	3


EVED - DUO POWER ADAPTER

- Includes two outlets and two USB ports.
- Clamp mounts above worksurface.
- Available in White only, with Tungsten support bracket.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	L	D
	Duo Power Adapter	EVED50	419	1.8	5.5	3.2


EVEDU - DUO UNDER POWER ADAPTER

- Includes two outlets and two USB ports.
- Mounts underneath worksurface or table top with 4 screws.
- Available in White only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	L	D
	Duo Under Power Adapter	EVEDU51	362	1.8	6.5	2.8


EVETP - TRIO POWER ADAPTER

- Includes three outlets, USB ports and data port.
- Clamp mounts above worksurface.
- Available in White only, with Tungsten support bracket.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	L	D
	Trio Power Adapter	EVETP53	472	1.8	8	3.2

EVETPU - TRIO UNDER POWER ADAPTER

- Includes three outlets, USB ports and data port.
- Mounts underneath worksurface or table top with 4 screws.
- Available in White only.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	L	D
	Trio Under Power Adapter	EVETPU54	437	1.8	8	3.9



worksurfaces


THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF EVOLVE WORKSURFACES.

- Evolve thermally fused worksurfaces are 1" thick, high pressure is 1 1/16" and 1 7/16" thick. These are finished with 3 mm PVC edging on all sides.
- Standard laminate offerings are available in thermally-fused (TF) and most high pressure laminates (HP). See laminate listings for details.
- Wood grain laminates on corner worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- To avoid unsatisfactory results in laminate application when attaching two corner surfaces side by side, select "WG" surfaces for matching grain.
- Some wood grain laminate worksurfaces will have matching wood grain PVC trim unless specified otherwise.
- The depth of the worksurface scoops are 1 1/8" when measured from the panel the worksurface is attached to.




- All worksurfaces have threaded inserts for metal-to-metal connection for support hardware.
- All worksurfaces require support hardware. These are priced separately within this section.
- Communication and electrical wires are routed through a cable scoop located at the back of the worksurface. Depending on the specific surface, note that the number of cable scoops depends upon the width of the worksurface. All worksurface shapes have at least one scoop on the Panel edge.
- A 3/8" separation between the back of the worksurfaces and panels allows for cables to be moved to the panel seams and concealed by wire managers.
- Note: Wood veneer options for worksurfaces are available at an upcharge and with an extended lead time. Contact Evolve Customer Support for details.
- Tungsten (TUN) and Designer White (DWT) trim available at no charge.
- Note the following abbreviations:
TF = Thermally-Fused Laminate; (1") HP = High-Pressure Laminate (1 1/16"); HPW = High-Pressure Laminate (1 7/16"); WG = Wood Grain


One Scoop EVWS 24" - 48"




Two Scoops EVWS 54" - 72"



One Scoop EVWL 24" - 48"




Two Scoops EVWL 54" - 72"




This page provides a three dimensional view of a sample configuration highlighting each **Worksurface** component required when specifying this configuration.


Components

- A. EVWVL2436 Curvilinear Worksurface – Left
Note: When deepest end equals 24", opposite depth is 18"
When deepest end equals 30", opposite depth is 24"
- B. EVWCC3618 Corner Curved Worksurface
- C. EVWR2436 Curvilinear Worksurface – Right
- D. EVWTEV1536 End Transaction Surface with Cut-out







EVWS Worksurfaces




EVWSNS Worksurfaces




EVWVR Worksurfaces




EVWCC Worksurfaces




EVWCCxxxWG Worksurfaces




EVWCK Worksurfaces




EVWCKxxxWG Worksurfaces




EVWCF Worksurfaces




EVWCFxxxWG Worksurfaces




EVWCE Worksurfaces




EVWC4C Worksurfaces




EVWC4K Worksurfaces




EVWC6C Worksurfaces




EVWC6K Worksurfaces




EVWL Worksurfaces




EVWHL Worksurfaces




EVWBTL/R Worksurfaces




EVWD Worksurfaces




EVWSWL/R Worksurfaces




EVWSWNSL/R Worksurfaces




EVWP Worksurfaces




EVWPL/R Worksurfaces




EVWQR and EVWQRC Worksurfaces




EVWR Worksurfaces




EVWT, EVWTV, EVWTW, EWTEV, EVWTD, EVWTDV, EVWTDG Worksurfaces




EVWTCLxxxWG Worksurfaces



EVWTC Worksurfaces



EVW4T Worksurface




EVW6T Worksurfaces




EVWS - STRAIGHT WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
 Straight Worksurface - 18" Deep	EVWS1824P	133	181	270	18	24
	EVWS1830P	140	193	290	18	30
	EVWS1836P	159	217	325	18	36
	EVWS1842P	206	288	429	18	42
	EVWS1848P	246	341	512	18	48
	EVWS1854P	290	403	605	18	54
	EVWS1860P	325	450	675	18	60
	EVWS1866P	340	468	704	18	66
	EVWS1872P	355	490	733	18	72
	EVWS1878P	503	759	1139	18	78
	EVWS1884P	540	819	1228	18	84
	EVWS1890P	578	877	1278	18	90
	EVWS1896P	616	934	1400	18	96
Straight Worksurface - 24" Deep	EVWS2424P	135	183	273	24	24
	EVWS2430P	144	197	293	24	30
	EVWS2436P	163	223	329	24	36
	EVWS2442P	208	290	433	24	42
	EVWS2448P	249	348	521	24	48
	EVWS2454P	293	405	610	24	54
	EVWS2460P	328	453	678	24	60
	EVWS2466p	343	475	709	24	66
	EVWS2472P	358	492	736	24	72
	EVWS2478P	575	736	1104	24	78
	EVWS2484P	579	747	1119	24	84
	EVWS2490P	578	877	1315	24	90
	EVWS2496P	616	934	1400	24	96
Straight Worksurface - 30" Deep	EVWS3024P	159	215	322	30	24
	EVWS3030P	168	235	352	30	30
	EVWS3036P	199	272	409	30	36
	EVWS3042P	278	382	574	30	42
	EVWS3048P	293	405	610	30	48
	EVWS3054P	322	443	663	30	54
	EVWS3060P	343	475	709	30	60
	EVWS3066P	357	492	736	30	66
	EVWS3072P	377	522	785	30	72
	EVWS3078P	714	924	1384	30	78
	EVWS3084P	726	929	1395	30	84
	EVWS3090P	722	1097	1643	30	90
	EVWS3096P	770	1168	1751	30	96



EVWSNSC - STRAIGHT WORKSURFACE NO SCOOP

- There is no scoop on this work surface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES	
			TF	HP	D	W
	Straight Worksurface No Scoops - 24" Deep	EVWSNSC2424	135	183	24	24
		EVWSNSC2430	144	197	24	30
		EVWSNSC2436	163	223	24	36
		EVWSNSC2442	208	290	24	42
		EVWSNSC2448	249	348	24	48
		EVWSNSC2454	293	405	24	54
		EVWSNSC2460	328	453	24	60
		EVWSNSC2466	343	475	24	66
		EVWSNSC2472	358	492	24	72
		EVWSNSC2478	575	736	24	78
		EVWSNSC2484	579	747	24	84
		EVWSNSC2490	578	877	24	90
		EVWSNSC2496	616	934	24	96
			Straight Worksurface No Scoops - 30" Deep	EVWSNSC3024	159	215
EVWSNSC3030	168			235	30	30
EVWSNSC3036	199			272	30	30
EVWSNSC3042	278			382	30	42
EVWSNSC3048	293			405	30	48
EVWSNSC3054	322			443	30	54
EVWSNSC3060	343			475	30	60
EVWSNSC3066	357			492	30	66
EVWSNSC3072	377			522	30	72
EVWSNSC3078	714			924	30	78
EVWSNSC3084	726			929	30	84
EVWSNSC3090	722			1097	30	90
EVWSNSC3096	770			1168	30	96

EVWSWNSC - WEDGE WORKSURFACE NO SCOOP


- There is no scoop on this work surface.

	DIMENSIONS/INCHES	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			TF	HP	D1	D2	W
	Straight Wedge Worksurface No Scoops - Left	EVWSWNSC241848	350	449	24	18	48
		EVWSWNSC241854	394	505	24	18	54
		EVWSWNSC241860	435	561	24	18	60
		EVWSWNSC241866	482	616	24	18	66
		EVWSWNSC241872	522	675	24	18	72
		EVWSWNSC302448	435	561	30	24	48
		EVWSWNSC302454	490	631	30	24	54
		EVWSWNSC302460	545	700	30	24	60
		EVWSWNSC302466	598	770	30	24	66
		EVWSWNSC302472	653	839	30	24	72
	Straight Wedge Worksurface No Scoops - Right	EVWSWNSC182448	350	449	24	18	48
		EVWSWNSC182454	394	505	24	18	54
		EVWSWNSC182460	435	561	24	18	60
		EVWSWNSC182466	482	616	24	18	66
		EVWSWNSC182472	522	675	24	18	72
		EVWSWNSC243048	435	561	30	24	48
		EVWSWNSC243054	490	631	30	24	54
		EVWSWNSC243060	545	700	30	24	60
		EVWSWNSC243066	598	770	30	24	66
		EVWSWNSC243072	653	839	30	24	72




EWSP - STRAIGHT WORKSURFACE TO SPAN-A-POST

- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Straight Worksurface to Span-a-Post - 18" Deep	EWWS1827P	155	236	353	18	27
		EWWS1833P	140	193	290	18	33
		EWWS1839P	205	309	463	18	39
		EWWS1845P	246	353	528	18	45
		EWWS1851P	291	403	605	18	51
		EWWS1857P	325	450	673	18	57
		EWWS1863P	340	468	704	18	63
		EWWS1869P	355	490	734	18	69
		EWWS1875P	377	571	855	18	75
		EWWS1881P	494	635	952	18	81
	EWWS1887P	505	647	969	18	87	
	Straight Worksurface to Span-a-Post - 24" Deep	EWWS2427P	196	293	439	24	27
		EWWS2433P	234	353	528	24	33
		EWWS2439P	272	411	615	24	39
		EWWS2445P	309	467	702	24	42
		EWWS2451P	349	525	789	24	48
		EWWS2457P	385	586	879	24	57
		EWWS2463P	426	643	964	24	63
		EWWS2469P	463	702	1052	24	69
		EWWS2475P	575	759	1138	24	75
		EWWS2481P	579	819	1226	24	81
		EWWS2487P	589	877	589	24	84
	Straight Worksurface to Span-a-Post - 30" Deep	EWWS3027P	242	367	550	30	27
		EWWS3033P	291	439	658	30	33
		EWWS3039P	337	512	768	30	39
		EWWS3045P	385	586	879	30	45
		EWWS3051P	435	659	988	30	48
		EWWS3057P	483	732	1097	30	57
		EWWS3063P	530	804	1206	30	63
		EWWS3069P	578	877	1315	30	69
		EWWS3075P	714	949	1424	30	75
		EWWS3081P	726	970	1453	30	81
		EWWS3087P	762	1097	1643	30	87


EVWVL - CURVILINEAR WORKSURFACE - LEFT

- When deepest end equals 24", the opposite depth is 18". When deepest end equals 30", the opposite depth is 24".
- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Curvilinear Worksurface - 24" Deep	EVWVL2424P	172	238	357	24	24
		EVWVL2430P	181	245	370	24	30
		EVWVL2436P	215	297	448	24	36
		EVWVL2442P	249	348	521	24	42
		EVWVL2448P	288	398	592	24	48
		EVWVL2454P	322	443	663	24	54
		EVWVL2460P	349	492	736	24	60
		EVWVL2466P	384	540	808	24	66
		EVWVL2472P	413	590	885	24	72
		EVWVL2478P	575	736	1104	24	78
	EVWVL2484P	579	747	1119	24	84	
	Curvilinear Worksurface - 30" Deep	EVWVL3024P	181	245	370	30	24
		EVWVL3030P	190	258	384	30	30
EVWVL3036P		226	318	475	30	36	
EVWVL3042P		308	426	638	30	42	
EVWVL3048P		322	443	663	30	48	
EVWVL3054P		357	492	736	30	54	
EVWVL3060P		384	540	808	30	60	
EVWVL3066P		413	590	885	30	66	
EVWVL3072P		439	639	956	30	72	
EVWVL3078P		714	924	1384	30	78	
EVWVL3084P	726	929	1395	30	84		

EVWVR - CURVILINEAR WORKSURFACE - RIGHT


- When deepest end equals 24", the opposite depth is 18". When deepest end equals 30", the opposite depth is 24".
- Support hardware must be ordered separately. See listing in this section of the price book.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Curvilinear Worksurface - 24" Deep	EVWVR2424P	172	238	357	24	24
		EVWVR2430P	181	245	370	24	30
		EVWVR2436P	215	297	448	24	36
		EVWVR2442P	249	348	521	24	42
		EVWVR2448P	288	398	592	24	48
		EVWVR2454P	322	443	663	24	54
		EVWVR2460P	349	492	736	24	60
		EVWVR2466P	384	540	808	24	66
		EVWVR2472P	413	590	885	24	72
		EVWVR2478P	575	736	1104	24	78
	EVWVR2484P	579	747	1119	24	84	
	Curvilinear Worksurface - 30" Deep	EVWVR3024P	181	245	370	30	24
		EVWVR3030P	190	258	384	30	30
EVWVR3036P		226	318	475	30	36	
EVWVR3042P		308	426	638	30	42	
EVWVR3048P		322	443	663	30	48	
EVWVR3054P		357	492	736	30	54	
EVWVR3060P		384	540	808	30	60	
EVWVR3066P		413	590	885	30	66	
EVWVR3072P		439	639	956	30	72	
EVWVR3078P		714	924	1384	30	78	
EVWVR3084P	726	929	1395	30	84		




EVWCC - CORNER CURVED WORKSURFACE

- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Corner Curved Worksurface - 36"	EVWCC3618P	453	596	893	18	36
		EVWCC3624P	494	655	983	24	36
		EVWCC3618WGP	505	667	1000	18	36
		EVWCC3624WGP	556	734	1101	24	36
	Corner Curved Worksurface - 42"	EVWCC4224P	670	887	1331	24	42
		EVWCC4230P	728	961	1438	30	42
		EVWCC4224WGP	751	1035	1553	24	42
		EVWCC4230WGP	817	1075	1611	30	42
	Corner Curved Worksurface - 48"	EVWCC4824P	783	1016	1521	24	48
		EVWCC4830P	820	1170	1755	30	48


EVWCC - CORNER ASYMMETRICAL WORKSURFACE

- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
			TF	HP	HPW	D1	D2	W
	Corner Worksurface - 36" x 36" x 18" x 24"	EVWCC36361824P	503	617	927	18	24	36
		EVWCC36362418P	503	617	927	24	18	36
		EVWCC36361824WGP	561	694	1037	18	24	36
		EVWCC36362418WGP	561	694	1037	24	18	36
	Corner Worksurface - 36" x 36" x 24" x 30"	EVWCC36362430P	542	652	980	24	30	36
		EVWCC36363024P	542	652	980	30	24	36
		EVWCC36362430WGP	607	732	1097	24	30	36
		EVWCC36363024WGP	607	732	1097	30	24	36
	Corner Worksurface - 42" x 42" x 18" x 24"	EVWCC42421824P	684	917	1376	18	24	42
		EVWCC42422418P	684	917	1376	24	18	42
		EVWCC42421824WGP	767	1027	1541	18	24	42
		EVWCC42422418WGP	767	1027	1541	24	18	42
	Corner Worksurface - 42" x 42" x 24" x 30"	EVWCC42422430P	740	1142	1717	24	30	42
		EVWCC42423024P	740	1142	1717	30	24	42
		EVWCC42422430WGP	829	1278	1916	24	30	42
		EVWCC42423024WGP	829	1278	1916	30	24	42
	Corner Worksurface - 48" x 48" x 24" x 30"	EVWCC48482430P	947	1299	1948	24	30	42
		EVWCC48483024P	947	1299	1948	30	24	42


EVWCK - CORNER KEYBOARD WORKSURFACE

- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Corner Keyboard Worksurface - 36"	EWCK3618P	459	606	909	18	36
		EWCK3624P	590	754	1130	24	36
		EWCK3618WGP	515	678	1017	18	36
		EWCK3624WGP	663	844	1265	24	36
	Corner Keyboard Worksurface - 42"	EWCK4224P	677	897	1348	24	42
		EWCK4230P	771	1059	1593	30	42
		EWCK4224WGP	758	1004	1508	24	42
		EWCK4230WGP	863	1189	1781	30	42
	Corner Keyboard Worksurface - 48"	EWCK4824P	826	1179	1772	24	48
		EWCK4830P	918	1295	1942	30	48

EWWCF - FIVE-SIDED WORKSURFACE


- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Five-Sided Keyboard Worksurface - 36"	EWCF3012P	315	417	606	12	30
	Five-Sided Keyboard Worksurface - 36"	EWCF3612P	417	551	801	12	30
		EWCF3618P	453	596	893	18	36
		EWCF3624P	494	655	983	24	36
		EWCF3618WGP	505	668	1002	18	36
	Five-Sided Keyboard Worksurface - 42"	EWCF4224P	670	887	1331	24	42
		EWCF4230P	728	961	1438	30	42
		EWCF4224WGP	749	992	1487	24	42
		EWCF4230WGP	817	1074	1610	30	42
	Five-Sided Keyboard Worksurface - 48"	EWCF4824P	783	1016	1521	24	48
		EWCF4830P	820	1170	1755	30	48




EVWCCEL - EXTENDED CURVED CORNER - LEFT

- There are three cable scoops on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
			TF	HP	HPW	D1	D2	W
	Extended Curved Corner - 36" x 24"	EVWCCEL362448P	613	783	1172	36	24	48
		EVWCCEL362460P	668	855	1284	36	24	60
		EVWCCEL362466P	734	942	1411	36	24	66
		EVWCCEL362472P	810	1045	1564	36	24	72
		EVWCCEL362478P	867	1112	1670	36	24	78
		EVWCCEL362484P	933	1198	1800	36	24	84
	Extended Curved Corner - 42" x 24"	EVWCCEL422460P	703	898	1349	42	24	60
		EVWCCEL422466P	771	993	1488	42	24	66
		EVWCCEL422472P	854	1097	1640	42	24	72
		EVWCCEL422478P	912	1170	1755	42	24	78
		EVWCCEL422484P	982	1262	1894	42	24	84
	Extended Curved Corner - 42" x 30"	EVWCCEL423060P	790	1018	1526	42	30	60
		EVWCCEL423066P	867	1112	1670	42	30	66
		EVWCCEL423072P	947	1215	1824	42	30	72
		EVWCCEL423078P	1016	1303	1953	42	30	78
		EVWCCEL423084P	1082	1390	2081	42	30	84
	Extended Curved Corner - 48" x 24"	EVWCCEL482460P	833	1028	1544	48	24	60
		EVWCCEL482466P	898	1145	1720	48	24	66
		EVWCCEL482472P	965	1251	1877	48	24	72
		EVWCCEL482478P	1059	1336	2003	48	24	78
		EVWCCEL482484P	1104	1418	2124	48	24	84
	Extended Curved Corner - 48" x 30"	EVWCCEL483060P	880	1132	1698	48	30	60
		EVWCCEL483066P	957	1234	1851	48	30	66
		EVWCCEL483072P	1040	1338	2004	48	30	72
		EVWCCEL483078P	1117	1437	2157	48	30	78
		EVWCCEL483084P	1178	1517	2274	48	30	84


EVWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price list.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		TF	HP	HPW	D1	D2	W
 Extended Curved Corner - 36" x 24"	EVWCER362448P	613	783	1172	36	24	48
	EVWCER362460P	668	855	1284	36	24	60
	EVWCER362466P	734	942	1411	36	24	66
	EVWCER362472P	810	1045	1564	36	24	72
	EVWCER362478P	867	1112	1670	36	24	78
	EVWCER362484P	933	1198	1800	36	24	84
Extended Curved Corner - 42" x 24"	EVWCER422460P	703	898	1349	42	24	60
	EVWCER422466P	771	993	1488	42	24	66
	EVWCER422472P	854	1097	1640	42	24	72
	EVWCER422478P	912	1170	1755	42	24	78
	EVWCER422484P	982	1262	1894	42	24	84
Extended Curved Corner - 42" x 30"	EVWCER423060P	790	1018	1526	42	30	60
	EVWCER423066P	867	1112	1670	42	30	66
	EVWCER423072P	947	1215	1824	42	30	72
	EVWCER423078P	1016	1303	1953	42	30	78
	EVWCER423084P	1082	1390	2081	42	30	84
Extended Curved Corner - 48" x 24"	EVWCER482460P	833	1028	1544	48	24	60
	EVWCER482466P	898	1145	1720	48	24	66
	EVWCER482472P	965	1251	1877	48	24	72
	EVWCER482478P	1059	1336	2003	48	24	78
	EVWCER482484P	1104	1418	2124	48	24	84
Extended Curved Corner - 48" x 30"	EVWCER483060P	880	1132	1698	48	30	60
	EVWCER483066P	957	1234	1851	48	30	66
	EVWCER483072P	1040	1338	2004	48	30	72
	EVWCER483078P	1117	1437	2157	48	30	78
	EVWCER483084P	1178	1517	2274	48	30	84

EVWC4C - CURVED CORNER SURFACE FOR 45° POST


- Support hardware must be ordered separately. See the listing in this section.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
 Corner Curved Surface for 45° Post - 18"	EVWC4C1824P	432	556	834	18	24
	EVWC4C1830P	666	855	1284	18	30
	EVWC4C1836P	947	1219	1828	18	36
	EVWC4C1842P	1181	1519	2281	18	42
	EVWC4C1848P	1378	1773	2659	18	48
Corner Curved Surface for 45° Post - 24"	EVWC4C2424P	519	667	1000	24	24
	EVWC4C2430P	776	1000	1495	24	30
	EVWC4C2436P	1083	1394	2091	24	36
	EVWC4C2442P	1181	1519	2281	24	42
	EVWC4C2448P	1550	1993	2991	24	48
Corner Curved Surface for 45° Post - 30"	EVWC4C3024P	604	779	1165	30	24
	EVWC4C3030P	957	1140	1709	30	30
	EVWC4C3036P	1083	1394	2091	30	36
	EVWC4C3042P	1327	1709	2564	30	42
	EVWC4C3048P	1722	2216	3323	30	48




EVWC4K - KEYBOARD CORNER SURFACE FOR 45° POST

- Support hardware must be ordered separately. See the listing in this section.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Keyboard Curved Surface for 45° Post - 18"	EVWC4K1824P	432	556	834	18	24
		EVWC4K1830P	666	709	1064	18	30
		EVWC4K1836P	947	1234	1851	18	36
	Keyboard Curved Surface for 45° Post - 24"	EVWC4K1842P	1181	1519	2281	18	42
		EVWC4K1848P	1378	1773	2659	18	48
		EVWC4K2424P	519	667	1000	24	24
		EVWC4K2430P	776	1000	1495	24	30
		EVWC4K2436P	1083	1394	2091	24	36
		EVWC4K2442P	1181	1519	2281	24	42
	Keyboard Curved Surface for 45° Post - 30"	EVWC4K2448P	1550	1993	2991	24	48
		EVWC4K3024P	604	779	1165	30	24
		EVWC4K3030P	887	1140	1709	30	30
EVWC4K3036P		1083	1394	2091	30	36	
EVWC4K3042P		1327	1709	2564	30	42	
EVWC4K3048P		1722	2216	3323	30	48	


EVWC6C - CURVED CORNER SURFACE FOR 60° POST

- Support hardware must be ordered separately. See the listing in this section.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Curved Curved Surface for 60° Post - 18"	EVWC6C1824P	347	459	691	18	24
		EVWC6C1830P	541	613	918	18	30
		EVWC6C1836P	810	918	1378	18	36
	Curved Curved Surface for 60° Post - 24"	EVWC6C1842P	992	1122	1683	18	42
		EVWC6C1848P	1351	1531	2296	18	48
		EVWC6C2424P	405	461	694	24	24
		EVWC6C2430P	721	818	1224	24	30
		EVWC6C2436P	810	918	1378	24	36
		EVWC6C2442P	1239	1401	2104	24	42
	Curved Curved Surface for 60° Post - 30"	EVWC6C2448P	1351	1531	2296	24	48
		EVWC6C3024P	405	461	694	30	24
		EVWC6C3030P	721	818	1224	30	30
EVWC6C3036P		810	918	1378	30	36	
EVWC6C3042P		1239	1401	2104	30	42	
EVWC6C3048P		1351	1531	2296	30	48	

EVWC6K - CURVED CORNER SURFACE FOR 60° POST

- Support hardware must be ordered separately. See the listing in this section.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.


	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Keyboard Curved Surface for 60° Post - 18"	EVWC6K1824P	339	383	575	18	24
		EVWC6K1830P	541	613	918	18	30
		EVWC6K1836P	810	918	1378	18	36
	Keyboard Curved Surface for 60° Post - 24"	EVWC6K1842P	992	1122	1683	18	42
		EVWC6K1848P	1351	1531	2296	18	48
		EVWC6K2430P	721	818	1224	24	30
		EVWC6K2436P	810	918	1378	24	36
		EVWC6K2442P	1239	1401	2104	24	42
		EVWC6K2448P	1351	1531	2296	24	48
	Keyboard Curved Surface for 60° Post - 30"	EVWC6K3030P	721	818	1224	30	30
		EVWC6K3036P	808	1076	1613	30	36
		EVWC6K3042P	1105	1476	2210	30	42
EVWC6K3048P		1339	1795	2690	30	48	

WORKSURFACES

EVWL - "L" WORKSURFACE

- There are three cable scoops on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price list.
- Must be specified either left or right handed.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
"L" Worksurface	EVWLL2472P	695	952	1426	24	72
	EVWLR2472P	695	952	1426	24	72




Right shown

EVWBT - 30" TRANSITION WORKSURFACE

- Support hardware must be ordered separately. See the listing in this section of the price list.
- Opposing side of 30" deep (D1) Transition Worksurface has depth of 24" (D2).
- Scoops located on back edge only.
- Must be specified as right or left handed.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		TF	HP	HPW	D1	D2	W
Transition Worksurface - Left - 30"	EVWBTL3060P	546	703	1054	30	24	60
	EVWBTL3066P	603	773	1159	30	24	66
	EVWBTL3072P	655	844	1266	30	24	72
Transition Worksurface - Right - 30"	EVWBTR3060P	546	703	1054	30	24	60
	EVWBTR3066P	603	773	1159	30	24	66
	EVWBTR3072P	655	844	1266	30	24	72




Left shown

EVWBT - 36" TRANSITION WORKSURFACE

- Support hardware must be ordered separately. See the listing in this section of the price list.
- Opposing side of 36" deep (D1) Transition Worksurface has depth of 30" (D2).
- Scoops located on back edge only.
- Must be specified as right or left handed.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		TF	HP	HPW	D1	D2	W
Transition Worksurface - Left - 36"	EVWBTL3660P	655	844	1266	36	30	60
	EVWBTL3666P	721	927	1391	36	30	66
	EVWBTL3672P	787	1013	1517	36	30	72
Transition Worksurface - Right - 36"	EVWBTR3660P	655	844	1266	36	30	60
	EVWBTR3666P	721	927	1391	36	30	66
	EVWBTR3672P	787	1013	1517	36	30	72




Left shown



WORKSURFACES

EVWSH - STRAIGHT EDGE HATCHET WORKSURFACE (LEFT SHOWN)


- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included
- Must be specified either left or right handed.
- Wood Grain Laminates do not run diagonally on Hatchet Corners
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Straight Edge Hatchet Worksurface - Left	EVWSHL3672P	1057	36	30	72
	Straight Edge Hatchet Worksurface - Right	EVWSHR3672P	1057	36	30	72

Left Shown


EVWD - "D" WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price list.
- Monoleg is included
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	"D" Worksurface - 24"	EVWD2442P	494	691	1032	24	42
		EVWD2448P	511	704	1055	24	48
		EVWD2460P	537	739	1108	24	60
		EVWD2472P	575	795	1194	24	72
	"D" Worksurface - 30"	EVWD3048P	545	761	1141	30	48
		EVWD3060P	575	795	1194	30	60
		EVWD3072P	635	881	1321	30	72

EVWPTR - "P" TOP


- There is one scoop on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Must be specified either left or right handed.
- Monoleg is included.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
			TF	HP	HPW	D1	D2	W
	"P" Top Worksurface - 24" Right	EVWPTR245430P	758	976	1464	24	30	54
		EVWPTR246030P	814	1028	1544	24	30	60
		EVWPTR246630P	852	1083	1624	24	30	66
		EVWPTR247230P	897	1138	1704	24	30	72
	"P" Top Worksurface - 30" Right	EVWPTR306036P	897	1130	1694	30	36	60
		EVWPTR306636P	970	1194	1790	30	36	66
		EVWPTR307236P	1037	1252	1878	30	36	72
	"P" Top Worksurface - 24" Left	EVWPTL245430P	758	976	1464	24	30	54
		EVWPTL246030P	814	1028	1544	24	30	60
		EVWPTL246630P	852	1083	1624	24	30	66
		EVWPTL247230P	897	1138	1704	24	30	72
	"P" Top Worksurface - 30" Left	EVWPTL306036P	897	1130	1694	30	36	60
		EVWPTL306636P	970	1194	1790	30	36	66
		EVWPTL307236P	1037	1252	1878	30	36	72

Left Hand Shown



EVWSW - STRAIGHT WEDGE WORKSURFACES

- There is one scoop on this worksurface.
- Must be specified either left or right handed.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES			
			TF	HP	HPW	D1	D2	W	
	Straight Wedge Worksurface - Left	EVWSW241848P	350	449	670	24	18	48	
		EVWSW241854P	394	505	757	24	18	54	
		EVWSW241860P	435	561	841	24	18	60	
		EVWSW241866P	482	616	925	24	18	66	
		EVWSW241872P	522	675	1011	24	18	72	
			EVWSW302448P	435	561	841	30	24	48
			EVWSW302454P	490	631	945	30	24	54
			EVWSW302460P	545	700	1050	30	24	60
			EVWSW302466P	598	770	1156	30	24	66
			EVWSW302472P	653	839	1260	30	24	72
		Straight Wedge Worksurface - Right	EVWSW182448P	350	449	670	18	24	48
			EVWSW182454P	394	505	757	18	24	54
			EVWSW182460P	435	561	841	18	24	60
			EVWSW182466P	482	616	925	18	24	66
			EVWSW182472P	522	675	1011	18	24	72
EVWSW243048P			435	561	841	24	30	48	
EVWSW243054P			490	631	945	24	30	54	
EVWSW243060P			545	700	1050	24	30	60	
EVWSW243066P			598	770	1156	24	30	66	
EVWSW243072P			653	839	1260	24	30	72	

EVWSWNSC - STRAIGHT WEDGE WORKSURFACES NO SCOOPS


- There is no scoop on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Must be specified either left or right handed.
- Surfaces not available in HPW.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
			TF	HP	D1	D2	W	
	Straight Wedge Worksurface No Scoops - Left	EVWSWNSC241848	350	449	24	18	48	
		EVWSWNSC241854	394	505	24	18	54	
		EVWSWNSC241860	435	561	24	18	60	
		EVWSWNSC241866	482	616	24	18	66	
		EVWSWNSC241872	522	675	24	18	72	
			EVWSWNSC302448	435	561	30	24	48
			EVWSWNSC302454	490	631	30	24	54
			EVWSWNSC302460	545	700	30	24	60
			EVWSWNSC302466	598	770	30	24	66
			EVWSWNSC302472	653	839	30	24	72
	Straight Wedge Worksurface No Scoops - Right	EVWSWNSC182448	350	449	18	24	48	
		EVWSWNSC182454	394	505	18	24	54	
		EVWSWNSC182460	435	561	18	24	60	
		EVWSWNSC182466	482	616	18	24	66	
		EVWSWNSC182472	522	675	18	24	72	
			EVWSWNSC243048	435	561	24	30	48
			EVWSWNSC243054	490	631	24	30	54
			EVWSWNSC243060	545	700	24	30	60
			EVWSWNSC243066	598	770	24	30	66
			EVWSWNSC243072	653	839	24	30	72



EVWPL - PIANO TOP - LEFT


- There is one scoop on this worksurface.
- Monoleg is included.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support. Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.



DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		TF	HP	HPW	D1	D2	W
Piano Top - Left - 36" x 18"	EVWPL361848P	688	908	1357	36	18	48
	EVWPL361854P	753	961	1438	36	18	54
	EVWPL361860P	810	1017	1523	36	18	60
	EVWPL361866P	873	1071	1606	36	18	66
	EVWPL361872P	932	1126	1685	36	18	72
Piano Top - Left - 36" x 24"	EVWPL362448P	695	912	1366	36	24	48
	EVWPL362454P	758	965	1448	36	24	54
	EVWPL362460P	819	1020	1531	36	24	60
	EVWPL362466P	881	1077	1615	36	24	66
	EVWPL362472P	938	1130	1694	36	24	72
Piano Top - Left - 42" x 24"	EVWPL422454P	932	1041	1563	42	24	54
	EVWPL422460P	989	1102	1651	42	24	60
	EVWPL422466P	1094	1168	1751	42	24	66
Piano Top - Left - 42" x 30"	EVWPL422472P	1161	1225	1837	42	24	72
	EVWPL423060P	1011	1127	1689	42	30	60
	EVWPL423066P	1118	1191	1784	42	30	66
Piano Top - Left - 48" x 24"	EVWPL423072P	1183	1253	1880	42	30	72
	EVWPL482460P	1047	1262	1894	48	24	60
	EVWPL482466P	1160	1338	2004	48	24	66
Piano Top - Left - 48" x 30"	EVWPL482472P	1229	1413	2123	48	24	72
	EVWPL483066P	1165	1342	2011	48	30	66
	EVWPL483072P	1234	1422	2130	48	30	72

EVWPR - PIANO TOP - RIGHT


- There is one scoop on this worksurface.
- Monoleg is included.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.



DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		TF	HP	HPW	D1	D2	W
Piano Top - Right - 36" x 18"	EVWPR361848P	688	908	1357	36	18	48
	EVWPR361854P	753	961	1438	36	18	54
	EVWPR361860P	810	1017	1523	36	18	60
	EVWPR361866P	873	1071	1606	36	18	66
	EVWPR361872P	932	1126	1685	36	18	72
Piano Top - Right - 36" x 24"	EVWPR362448P	695	912	1366	36	24	48
	EVWPR362454P	758	965	1448	36	24	54
	EVWPR362460P	819	1020	1531	36	24	60
	EVWPR362466P	881	1077	1615	36	24	66
	EVWPR362472P	938	1130	1694	36	24	72
Piano Top - Right - 42" x 24"	EVWPR422454P	932	1041	1563	42	24	54
	EVWPR422460P	989	1102	1651	42	24	60
	EVWPR422466P	1094	1168	1751	42	24	66
Piano Top - Right - 42" x 30"	EVWPR422472P	1161	1225	1837	42	24	72
	EVWPR423060P	1011	1127	1689	42	30	60
	EVWPR423066P	1118	1191	1784	42	30	66
Piano Top - Right - 48" x 24"	EVWPR423072P	1183	1253	1880	42	30	72
	EVWPR482460P	1047	1262	1894	48	24	60
	EVWPR482466P	1160	1338	2004	48	24	66
Piano Top - Right - 48" x 30"	EVWPR482472P	1229	1413	2123	48	24	72
	EVWPR483066P	1165	1342	2011	48	30	66
	EVWPR483072P	1234	1422	2130	48	30	72


EVWQR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- Left hand surface shown.
- The user edge abutting the adjacent worksurface runs straight for 3" before starting to curve.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Quarter Round Panel Worksurface - Left	EWQRL1818	148	197	293	18	18
		EWQRL2424	208	276	415	24	24
		EWQRL3030	274	357	534	30	30
	Quarter Round Panel Worksurface - Right	EWQRR1818	148	197	293	18	18
		EWQRR2424	208	276	415	24	24
		EWQRR3030	274	357	534	30	30

EVWQRC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- The user edge abutting the adjacent worksurface runs straight for 3" before starting to curve.
- Support hardware must be ordered separately. See the listing in this section.


	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Quarter Round Panel Corner Worksurface	EWQRC1818	172	228	341	18	18
		EWQRC2424	247	327	491	24	24
		EWQRC3030	307	404	606	30	30



EVWR - RADIUS WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.
- Monoleg is included.
- Notched end is not finished.
- 18" and 24" come with one monoleg.
- 30" comes with two monolegs.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.


DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
Radius Worksurface	EVWR18P	427	590	885	18	39
	EVWR24P	493	684	1027	24	51
	EVWR30P	888	1230	1843	30	63



EVWSAC - ARC FRONT WORKSURFACE

- Use 12" cantilever supports on shorter 13" depth
- Support hardware must be order separately. See the listing in the section.


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		LP	HP	D1	D2	W
Arc Front Worksurface - Left	EVWSAC122430	225	316	12	24	30
	EVWSAC122436	265	375	12	24	36
	EVWSAC122442	309	445	12	24	42
	EVWSAC122448	355	498	12	24	48
	EVWSAC122454	399	560	12	24	54
	EVWSAC122460	435	623	12	24	60
Arc Front Worksurface - Right	EVWSAC241230	225	316	12	24	30
	EVWSAC241236	265	375	12	24	36
	EVWSAC241242	309	445	12	24	42
	EVWSAC241248	355	498	12	24	48
	EVWSAC241254	399	560	12	24	54
	EVWSAC241260	435	623	12	24	60



Left shown

EVWKKR - ANGLE FRONT EDGE WORKSURFACE


- To be used with EVWCF3012 and EVWCF3612 Corner Worksurface.
- Creates an efficient, compact keyboard corner worksurface.
- Use 12" cantilever supports on shorter 12" depth
- For use with flat screen monitor.
- Support hardware must be order separately. See the listing in the section.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			LP	HP	D1	D2	W
	Angle Front Edge Worksurface - Right	EVWKKR2436	233	307	12	24	36
		EVWKKR2442	270	357	12	24	42
		EVWKKR2448	308	410	12	24	48
	Angle Front Edge Worksurface - Left	EVWKKL2436	233	307	12	24	36
		EVWKKL2442	270	357	12	24	42
		EVWKKL2448	308	410	12	24	48

Left shown


EVWT - STRAIGHT TRANSACTION WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.

	DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
				HP	HPW	D	W
	Straight Transaction Worksurface	EVWT1512	60	83	125	15	12
		EVWT1518	79	108	159	15	18
		EVWT1524	94	131	196	15	24
		EVWT1530	113	153	229	15	30
		EVWT1536	128	175	264	15	36
		EVWT1542	145	200	298	15	42
		EVWT1548	164	224	331	15	48
		EVWT1554	179	244	368	15	54
		EVWT1560	198	271	404	15	60
		EVWT1566	211	294	443	15	66
		EVWT1572	229	318	475	15	72
		EVWT1578	246	339	507	15	78
		EVWT1584	263	363	545	15	84

EVWTV - STRAIGHT TRANSACTION WORKSURFACE WITH CUT-OUT

- Used when mounted to a panel that has a taller panel against it in a straight run at an inline.
- Support hardware must be ordered separately. See listing in this section of the price book.


	DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
				HP	HPW	W	D
	Straight Transaction Worksurface with Cut-Out	EVWTV1524	108	140	207	15	24
		EVWTV1530	119	165	244	15	30
		EVWTV1536	138	186	276	15	36
		EVWTV1542	155	210	317	15	42
		EVWTV1548	172	236	353	15	48
		EVWTV1554	190	255	382	15	54
		EVWTV1560	206	273	410	15	60
		EVWTV1566	226	321	479	15	66
		EVWTV1572	238	327	491	15	72



EVWTCL - "L" CORNER TRANSACTION SURFACE

- When specifying this item along with a straight surface, deduct 12" from each return side.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.


DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
"L" Corner Transaction Surface	EVWTCL90	174	233	347	15	21



EVWTCT - "T" CORNER TRANSACTION SURFACE

- When specifying this item along with a straight surface, deduct 12" from each return side.
- Support hardware must be ordered separately. See listing in this section of the price book.


DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
"T" Corner Transaction Surface	EVWTCT90	154	210	317	15	27



EVWTE - END TRANSACTION SURFACE

- Extends 1" past end of run.
- Support hardware must be ordered separately. See listing in this section of the price book.


DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
End Transaction Surface	EVWTE1512	79	108	159	15	14
	EVWTE1518	94	131	196	15	20
	EVWTE1524	113	153	229	15	26
	EVWTE1530	128	175	264	15	32
	EVWTE1536	145	200	298	15	38
	EVWTE1542	164	224	331	15	44
	EVWTE1548	179	244	368	15	50
	EVWTE1554	198	271	404	15	56
	EVWTE1560	211	294	443	15	62
	EVWTE1566	229	318	475	15	68
EVWTE1572	246	339	507	15	74	



EVWTEV - END TRANSACTION SURFACE WITH CUT-OUT


- Used when mounted to a panel that has a taller panel against it in a straight run at an inline.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Notched end is not finished.
- Extends 1" past end of run

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
End Transaction Surface with Cut-Out	EVWTEV1524	119	165	244	15	26
	EVWTEV1530	138	186	276	15	32
	EVWTEV1536	155	210	317	15	38
	EVWTEV1542	172	236	353	15	44
	EVWTEV1548	190	255	382	15	50
	EVWTEV1554	206	281	421	15	56
	EVWTEV1560	226	304	456	15	62
	EVWTEV1566	238	328	492	15	68
	EVWTEV1572	256	353	525	15	74




EVWTD - "D" TRANSACTION SURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	"D" Transaction Surface	EVWTD1530	144	197	293	15	37
		EVWTD1536	154	211	318	15	43
		EVWTD1542	170	236	353	15	49
		EVWTD1548	190	258	384	15	55
		EVWTD1554	205	284	426	15	61
		EVWTD1560	226	309	461	15	67
		EVWTD1566	239	331	498	15	73
		EVWTD1572	262	362	543	15	79


EVWTDV - END "D" TRANSACTION SURFACE WITH CUT-OUT

- Notched end is not finished.
- Used when mounted to a panel that has a taller panel against it in a straight run at an inline.
- Support hardware must be ordered separately. See listing in this section of the price book.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	End "D" Transaction Surface with Cut-Out	EVWTDV1530	154	206	309	15	37
		EVWTDV1536	164	223	329	15	43
		EVWTDV1542	181	243	364	15	49
		EVWTDV1548	199	270	403	15	55
		EVWTDV1554	211	291	435	15	61
		EVWTDV1560	234	320	477	15	67


EVWTD - DOUBLE "D" TRANSACTION SURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Double "D" Transaction Surface	EVWTD1548	211	294	443	15	48
		EVWTD1560	246	339	507	15	60
		EVWTD1572	288	398	592	15	72

EVW4T - CORNER TRANSACTION SURFACE FOR 45° POST


- Support hardware must be ordered separately. See listing in this section of the price book.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	W	D
	Corner Transaction Surface for 45° Post	EWW4T1524	592	761	1141	15	24
		EWW4T1530	739	952	1426	15	30
		EWW4T1536	1034	1331	1993	15	36
		EWW4T1542	1378	1773	2659	15	42
		EWW4T1548	1477	1898	2850	15	48




EVW6T - CORNER TRANSACTION SURFACE FOR 60° POST

- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Corner Transaction Surface for 60° Post	EVW6T1518	347	457	682	15	18
		EVW6T1524	542	723	1082	15	24
		EVW6T1530	706	942	1411	15	30
		EVW6T1536	981	1309	1961	15	36
		EVW6T1542	1069	1426	2136	15	42
		EVW6T1548	1398	1865	2798	15	48


EVW9T - CORNER TRANSACTION SURFACE FOR 90° POST

- Support hardware must be ordered separately. See listing in this section of the price book.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Corner Transaction Surface for 90° Post - Left	EVW9TL1524	337	512	768	15	24
		EVW9TL1530	404	620	927	15	30
		EVW9TL1536	472	716	1074	15	36
		EVW9TL1542	540	819	1226	15	42
		EVW9TL1548	607	921	1381	15	48
	Corner Transaction Surface for 90° Post - Right	EVW9TR1524	337	512	768	15	24
		EVW9TR1530	404	620	927	15	30
		EVW9TR1536	472	716	1074	15	36
		EVW9TR1542	540	819	1226	15	42
		EVW9TR1548	607	921	1381	15	48


EVWMP - WORKSURFACE MODESTY PANEL

- Modesty panel fastens to the worksurface and monoleg to provide additional privacy and support
- Made of cold rolled steel
- Metal finish is durable epoxy powder coated.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Worksurface Modesty Panel	EVWMP1242	115	12	26
		EVWMP1248	115	12	32
		EVWMP1260	137	12	44
		EVWMP1272	154	12	56


EVHEP - END PANEL

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.
- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	H
	End Panel - 29" High	EVHEP2918	172	18	28
		EVHEP2924	254	24	28
		EVHEP2930	297	30	28


EVWS - STRAIGHT WORKSURFACE - HEIGHT ADJUSTABLE

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		LP	HP	HPW	D	W
 Straight Worksurface	EWWS2346	249	348	521	23	46
	EWWS2352	293	405	610	23	52
	EWWS2358	328	453	678	23	58
	EWWS2364	343	475	709	23	64
	EWWS2370	358	492	736	23	70
	EWWS2376	575	736	1104	23	76
	EWWS2382	579	747	1119	23	82
	EWWS2946	293	405	610	29	46
	EWWS2952	322	443	663	29	52
	EWWS2958	343	475	709	29	58
	EWWS2964	357	492	736	29	64
	EWWS2970	377	522	785	29	70
	EWWS2976	714	924	1384	29	76
	EWWS2982	726	929	1395	29	82


EVWS - STRAIGHT WORKSURFACE - HEIGHT ADJUSTABLE RETURNS

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		LP	HP	HPW	D	W
 Straight Worksurface	EWWS2329	144	197	293	23	29
	EWWS2335	163	223	329	23	35
	EWWS2341	208	290	433	23	41
	EWWS2347	249	348	521	23	47
	EWWS2353	293	405	610	23	53
	EWWS2359	328	453	678	23	59
	EWWS2929	168	235	352	29	29
	EWWS2935	199	272	409	29	35
	EWWS2941	278	382	574	29	41
	EWWS2947	293	405	610	29	47
	EWWS2953	322	443	663	29	53
	EWWS2959	343	475	709	29	59

EVWCC - CORNER SURVED WORKSURFACE - HEIGHT ADJUSTABLE


- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		LP	HP	HPW	D	W
 Corner Curved Worksurface	EWWCC5223	889	1276	1780	23	52
	EWWCC5823	1183	1663	2126	23	58
	EWWCC4629	820	1170	1755	29	46
	EWWCC5229	889	1276	1780	29	52
	EWWCC5829	1183	1663	2126	29	58



EVWCCEL - EXTENDED CORNER WORKSURFACE - HEIGHT ADJUSTABLE

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
			LP	HP	HPW	D1	D2	W
	Extended Corner Worksurface	EWWCCEL462358	833	1028	1544	46	23	58
		EWWCCEL462364	898	1145	1720	46	23	64
		EWWCCEL462370	965	1251	1877	46	23	70
		EWWCCEL462376	1059	1336	2003	46	23	76
		EWWCCEL462382	1104	1418	2124	46	23	82
		EWWCCEL522358	974	1415	1843	52	23	58
		EWWCCEL522364	1048	1534	2005	52	23	64
		EWWCCEL522370	1122	1652	2167	52	23	70
		EWWCCEL522376	1271	1890	2490	52	23	76
		EWWCCEL522382	1423	2130	2815	52	23	82
		EWWCCEL582364	1071	1554	2027	58	23	64
		EWWCCEL582370	1152	1686	2205	58	23	70
		EWWCCEL582376	1336	1969	2582	58	23	76
		EWWCCEL582382	1516	2253	2968	58	23	82
		EWWCCEL462958	880	1132	1698	46	29	58
		EWWCCEL462964	957	1234	1851	46	29	64
		EWWCCEL462970	1040	1338	2004	46	29	70
		EWWCCEL462976	1117	1437	2157	46	29	76
		EWWCCEL462982	1178	1517	2274	46	29	82
		EWWCCEL522958	1012	1471	1916	52	29	58
		EWWCCEL522964	1089	1596	2084	52	29	64
		EWWCCEL522970	1168	1719	2253	52	29	70
		EWWCCEL522976	1323	1967	2591	52	29	76
		EWWCCEL522982	1479	2215	2926	52	29	82
		EWWCCEL582964	1145	1671	2181	58	29	64
		EWWCCEL582970	1226	1800	2357	58	29	70
		EWWCCEL582976	1389	2060	2708	58	29	76
		EWWCCEL582982	1553	2319	3062	58	29	82

EVWCER - EXTENDED CORNER WORKSURFACE - HEIGHT ADJUSTABLE


- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
			LP	HP	HPW	D1	D2	W
	Extended Corner Worksurface	EWWCER462358	833	1028	1544	46	23	58
		EWWCER462364	898	1145	1720	46	23	64
		EWWCER462370	965	1251	1877	46	23	70
		EWWCER462376	1059	1336	2003	46	23	76
		EWWCER462382	1104	1418	2124	46	23	82
		EWWCER522358	974	1415	1843	52	23	58
		EWWCER522364	1048	1534	2005	52	23	64
		EWWCER522370	1122	1652	2167	52	23	70
		EWWCER522376	1271	1890	2490	52	23	76
		EWWCER522382	1423	2130	2815	52	23	82
		EWWCER582364	1071	1554	2027	58	23	64
		EWWCER582370	1152	1686	2205	58	23	70
		EWWCER582376	1336	1969	2582	58	23	76
		EWWCER582382	1516	2253	2968	58	23	82
		EWWCER462958	880	1132	1698	46	29	58
		EWWCER462964	957	1234	1851	46	29	64
		EWWCER462970	1040	1338	2004	46	29	70
		EWWCER462976	1117	1437	2157	46	29	76
		EWWCER462982	1178	1517	2274	46	29	82
		EWWCER522958	1012	1471	1916	52	29	58
EWWCER522964	1089	1596	2084	52	29	64		
EWWCER522970	1168	1719	2253	52	29	70		
EWWCER522976	1323	1967	2591	52	29	76		
EWWCER522982	1479	2215	2926	52	29	82		
EWWCER582964	1145	1671	2181	58	29	64		
EWWCER582970	1226	1800	2357	58	29	70		
EWWCER582976	1389	2060	2708	58	29	76		
EWWCER582982	1553	2319	3062	58	29	82		




EVWS - EXTENDED CURVED CORNER RETURN - HEIGHT ADJUSTABLE

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			LP	HP	HPW	D	W
	Extended Corner Worksurface	EVWS2324	135	183	273	23	24
		EVWS2336	144	197	293	23	36
		EVWS2348	163	223	329	23	38
		EVWS2924	159	215	322	23	24
		EVWS2936	168	235	352	23	36
		EVWS2948	199	272	409	23	48

EVWC6C - 60 DEGREE CURVED CORNER WORKSURFACE - HEIGHT ADJUSTABLE

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			LP	HP	HPW	D	W
	Curved Corner Worksurface	EVWC6C2346	1351	1531	2296	23	46
		EVWC6C2352	1443	2147	2834	23	52
		EVWC6C2946	1351	1531	2296	29	46
		EVWC6C2952	1443	2147	2834	29	52


EVTHLEG - EVOLVE BRIDGES LEG

- Leg assembly attaches to panel for application which requires functionality of panels with environment of bridges tables.
- One leg with horizontal member connection to 1" increment slots in connector. Provides support to panel and panel connected worksurface at end of run- design coordinated with Bridges freestanding tables.
- Supports 24" and 30" deep worksurface
- One leg can support 2 adjoining worksurfaces by specifying 2 flat brackets.
- Leveling glides is standard
- No worksurface supporting beams, use panel cantilever and storage for worksurface support.
- One aluminum leg with steel structure - specify left or right and 24" or 30" deep for corresponding worksurface depth.
- Panel bracket, dislodgment clip and worksurface hardware included.
- Anodized aluminum upcharge \$32.00.
- Please specify paint finish.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Evolve Bridges Leg	EVTHLEG24LL	399	29	2.5	24
		EVTHLEG24RL	399	29	2.5	24
		EVTHLEG30LL	418	29	2.5	30
		EVTHLEG30RL	418	29	2.5	30



EVHPL - EVOLVE PRINCETON LEG

- Princeton leg supports Evolve worksurfaces
- Includes leveling glides
- Legs must used with exact depth worksurfaces only
- Available in standard paint finishes

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Evolve Princeton Leg	EVHPL24	380	27.5	6.75	24
		EVHPL30	394	27.5	6.75	30

EVHPL - EVOLVE PRINCETON LEG WITH BRACKET


- Bracket attaches to back of Princeton leg and connects Princeton leg to panel connector
- Supports the worksurface and enhance stability of connected panels
- Includes levelling glides
- Available in standard paint finishes

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Evolve Princeton Leg with Left Bracket	EVHPL24L	418	27.5	6.75	24
		EVHPL30L	431	27.5	6.75	30
	Evolve Princeton Leg with Right Bracket	EVHPL24R	418	27.5	6.75	24
		EVHPL30R	431	27.5	6.75	30




EVHMEGR - METAL END GABLE - RIGHT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Leveling glide may be extended up to 1 1/2" maximum.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Metal End Gable - Right	EVHMEG18R	249	28	17	4
		EVHMEG24R	265	28	23	4
		EVHMEG30R	279	28	29	4


EVHMEGL - METAL END GABLE - LEFT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Leveling glide may be extended up to 1 1/2" maximum.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Metal End Gable - Left	EVHMEG18L	249	28	17	4
		EVHMEG24L	265	28	23	4
		EVHMEG30L	279	28	29	4


EVHMSEL - METAL SUPPORT LEG

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Leveling glide may be extended up to 1 1/2" maximum.
- Flat brackets recommended to ensure alignment of neighboring surface.
- Available in standard paint colors.
- Not designed for use at the end of a worksurface.
- Handedness of support leg cannot be changed.
- Not designed to be used with radius worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Metal Support Leg	EVHMSEL12	223	28	11	4


EVHC - CANTILEVER FOR KEYBOARD WORKSURFACES

- Attaches a worksurface to a panel connector.
- Used to support two convergent worksurfaces.
- 2 flat brackets are included.
- Priced individually
- Specify handedness of each cantilever
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Cantilever for Keyboard Worksurfaces	EVHC12L/R	100	12	6
		EVHC18L/R	100	18	6
		EVHC24L/R	114	24	6



EVHS - SUPPORT LEG

- Used in conjunction with a EVHC cantilever.
- Provides extra support where needed.
- Used to help support two convergent worksurfaces.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Support Leg - Left	EVHSL2918	92	23.38	0.75	12.5
		EVHSL2924	92	23.38	0.75	12.5
	Support Leg - Right	EVHSR2918	92	23.38	0.75	12.5
		EVHSR2924	92	23.38	0.75	12.5

EVHCL - CORNER LEG WITH LEVELER


- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- Leveling glide may be extended up to 1 1/2" maximum.
- 1.5" diameter
- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				H	
 	Corner Leg Round	EVHCL1	118	28	
	Corner Leg Square	EVHCL2	118	28	

Round Square


EVHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- Leveling glide may be extended up to 1 1/2" maximum.
- 1.5" diameter.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				H	
	Mid Support Leg - Round	EVHMSL1	85	28	
	Mid Support Leg - Square	EVHMSL2	85	28	

EVHMSL - MID SUPPORT LEG



- Provides additional support for worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" square tube.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Mid Support Leg - Cantilever Bracket	EVHMSCL18	137	28	18	1.5




EVWS - 5" SURFACE TO STORAGE SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

		DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
		5" Surface to Storage Support Leg - Round	EVWSRL01	52	4.5
		5" Surface to Storage Support Leg - Square	EVWSSL01	52	4.5
Round	Square				


EVHCB - CORNER BRACKETS

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.
- Available in black only.

		DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D W	
		Corner Brackets	EVHCB2	28	2.5	3.5


EVHTB - TRANSACTION BRACKETS

- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.
- Priced and shipped in pairs.
- Available in standard paint colors.

		DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D W	
		Transaction Brackets	EVHTB2	28	2.5	3.5


EVHFB - FLAT BRACKET

- Must be used in conjunction with cantilevers or transaction brackets to ensure alignment of neighboring surfaces.
- Priced individually
- Available in Black only.

		DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D W	
		Flat Bracket	EVHFB1	19	3	4


EVHPB - PEDESTAL BRACKET

- Attaches to back edge of a pedestal and connects a pedestal to panel connector.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
	Pedestal Bracket	EVHPB1	32	11


EVHWSC - WORKSURFACE SUPPORT CHANNEL

- Support channel attaches to underside of worksurface with screws.
- Support channel should be 14" shorter than top length.
- Screws are included.
- Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES L D	
	Worksurface Support Channel	EVHWSC40 - for 54" wide table	72	40	5
		EVHWSC46 - for 60" wide table	78	46	5
		EVHWSC52 - for 66" wide table	83	52	5
		EVHWSC58 - for 72" wide table	94	58	5
		EVHWSC64 - for 78" wide table	105	64	5
		EVHWSC70 - for 84" wide table	115	70	5


EVHWCB1 - WORKSURFACE TO STORAGE BRACKETS

- Bracket connects Worksurface to Storage Towers as additional support.
- Bracket EVHWCB1 cannot fully support a Worksurface. It is to be used in conjunction with a Cantilever.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H D W		
	Worksurface to Storage Brackets	EVHWCB1	11	1.25	2	2

EVHV - SINGLE SLOTTED WALL ADAPTER


- To attach system components to a fixed wall. The vertical wall adapter is a "U" shaped channel with a vertical row of 1" slots on center.
 - Mounting hardware not included. Mounting hardware selection to be based on wall material.
 - Use of wall rack requires lower tooth of top hook on cantilever or shelf to be notched in the field.
 - Available in standard paint colors.
 - Shipped & priced per pair.
- NOTE:**
- Care should be taken to mount adapters only to wall studs using correct fasteners. Failure to do this may result in collapse of the unit and subsequent possible personal injury.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H D	
	Single Slotted Wall Track	EVHV01	83	60	.5




EVSPD2015 - PENCIL DRAWER

- Accommodates writing instruments and small items at the workspace.
- Attaches to underside of a worksurface with drawer slides.
- Available in Black ABS plastic only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Pencil Drawer	EVSPD2015	172	1.5	22.5	17.75


EVDCP - CENTRAL SUPPORT PANEL

- Supports and connects 2 worksurfaces
- Includes two end panel brackets, two levelling glides and modesty inter connect bracket (EVDECCR)
- Attaches to modesty panel
- End panel height is inclusive of panel glides extended to their fullest height
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				H	W
	Central Support Panel	EVDCP2910	163	10	28
		EVDCP2914	206	14	28
		EVDCP2610	145	10	28
		EVDCP2614	193	14	28

EVDHMSB - MID SUPPORT BRACKET

- Provides mid support for worksurfaces
- Recommended for any lengths over 42"
- Available in black only.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	Mid Support Bracket	EVDHMSB	50	7 1/2	7 1/2	1/2

EVDPH - "Z" BRACKET

- Attaches modesty panel to front edge of end panel
- To be used when a return is attached to a rectangular desk
- Available in black only


EVDECCR - MODESTY INTER-CONNECT BRACKET

- Attaches two modesty panels to a mid support panel

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				W	H
	Modesty Inter-Connect Bracket	EVDECCR	27	12 1/2	4

EVDHLB - END PANEL "L" BRACKET

- Attaches a modesty panel to an end panel
- Available in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	End Panel "L" Bracket	EVDHLB	28	1 1/2	12	1 1/2



freestanding



EVWFR - RECTANGULAR FREESTANDING WORKSURFACE WITH CORNER LEGS

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	Rectangular Freestanding Worksurface with Round Corner Legs	EWWFR2448HP	807	24	48	29
		EWWFR2460HP	935	24	60	29
		EWWFR3048HP	879	30	48	29
		EWWFR3060HP	961	30	60	29
	Rectangular Freestanding Worksurface with Square Corner Legs	EWFRS2448HP	807	24	48	29
		EWFRS2460HP	935	24	60	29
		EWFRS3048HP	879	30	48	29
		EWFRS3060HP	961	30	60	29

EVWFS - SQUARE FREESTANDING WORKSURFACE WITH CORNER LEGS



- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	Square Freestanding Worksurface with Round Corner Legs	EWWFS36HP	853	36	36	29
		EWWFS42HP	979	42	42	29
		EWWFS48HP	1156	48	48	29
	Square Freestanding Worksurface with Square Corner Legs	EWWFSS36HP	853	36	36	29
		EWWFSS42HP	979	42	42	29
		EWWFSS48HP	1156	48	48	29





EVWFC - ROUND FREESTANDING WORKSURFACE WITH CORNER LEGS

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				W	H
	Round Freestanding Worksurface with Corner Legs	EWWFC36HP	910	36	29
		EWWFC42HP	1094	42	29
		EWWFC48HP	1305	48	29
	Round Freestanding Worksurface with Square Corner Legs	EWWFCS36HP	910	36	29
		EWWFCS42HP	1094	42	29
		EWWFCS48HP	1305	48	29

EWWFD - PANEL MOUNTED WORKSURFACE WITH CORNER LEGS

- "D" top table with 2 legs, panel mounted.
- Support hardware must be ordered separately. See the listings in this section.
- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	Panel Mounted Worksurface with Corner Legs	EWWFD2448HP	660	24	48	29
		EWWFD2460HP	771	24	60	29
		EWWFD3048HP	789	30	48	29
		EWWFD3060HP	834	30	60	29
	Panel Mounted Worksurface with Square Corner Legs	EWWFDS2448HP	660	24	48	29
		EWWFDS2460HP	771	24	60	29
		EWWFDS3048HP	789	30	48	29
		EWWFDS3060HP	834	30	60	29

storage

LATERAL FILE FEATURES

LATERAL FILES

- Binder storage
- EDP storage (with optional EDP sides)
- Lifetime Warranty (see Terms & Conditions)
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

DRAWERS/SHELVES

- Drawer interlocking system
- Three-stage, anti-bounceback suspension
- Pre-installed file bars
- Side-to-side file bars for letter, legal and A4
- Looped full pull
- Front-to-back file bars – optional
- Label holder
- Fixed front drawers – available
- Receding door, roll-out shelves – available
- Slotted, pull-out shelves with rolled edge
- Full-height dividers – optional

LATERAL FILES 1200 SERIES

- Receding door series features 16 gauge, spring loaded hinges
- Mig welded top corners
- Thicker receding door with redesigned pivot motion to prevent door rub
- Half height drawers - optional
- Premium drawer slides with black zinc coating for smoother, quieter

MOTION

- Salt spray resistance treatment
- Durable epoxy powder coating
- Superior locking system with anti-lift mechanism
- Large standard color palette
- ANSI / BIFMA approved
- CSGB approved

CONSTRUCTION

- Top stiffener bar
- Corner gussets
- 18 – 20 gauge cold-rolled steel
- Four (4) ganging drill points are marked to ensure correct positioning
- Cam lock included
- Leveling glides
- Counterweights are recommended in all heights/widths – optional

STANDARD PAINT COLORS

Evolve Colors		Evolve Colors (10% upcharge)
BLK	Black	TUN Tungsten
CHR	Charcoal	
SIL	Silver	TEXTURED COLORS
TPE	Taupe	BZD Blizzard
NEV	Nevada	SDT Stone Dust
DWT	Designer White	
STL	Steel	

ADDITIONAL STANDARD COLORS (FOR STORAGE ITEMS ONLY)

GLOBAL COLORS

DPT	Desert Putty
TSA	Tahiti Sand
LGR	Light Grey
BGR	Business Grey
GRY	Grey

PREMIUM COLORS

F05	Moss
F07	Metro
F09	Claret
F19	Navy
F23	Cloud
F28	Willow
F29	Bone
F30	Ivory
F32	Stone
F33	Ice
F35	Oyster

TEXTURED COLORS

U04	Black Coffee
T19	Dark Chocolate
T20	Cappuccino
J52	Mocha
J23	Vanilla

*Extended lead times for premium paints apply. Contact Evolve Customer Support for details.

Global matte paint finishes are available on most Evolve Storage pieces without an up charge regardless of quantities.

All Mica and Metallic paint finishes will incur a minimum up charge of 10%.

All non-standard paint finishes must be approved by Evolve prior to placing an order.

GENERAL WARRANTY INFORMATION


- Evolve warrants all components of metal storage and filing for the lifetime of the product to the original purchaser.



This page provides a three dimensional view of a sample configuration highlighting each storage component required when specifying this configuration.

Components

- A. EVS12BBF Box, Box, File Pedestal
- B. EVSSL Low-Profile Shelf
- C. EVSOF Overhead Flipper Door Storage Unit



INTERIOR CLEAR OPENING HEIGHT DIMENSIONS

"B" Opening

Fixed Front Drawer	13"
Receding Door and Roll-Out Shelf	12 1/8"
Receding Door and Fixed Shelf	12"
Fixed Shelf and no Receding Door	12 3/4"

"B" and "L" Opening

Drawer – Depth	15 3/4"
Roll-Out Shelf – Depth	15 3/4"
Fixed Shelf – Depth	15 3/4"

"L" Opening

Fixed Front Drawer	10 7/8"
Receding Door and Roll-Out Shelf	10"
Receding Door and Fixed Shelf	9 7/8"
Fixed Shelf and no Receding Door	10 5/8"

INTERIOR CLEAR OPENING WIDTH DIMENSIONS AND FILING CAPACITY

30" Wide Cabinet

Fixed Front Drawer	26 9/16"
Receding Door and Roll-Out Shelf	26 9/16"
Receding Door and Fixed Shelf	26 9/16"

42" Wide Cabinet

Fixed Front Drawer	38 9/16"
Receding Door and Roll-Out Shelf	38 9/16"
Receding Door and Fixed Shelf	38 9/16"


36" Wide Cabinet

Fixed Front Drawer	32 9/16"
Receding Door and Roll-Out Shelf	32 9/16"
Receding Door and Fixed Shelf	32 3/16"


OPENING CAPACITIES 30" WIDE UNITS

Letter

"B" and "L" Openings
Fixed Front Drawers and
Roll-Out Shelves




Capacity — 26 9/16"
Accessories required EVSHFB30




Capacity — 26 1/2"
Accessories required EVSHFB30 and one pair of FBB
Not recommended for "L" openings with Roll-Out Shelves

Legal

"B" and "L" Openings
Fixed Front Drawers and
Roll-Out Shelves




Capacity — 26 9/16"
Accessories required EVSHFB30



Capacity — 26 5/16"
Accessories required EVSHFB30 and one pair FBB
Not recommended for "L" openings with Roll-Out Shelves

EDP

"B" Opening
Fixed Front Drawer ONLY




Capacity — 26 9/16"
Accessories required EVSHFB30 and one pair EDPS




OPENING CAPACITIES 36" WIDE UNITS

Letter

"B" and "L" Openings
Fixed Front Drawers and
Roll-Out Shelves




Capacity — 32 9/16"
Accessories required EVSHFB36




Capacity — 31 1/2"
Accessories required EVSHFB36 and one pair of FBB
Not recommended for "L" openings with Roll-Out Shelves

Legal

"B" and "L" Openings
Fixed Front Drawers and
Roll-Out Shelves




Capacity — 32 9/16"
Accessories required EVSHFB36



Capacity — 31 1/2"
Accessories required EVSHFB36 and one pair FBB
Not recommended for "L" openings with Roll-Out Shelves

EDP

"B" Opening
Fixed Front Drawer ONLY




Capacity — 32 9/16"
Accessories required EVSHFB36 and one pair EDPS


OPENING CAPACITIES 42" WIDE UNITS

Letter

"B" and "L" Openings
Fixed Front Drawers and
Roll-Out Shelves




Capacity — 38 9/16"
Accessories required EVSHFB42




Capacity — 47 1/4"
Accessories required EVSHFB42 and one pair of FBB
Not recommended for "L" openings with Roll-Out Shelves

Legal

"B" and "L" Openings
Fixed Front Drawers and
Roll-Out Shelves




Capacity — 38 9/16"
Accessories required EVSHFB42



Capacity — 31 1/2"
Accessories required EVSHFB42 and one pair FBB
Not recommended for "L" openings with Roll-Out Shelves

EDP


"B" Opening
Fixed Front Drawer ONLY



Capacity — 38 9/16"
Accessories required EVSHFB42 and one pair EDPS


EVSOFF - OVERHEAD FLIPPER DOOR STORAGE UNIT

- Door retracts up and over the cabinet.
- Ready for quick assembly on site.
- Quality steel construction.
- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 12" H x 11.75" D.
- Lock not included (specify EVSLK12).

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Overhead Flipper Door Storage Unit	EVSOFF1224	470	14.5	12	24
		EVSOFF1230	486	14.5	12	30
		EVSOFF1236	539	14.5	12	36
		EVSOFF1242	593	14.5	12	42
		EVSOFF1248	644	14.5	12	48
		EVSOFF1254	701	14.5	12	54
		EVSOFF1260	752	14.5	12	60

EVSOFF - FULL PULL OVERHEAD FLIPPER DOOR STORAGE UNIT


- Door retracts up and over the cabinet.
- Ready for quick assembly on site.
- Quality steel construction.
- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 13.25" H x 12.75" D
- Includes lock
- When ordering EVSOFF13 lock only, specify part code EVSLK13 (\$69 list).

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Full Pull Overhead Flipper Door Storage Unit	EVSOFF1324	630	16	14.5	24
		EVSOFF1330	639	16	14.5	30
		EVSOFF1336	659	16	14.5	36
		EVSOFF1342	693	16	14.5	42
		EVSOFF1348	739	16	14.5	48
		EVSOFF1354	781	16	14.5	54
		EVSOFF1360	824	16	14.5	60



EVSOFF - OVERHEAD FLIPPER DOOR STORAGE UNIT - FULLY ASSEMBLED


- Quality steel construction.
- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 14" H x 14.75" D.
- Door retracts inside storage unit.
- Lock is included
- Task lights must be screwed into support channel underneath shelf, standard spring mounts will not work.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Overhead Flipper Door Storage Unit - Fully Assembled	EVSOFF1624	834	17.5	16	24
	EVSOFF1630	855	17.5	16	30
	EVSOFF1636	898	17.5	16	36
	EVSOFF1642	955	17.5	16	42
	EVSOFF1648	1017	17.5	16	48
	EVSOFF1654	1075	17.5	16	54
	EVSOFF1660	1120	17.5	16	60

EVSOGD - OVERHEAD WITH SLIDING GLASS DOORS


- Sliding overheads are specially designed EVSOFF12 cabinets with sliding/glass doors.
- Glass overheads available in standard widths of 24" - 60".
- Inside depth - 12"; Inside height - 12".
- Available in Tempered Frosted Glass option only.
- Overhead unit does not come with a lock option.
- Body of unit made of quality steel construction.
- Tracks for sliding glass door available in Tungsten only.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Overhead with Sliding Glass Doors	EVSOGD1224	978	14.5	12	24
	EVSOGD1230	988	14.5	12	30
	EVSOGD1236	1026	14.5	12	36
	EVSOGD1242	1084	14.5	12	42
	EVSOGD1248	1158	14.5	12	48
	EVSOGD1254	1196	14.5	12	54
	EVSOGD1260	1239	14.5	12	60

EVSOGDL - OVERHEAD WITH SLIDING GLASS DOORS WITH LOCK UNIT


- Sliding overheads are specially designed EVSOFF12 cabinets with sliding/glass doors.
- Glass Overheads available in standard widths of 24" - 60".
- Inside depth - 12"; Inside height - 12".
- Available in Tempered Frosted Glass option only
- Body of unit made of quality steel construction.
- Tracks for sliding glass door available in Tungsten only
- Push in lock. No keys alike.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Overhead with Sliding Glass Doors (Lockable)	EVSOGDL1224	1022	14.5	12	24
	EVSOGDL1230	1033	14.5	12	30
	EVSOGDL1236	1069	14.5	12	36
	EVSOGDL1242	1127	14.5	12	42
	EVSOGDL1248	1204	14.5	12	48
	EVSOGDL1254	1241	14.5	12	54
	EVSOGDL1260	1283	14.5	12	60


EVSOD - DOUBLE WALL OVERHEAD FLIPPER DOOR STORAGE UNIT

- Easy and quick assembly on site.
- Quality steel construction.
- Inside height - 13"; Inside depth - 13"
- Includes lock.
- This model is subject to minimum quantity requirements, when ordering in a premium paint finish. See page 242 for more details.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Double Wall Overhead Flipper Door Storage Unit	EVSOD1330	792	15.4	14.7	30
		EVSOD1336	815	15.4	14.7	36
		EVSOD1342	840	15.4	14.7	42
		EVSOD1348	907	15.4	14.7	48
		EVSOD1354	934	15.4	14.7	54
		EVSOD1360	964	15.4	14.7	60


EVSODS - DOUBLE WALL OVERHEAD WITH SHELF FLIPPER DOOR STORAGE UNIT

- Easy and quick assembly on site.
- Quality steel construction.
- Inside height - 13".
- Inside depth - 13".
- Includes lock.
- This model is subject to minimum quantity requirements, when ordering in a premium paint finish. See page 242 for more details.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Double Wall Overhead with Shelf Flipper Door Storage Unit	EVSODS1330	898	22.4	14.7	30
		EVSODS1336	932	22.4	14.7	36
		EVSODS1342	970	22.4	14.7	42
		EVSODS1348	1051	22.4	14.7	48
		EVSODS1354	1086	22.4	14.7	54
		EVSODS1360	1125	22.4	14.7	60

EVSODGD - DOUBLE WALL OVERHEAD GLASS SLIDING DOOR UNIT


- Sliding overheads are specially designed EVSOD cabinets with sliding/glass doors.
- Available in Tempered Frosted Glass option only.
- Glass Overheads available in standard widths of 30"- 60".
- Quality steel construction.
- Panel mount (mounting brackets are included).
- Inside height - 13".
- Inside depth - 13".
- Tracks for sliding glass door available in Tungsten only.
- This model is subject to minimum quantity requirements, when ordering in a premium paint finish. See page 242 for more details.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Double Wall Overhead Glass Sliding Door Unit	EVSODGD1330	784	15.4	14.7	30
		EVSODGD1336	815	15.4	14.7	36
		EVSODGD1342	891	15.4	14.7	42
		EVSODGD1348	957	15.4	14.7	48
		EVSODGD1354	1006	15.4	14.7	54
		EVSODGD1360	1051	15.4	14.7	60




EVSODGDL - DOUBLE WALL OVERHEAD GLASS SLIDING DOOR WITH LOCK UNIT

- Sliding overheads are specially designed EVSOD cabinets with sliding/glass doors.
- Available in Tempered Frosted Glass option only.
- Glass Overheads available in standard widths of 30" - 60".
- Quality steel construction.
- Panel mount (mounting brackets are included).
- Inside height - 13".
- Inside depth - 13".
- Tracks for sliding glass door available in Tungsten only.
- Push in lock; No keys alike. Cannot be keyed alike.
- This model is subject to minimum quantity requirements, when ordering in a premium paint finish. See page 242 for more details.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Double Wall Overhead	EVSODGDL1330	866	15.4	14.7	30
	Glass Sliding Door with Lock Unit	EVSODGDL1336	894	15.4	14.7	36
		EVSODGDL1342	971	15.4	14.7	42
		EVSODGDL1348	1036	15.4	14.7	48
		EVSODGDL1354	1086	15.4	14.7	54
		EVSODGDL1360	1127	15.4	14.7	60


EVSODSGD - DOUBLE WALL OVERHEAD WITH SHELF GLASS SLIDING DOOR UNIT

- Sliding overheads are specially designed EVSOD cabinets with sliding/glass doors.
- Available in Tempered Frosted Glass option only.
- Glass Overheads available in standard widths of 30" - 60".
- Quality steel construction.
- Inside height - 13".
- Inside depth - 13".
- Tracks for sliding Glass door available in Tungsten only.
- This model is subject to minimum quantity requirements, when ordering in a premium paint finish. See page 242 for more details.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Double Wall Overhead with Shelf	EVSODSGD1330	880	22.4	14.7	30
	Glass Sliding Door Unit	EVSODSGD1336	914	22.4	14.7	36
		EVSODSGD1342	997	22.4	14.7	42
		EVSODSGD1348	1073	22.4	14.7	48
		EVSODSGD1354	1126	22.4	14.7	54
		EVSODSGD1360	1174	22.4	14.7	60



EVSODSGDL - DOUBLE WALL OVERHEAD WITH SHELF GLASS SLIDING DOOR UNIT WITH LOCK UNIT

- Sliding overheads are specially designed EVSOD cabinets with sliding/glass doors.
- Available in Tempered Frosted Glass option only.
- Glass Overheads available in standard widths of 30" - 60".
- Quality steel construction.
- Inside height - 13".
- Inside depth - 13".
- Tracks for sliding glass door available in Tungsten only.
- Push in lock; No keys alike. Cannot be keyed alike.
- This model is subject to minimum quantity requirements, when ordering in a premium paint finish. See page 242 for more details.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Double Wall Overhead with Shelf	EVSODSGDL1330	963	22.4	14.7	30
	Glass Sliding Door with Lock Unit	EVSODSGDL1336	993	22.4	14.7	36
		EVSODSGDL1342	1079	22.4	14.7	42
		EVSODSGDL1348	1152	22.4	14.7	48
		EVSODSGDL1354	1208	22.4	14.7	54
		EVSODSGDL1360	1254	22.4	14.7	60


EVSDAOH - DUAL ACCESS OVERHEAD

- Inside dimensions 13"high x 13"deep.
- Laminate Overhead. Available in standard Evolve laminate finishes
- Top mount on panels.
- Dual Access Overhead Support Brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Dual Access Overhead - Left	EVSDAOHL36	957	15	14.125	36
		EVSDAOHL42	1039	15	14.125	42
		EVSDAOHL48	1086	15	14.125	48
		EVSDAOHL54	1169	15	14.125	54
		EVSDAOHL60	1214	15	14.125	60
	Dual Access Overhead - Right	EVSDAOHR36	957	15	14.125	36
		EVSDAOHR42	1039	15	14.125	42
		EVSDAOHR48	1086	15	14.125	48
		EVSDAOHR54	1169	15	14.125	54
		EVSDAOHR60	1214	15	14.125	60


EVSDAOHOS - DUAL ACCESS OVERHEAD WITH OPENING TO ONE SIDE

- Inside dimensions 13"high x 13"deep
- Laminate Overhead
- Available in standard Evolve laminate finishes
- Top mount on panels
- Dual Access Overhead with both opening to one side
- Dual Access Overhead Support Brackets to be ordered separately

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Dual Access Overhead	EVSDAOHOS36	1003	15	14.125	36
		EVSDAOHOS42	1090	15	14.125	42
		EVSDAOHOS48	1139	15	14.125	48
		EVSDAOHOS54	1225	15	14.125	54
		EVSDAOHOS60	1275	15	14.125	60


EVSDAOHBKTE - END OF RUN BRACKET

- Bracket supports dual access overhead on one side only
- Includes one bracket, aluminum insert and end of run plastic cap
- End of run plastic cap attaches to end of run trim
- Bracket available in standard Evolve paint finishes

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	End of Run Single Bracket	EVSDAOHBKTE	85	6.5	12	

EVSDAOHCBKTER/L - END OF RUN CANTILEVER BRACKET


- Bracket supports dual access overhead on one side only
- Includes one bracket, aluminum insert and end of run plastic cap
- End of run plastic cap attaches to end of run trim
- Bracket available in standard Evolve paint finishes
- Bracket overhang to one side

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	End of Run Single Bracket Right	EVSDAOHCBKTER	85	6.5	12	2.5
	End of Run Single Bracket Left	EVSDAOHCBKTEL	85	6.5	12	2.5




EVSDAOHBKTS - INLINE SINGLE BRACKET

- Bracket supports dual access overhead on one side only
- Includes one bracket , aluminum insert and inline plastic cap
- Inline plastic cap and top trim align
- Bracket available in standard Evolve paint finishes
- Single clamps must be used when inline single bracket is used

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Inline Single Bracket	EVSDAOHBKTS	85	6.5	12	2.5


EVSDAOHCBKTSR/L - INLINE SINGLE CANTILEVER BRACKET

- Bracket supports dual access overhead on one side only
- Includes one bracket , aluminum insert and inline plastic cap
- Inline plastic cap and top trim align
- Bracket available in standard Evolve paint finishes
- Bracket overhang to one side
- Note: Single clamps must be used when inline single bracket is used

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Inline Single Bracket Right	EVSDAOHCBKTSR	85	6.5	12	2.5
 Inline Single Bracket Left	EVSDAOHCBKTSL	85	6.5	12	2.5


EVSDAOHBKTD - DOUBLE BRACKET

- Double Bracket supports sides of dual access overheads when overhead are side by side.
- Includes two brackets, aluminum insert and plastic caps.
- Plastic caps installed between brackets
- Brackets available in standard Evolve paint finishes.
- Single clamps must be used when double bracket is used.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Double Bracket	EVSDAOHBKTD	169	6.5	12	4



EVSDAOHCBKTD - DOUBLE CANTILEVER BRACKET

- Double Bracket supports sides of dual access overheads when overhead are side by side
- Includes two brackets, aluminum insert and plastic caps
- Plastic caps installed between brackets
- Brackets available in standard Evolve paint finishes
- Bracket overhang to one side
- Note: Single clamps must be used when double bracket is used

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Double Bracket	EVSDAOHCBKTD	169	6.5	12	4


EVSSOH - TOP MOUNT KD OVERHEAD WITH SLIDING GLASS DOOR LEFT

- Inside dimensions 13”high x 13”deep.
- Laminate Side Walls and Divider, available in standard laminate finishes
- Metal Shelves and Back Wall, available in standard paint finishes
- Available in Temperate Frosted Glass only
- Tracks for sliding glass available in Tungsten only
- Top mount on panels
- Ready for quick assembly on site
- Top Mount Overhead Support Brackets to be ordered separately

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Top Mount KD Overhead - Left	EVSSOHL30	1048	15	15	30
		EVSSOHL36	1159	15	15	36
		EVSSOHL42	1275	15	15	42
		EVSSOHL48	1356	15	15	48
		EVSSOHL54	1438	15	15	54
		EVSSOHL60	1569	15	15	60
	Top Mount KD Overhead - Right	EVSSOHR30	1048	15	15	30
		EVSSOHR36	1159	15	15	36
		EVSSOHR42	1275	15	15	42
		EVSSOHR48	1356	15	15	48
		EVSSOHR54	1438	15	15	54
		EVSSOHR60	1569	15	15	60


EVSSOHBKTEE - END OF RUN BRACKET

- Bracket supports Top mount KD overhead on one side only
- Includes one bracket , aluminum insert and end of run plastic cap
- End of run plastic cap attaches to end of run trim
- Bracket available in standard Evolve paint finishes

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	End of Run Single Bracket	EVSSOHBKTE	85	7.5	12	1.5

EVSSOHBKTS - INLINE SINGLE BRACKET

- Bracket supports Top mount KD overhead on one side only
- Includes one bracket , aluminum insert and inline plastic cap
- Inline plastic cap and top trim align
- Bracket available in standard Evolve paint finishes
- Single clamps must be used when inline single bracket is used

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Inline Single Bracket	EVSSOHBKTS	85	7.5	12	1.5




EVSSOHBKTD - DOUBLE BRACKET

- Double Bracket supports sides of Top Mount KD overheads when overhead are side by side
- Includes two brackets, aluminum insert and plastic caps
- Plastic caps installed between brackets
- Brackets available in standard Evolve paint finishes
- Single clamps must be used when double bracket is used

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Double Bracket	EVSSOHBKTD	169	7.5	12	2


EVPIECH - 12 "H CHANNEL

- 12" channel to attach panel to side of center mount overhead
- Attaches with wood screws to side of installed center mount overhead with laminate sides
- Includes 12 "H channel and connecting hardware

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	12" Channel	EVPIECH12	44	12	3	


EVADA-PM - EASY-UP OVERHEAD STORAGE UNIT

- Panel Mounted Overhead Storage with metal sides and opaque door that retracts on top of the unit
- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 12" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- Not recommended for use with wall adapter.
- Unit can be converted into an upmount unit in the field by using EVADAxxKIT.
- Shipped partially assembled.
- Available in standard Evolve paint colors only. Door made of opaque plastic. **add 10% upcharge for Tungsten

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Easy-Up Overhead Storage Unit	EVADA30PM	1118	16	14.2	30
		EVADA36PM	1206	16	14.2	36
		EVADA42PM	1287	16	14.2	42
		EVADA48PM	1374	16	14.2	48
		EVADA54PM	1461	16	14.2	54
		EVADA60PM	1545	16	14.2	60


EVADA-UM - EASY-UP UPMOUNT OVERHEAD STORAGE UNIT

- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 12" deep.
- Unit includes attachment hardware, lock, mounting cantilevers and has a complete back.
- Shipped partially assembled.
- Available in standard Evolve paint colors only. Door made of opaque plastic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Easy-Up Upmount Overhead Storage Unit	EVADA30UM	1325	16	14.2	30
	EVADA36UM	1388	16	14.2	36
	EVADA42UM	1465	16	14.2	42
	EVADA48UM	1541	16	14.2	48
	EVADA54UM	1622	16	14.2	54
	EVADA60UM	1712	16	14.2	60


EVSHJB - J BARS FOR DOUBLE WALL OVERHEAD

- Converts existing panel mounted Double Wall Overhead EVSOD13, EVSODGD13 OR EVSODGDL13 into a wall mounted overhead.
- Available in Evolve standard paint finishes.
- Note: Care should be taken to fasten "J" bars only to wall studs with correct fasteners. Failure to do so may result in collapse of unit and subsequent possible personal injury.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 J Bars for Double Wall Overhead	EVSHJB30	26	1.4	30	1
	EVSHJB36	28	1.4	36	1
	EVSHJB42	31	1.4	42	1
	EVSHJB48	35	1.4	48	1
	EVSHJB54	40	1.4	54	1
	EVSHJB60	44	1.4	60	1


EVSSL - LOW-PROFILE SHELF

- 12" deep panel-mounted storage shelf with back lip.
- Includes attachment hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Low Profile Shelf	EVSSL1224	128	5	12	24
	EVSSL1230	137	5	12	30
	EVSSL1236	151	5	12	36
	EVSSL1242	156	5	12	42
	EVSSL1248	163	5	12	48
	EVSSL1254	170	5	12	54
	EVSSL1260	178	5	12	60

EVSOH - HIGH-PROFILE SHELF


- 12" deep panel-mounted storage shelf with back lip.
- Includes attachment hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 High Profile Shelf	EVSOH1224	251	14.5	12	24
	EVSOH1230	279	14.5	12	30
	EVSOH1236	294	14.5	12	36
	EVSOH1242	304	14.5	12	42
	EVSOH1248	310	14.5	12	48
	EVSOH1254	322	14.5	12	54
	EVSOH1260	325	14.5	12	60



EVSSC - CORNER SHELF KIT


- Used in conjunction with a Low or High Profile Shelf.
- Includes handed corner side panel, flat bracket and hardware.
- Corner shelf must be specified 12" smaller than panel width.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Corner Shelf Kit	EVSSC1224L	119	5	12	24
	EVSSC1230L	123	5	12	30
	EVSSC1236L	128	5	12	36
	EVSSC1224R	119	5	12	24
	EVSSC1230R	123	5	12	30
	EVSSC1236R	128	5	12	36

EVSLs - LAMINATED SHELF

- Laminated panel mounted wood shelf
- Shelf thickness is 1".
- Available in LP only.
- Includes attachment hardware.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Laminated Shelf	EVSLs0818	196	1.125	18	8.5
	EVSLs0824	211	1.125	24	8.5
	EVSLs0830	228	1.125	30	8.5
	EVSLs0836	244	1.125	36	8.5
	EVSLs0842	263	1.125	42	8.5
	EVSLs0848	278	1.125	48	8.5

EVHV - SINGLE SLOTTED WALL ADAPTER


- To attach system components to a fixed wall. The vertical wall adapter is a "U" shaped channel with a vertical row of 1" slots on center.
 - Mounting hardware not included. Mounting hardware selection to be based on wall material.
 - Use of wall rack requires lower tooth of top hook on cantilever or shelf to be notched in the field.
 - Available in standard paint colors.
 - Shipped & priced per pair.
- NOTE:**
- Care should be taken to mount adapters only to wall studs using correct fasteners. Failure to do this may result in collapse of the unit and subsequent possible personal injury.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	H
Single Slotted Wall Track	EVHV01	83	60	.5


EVADA-KIT - UPMOUNT CONVERSION KIT

- Converts an existing panel overhead storage unit EVADA-PM to an upmounted unit (EVADA-UM). 66" high panels.
- When used on a 54" high panel, the top of the overhead will match the height of • Kit includes a back panel for the overhead and cantilevers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Upmount Conversion Kit	EVADA30KIT	236	16	30	2
	EVADA36KIT	249	16	36	2
	EVADA42KIT	262	16	42	2
	EVADA48KIT	275	16	48	2
	EVADA54KIT	287	16	54	2
	EVADA60KIT	301	16	60	2


EVADAPMKIT - PANEL MOUNT CONVERSION KIT

- Converts an existing up mount overhead storage unit EVADA-UM to a panel mounted overhead storage unit EVADA-PM.
- Kit includes panel mounted brackets.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Panel Mount Conversion Kit	EVADAPMKIT	55	16	2	5

EVSQB - OVERHEAD BACK WALL


- Metal back wall attaches to EVSOF12 overhead to provide interior security.
- Can be field installed or retrofitted.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Overhead Back Wall	EVSQB24	65	14	.5	24
	EVSQB30	77	14	.5	30
	EVSQB36	87	14	.5	36
	EVSQB42	99	14	.5	42
	EVSQB48	108	14	.5	48
	EVSQB54	120	14	.5	54
	EVSQB60	128	14	.5	60




EVSOFPB - FULL PULL OVERHEAD BACK WALL

- Metal back wall attaches to EVSOF13 overhead to provide interior security.
- Can be field installed or retrofitted.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Full Pull Overhead Back Wall	EVSOFPB24	65	14	.5	24
		EVSOFPB30	77	14	.5	30
		EVSOFPB36	87	14	.5	36
		EVSOFPB42	99	14	.5	42
		EVSOFPB48	108	14	.5	48
		EVSOFPB54	120	14	.5	54
		EVSOFPB60	128	14	.5	60


EVSOIB - INTERNATIONAL OVERHEAD BACK WALL

- Metal back wall attaches to EVSOF17 overhead to provide interior security.
- Can be field installed or retrofitted.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	International Overhead Back Wall	EVSOIB24	69	17	.5	24
		EVSOIB30	83	17	.5	30
		EVSOIB36	90	17	.5	36
		EVSOIB42	104	17	.5	42
		EVSOIB48	114	17	.5	48


EVAOMFD - DRY ERASE MARKER BOARD

- Adheres magnetically to the front of Flipper Door (EVSOF) Overhead.
- Use erasable writeboard markers only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Dry Erase Marker Board	EVAOMFD24	293	14.4	.5	22.8
		EVAOMFD30	337	14.4	.5	28.8
		EVAOMFD36	381	14.4	.5	34.8
		EVAOMFD42	432	14.4	.5	40.8
		EVAOMFD48	476	14.4	.5	46.8
		EVAOMFD54	512	14.4	.5	52.8
		EVAOMFD60	542	14.4	.5	58.8


EVSOFD - OVERHEAD DIVIDER

- Attaches to overhead top shelf inside the overhead.
- Provides rigid division for books and binders.
- Not for use with 1600 series overhead storage units.
- Can be used with a hutch.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Overhead Divider	EVSOFD01	69	21	30	


EVS12BBF - TWELVE SERIES BOX/BOX/FILE PEDESTAL - WORKSURFACE SUPPORTING

- Freestanding/Worksurface Supporting Pedestal.
- Includes one pencil tray and one divider.
- Lock is standard. Lock positioned on the front face, right side.
- Can be retrofit to a panel using a pedestal bracket, please specify EVHBP1. Pedestal bracket is specified separately, see Worksurfaces for listing.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series Box/Box/File Pedestal - Worksurface Supporting	EVS1218BBF	654	27.75	18	15
		EVS1223BBF	661	27.75	23	15
		EVS1224BBF	661	27.75	24	15
		EVS1229BBF	731	27.75	29	15
		EVS1230BBF	731	27.75	30	15


EVS12FF - TWELVE SERIES FILE/FILE PEDESTAL - WORKSURFACE SUPPORTING

- Freestanding/Worksurface Supporting Pedestal with long pull and double wall drawer front construction.
- Lock is standard. Lock positioned on the front face, right side.
- Can be retrofit to a panel using a pedestal bracket, please specify EVHBP1. Pedestal bracket is specified separately, see Worksurfaces for listing.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series File/File Pedestal - Worksurface Supporting	EVS1218FF	654	27.75	18	15
		EVS1223FF	661	27.75	23	15
		EVS1224FF	661	27.75	24	15
		EVS1229FF	731	27.75	29	15
		EVS1230FF	731	27.75	30	15


EVS12BF - TWELVE SERIES BOX/FILE PEDESTAL

- Freestanding Pedestal.
- Includes one pencil tray and one divider.
- Lock is standard. Lock positioned on the front face, right side.
- Not worksurface supporting.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series Box/File Pedestal	EVS1218BF	654	21.75	18	15
		EVS1223BF	661	21.75	23	15
		EVS1229BF	731	21.75	29	15

EVS12BFM - TWELVE SERIES MOBILE BOX/FILE PEDESTAL


- Mobile Pedestal that includes one pencil tray and one divider.
- Includes factory installed counterweight balance.
- Lock is standard. Lock positioned on the front face, right side.
- Not for use with pedestal seat cushion.
- Casters do not lock.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series Mobile Box/File Pedestal	EVS1218BFM	791	21.6	18	15
		EVS1223BFM	797	21.6	23	15
		EVS1229BFM	944	21.6	29	15



EVS12DBBBFM - TWELVE SERIES MOBILE BOX/BOX/FILE PEDESTAL WITH SMALL BASE


- Mobile pedestal with flat front, double wall drawer construction.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on front face, on right side.
- Pedestal will fit under 29" high worksurface.
- All casters are non locking.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Twelve Series Mobile Box/Box/File Pedestal	EVS12SB19BBFM	768	28	19	15
	EVS12SB23BBFM	781	28	23	15
	EVS12SB29BBFM	789	28	29	15

EVS12SBFFM - TWELVE SERIES MOBILE FILE/FILE PEDESTAL WITH SMALL BASE


- Mobile pedestal with flat front, double wall drawer construction.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on front face, on right side.
- Pedestal will fit under 29" high worksurface.
- All casters are non locking.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Twelve Series Mobile File/File Pedestal	EVS12SB19FFM	768	28	19	15
	EVS12SB23FFM	781	28	23	15
	EVS12SB29FFM	789	28	29	15

EVS12BFLCM - MOBILE BOX/FILE PEDESTAL WITH 60MM CASTERS



- Mobile pedestal that includes one pencil tray and one divider.
- Includes factory installed counterweight.
- Lock is standard.
- 60mm high casters.
- For use with pedestal seat cushion. See model below.
- Casters do not lock.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Mobile Box/File Pedestal with 60mm Casters	EVS1219BFLCM	791	24.125	19	15
	EVS1223BFLCM	797	24.125	23	15
	EVS1229BFLCM	944	24.125	29	15


EVCUSHION15 - PEDESTAL SEAT CUSHIONS

- Cushions will have single stitching at the seams.
- Velcro included for quick attachment to pedestal file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back,
- Cushions are for use on EVS12BFLCM Mobile Pedestals.
- Please choose a fabric from the standard cushion textiles on pages 244-246.

	DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES														DIM./INCH			YRDS			
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		H	D	W
	Pedestal Seat	EVCUSHION15X18X1	186	218	242	277	327	351	396	468	525	586	713	849	785	891	1108	1324	1537	1	18	15	1
	Cushions - 1" Thick	EVCUSHION15X19X1	186	218	242	277	327	351	396	468	525	586	713	849	785	891	1108	1324	1537	1	19	15	1
		EVCUSHION15X23X1	208	241	266	299	351	373	418	492	547	609	735	873	803	910	1128	1341	1556	1	23	15	1
		EVCUSHION15X24X1	208	241	266	299	351	373	418	492	547	609	735	873	803	910	1128	1341	1556	1	24	15	1
		EVCUSHION15X29X1	275	317	345	395	461	493	551	650	724	808	977	1160	1067	1210	1498	1784	2071	1	29	15	1
		EVCUSHION15X30X1	275	317	345	395	461	493	551	650	724	808	977	1160	1067	1210	1498	1784	2071	1	30	15	1
	Pedestal Seat	EVCUSHION15X18X2	206	238	261	296	346	370	415	488	544	605	730	871	801	908	1123	1339	1123	2	18	15	2
	Cushions - 2" Thick	EVCUSHION15X19X2	206	238	261	296	346	370	415	488	544	605	746	871	801	908	1123	1339	1123	2	19	15	2
		EVCUSHION15X23X2	231	263	287	322	372	396	442	513	570	631	758	894	821	929	1145	1360	1575	2	23	15	2
		EVCUSHION15X24X2	231	263	287	322	372	396	442	513	570	631	758	894	821	929	1145	1360	1575	2	24	15	2
		EVCUSHION15X29X2	307	347	377	425	493	525	583	681	755	839	1007	1188	1094	1235	1523	1808	2098	2	29	15	2
		EVCUSHION15X30X2	307	347	377	425	493	525	583	681	755	839	1007	1188	1094	1235	1523	1808	2098	2	30	15	2


EVS1230DP - TWELVE SERIES LINEAR COMBINATION DOUBLE PEDESTAL

- Measures 30" wide.
- Right (R) or Left (L) is determined by the side of cabinet with file drawer.
- Include one pencil tray and one divider.
- Freestanding/Worksurface Supporting Pedestal.
- Includes one lock.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series Linear Combination	EVS1230DPL	1727	27.875	18	30
	Double Pedestal	EVS1230DPR	1727	27.875	18	30

EVHPB - PEDESTAL BRACKET

- Attaches to back edge of a pedestal and connects a pedestal to panel connector.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES
	Pedestal Bracket	EVHPB1	32	11



EVSSP12BFM - CUBE STORAGE BF MOBILE PEDESTAL


- Mobile pedestal with door and shelf
- Includes four locking casters
- File interior dimensions: 11 7/8"H x 11 13/16"W x 10 7/16"D
- Metal wire divider file is 3-7/16" from side, can be installed either on the left or right side
- Includes lock
- Shipped KD



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSP12BFMKL	744	22	12	12
	EVSSP12BFMKR	744	22	12	12

EVSSP12BBFM - CUBE STORAGE BBF MOBILE PEDESTAL


- Mobile pedestal with door and shelf
- Includes four locking casters
- File interior dimensions: 11 7/8"H x 11 13/16"W x 10 7/16"D
- Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Includes lock
- Shipped KD



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSP12BBFMKL	928	28	12	12
	EVSSP12BBFMKR	928	28	12	12

EVSSP12SFM - CUBE STORAGE SF MOBILE PEDESTAL


- Mobile pedestal with doors
- Includes four locking casters
- File interior dimensions: 11 7/8"H x 11 13/16"W x 10 7/16"D
- Metal wire divider in storage and file is 3-7/16" from side, can be installed either on the left or right side
- Storage interior dimension: 10 1/2"H x 11 13/16"W x 10 7/16"D
- Includes lock
- Shipped KD



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSP12SFMKL	972	28	12	12
	EVSSP12SFMKR	972	28	12	12

EVSSP12BFM - CUBE STORAGE BF MOBILE PEDESTAL


- Mobile pedestal with door and shelf
 - Includes four locking casters
 - File interior dimensions: 11 7/8"H x 11 13/16"W x 10 7/16"D
 - Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Shipped KD



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSP12BFML	668	22	12	12
	EVSSP12BFMR	668	22	12	12

EVSSP12BBFM - CUBE STORAGE BBF MOBILE PEDESTAL


- Mobile pedestal with door and shelf
 - Includes four locking casters
 - File interior dimensions: 11 7/8"H x 11 13/16"W x 10 7/16"D
 - Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Shipped KD



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSP12BBFML	852	28	12	12
	EVSSP12BBFMR	852	28	12	12

EVSSP12SFM - CUBE STORAGE SF MOBILE PEDESTAL

- Mobile pedestal with doors
 - Includes four locking casters
 - File interior dimensions: 11 7/8"H x 11 13/16"W x 10 7/16"D
 - Metal wire divider in storage and file is 3-7/16" from side, can be installed either on the left or right side
- Storage interior dimension: 10 1/2"H x 11 13/16"W x 10 7/16"D
 - Shipped KD




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSP12SFML	776	28	12	12
	EVSSP12SFMR	776	28	12	12



EVFELT03BC-PET PIECE FOR SHELF FOR PEDESTAL WITH CLOSED BACK

- PET piece for shelf for pedestal with closed back
- Front edge at 45 degree

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W




	EVFELT03BC	38	12	12	.038
--	------------	----	----	----	------

EVSSPH12BF - CUBE STORAGE BF

- Hanging storage
- Attaches to underside of worksurface
- File interior dimensions: 11 7/8"H x 11 13/16"W x 10 7/16"D
- Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Configuration box/file with door
- Includes lock
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W




	EVSSPH12BFKL	554	18.5	12	12
	EVSSPH12BFKR	554	18.5	12	12

EVSSPH12BFB - CUBE STORAGE BFB

- Hanging storage
- Attaches to underside of worksurface
- File interior dimensions: 11 7/8"H x 11 13/16"W x 10 7/16"D
- Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Configuration box/file with door/box
- Includes lock
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W



	EVSSPH12BFBKL	738	24	12	12
	EVSSPH12BFBKR	738	24	12	12


EVSSPH12BF - CUBE STORAGE BF

- Hanging storage
- Attaches to underside of worksurface
- File interior dimensions: 11 7/8"H x 11 13/16"W x 10 7/16"D
- Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Configuration box/file with door
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSPH12BFL	478	18.5	12	12
	EVSSPH12BFR	478	18.5	12	12


EVSSPH12BFB - CUBE STORAGE BFB

- Hanging storage
- Attaches to underside of worksurface
- File interior dimensions: 11 7/8"H x 11 13/16"W x 10 7/16"D
- Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Configuration box/file with door/box
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSPH12BFBFL	662	24	12	12
	EVSSPH12BFBFR	662	24	12	12

EVSSPH12B - CUBE STORAGE B


- Hanging storage
- Attaches to underside of worksurface
- Configuration box
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSPH12B	185	11.5	12	12



EVSSPH12BB - CUBE STORAGE BB


- Hanging storage
- Attaches to underside of worksurface
- Configuration box/box
- Shipped KD



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSPH12BB	369	17	12	12

EVS12X1H1F - ONE 1/2 HEIGHT FIXED FRONT & ONE 12" FIXED FRONT LATERAL FILE


- 1/2 Height Box Drawer.
- 1 Fixed Drawer Front.
- Includes Lock.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
One 1/2 Height Fixed Front & One 12" Fixed Front Lateral File	EVS1230X1H1F	1526	21.75	18	30
	EVS1236X1H1F	1589	21.75	18	36
	EVS1242X1H1F	1643	21.75	18	42

EVS12X1S1F - ONE 1/2 HEIGHT OPEN SHELF & ONE 12" FIXED FRONT LATERAL FILE


- 1/2 Height Open Shelf.
- 1 Fixed Drawer Front.
- Includes Lock.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
One 1/2 Height Open Shelf & One 12" Fixed Front Lateral File	EVS1230X1S1F	1477	21.75	18	30
	EVS1236X1S1F	1509	21.75	18	36
	EVS1242X1S1F	1542	21.75	18	42

EVS12X1SND - ONE 1/2 HEIGHT OPEN SHELF & ONE 12" OPEN SHELF LATERAL CABINET


- 1/2 Height Open Shelf.
- Bottom Open Shelf.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	EVS1230X1SND	1193	21.75	18	30
	EVS1236X1SND	1300	21.75	18	36
	EVS1242X1SND	1389	21.75	18	42



EVS12X1S - ONE 1/2 HEIGHT SHELF & ONE 12" SHELF LATERAL CABINET WITH DOORS

- One 1/2 height storage module with long pull handles.
- Storage cabinet with doors.
- Includes Lock.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	D	W
	One and 1/2 Height Shelf &	EVS1230X1S	1254		21.75	18	30
	One 12" Shelf Lateral Cabinet with Doors	EVS1236X1S	1397		21.75	18	36
		EVS1242X1S	1531		21.75	18	42


EVCUSHION18 - LATERAL SEAT CUSHIONS

- Cushions will have single stitching at the seams,
- Velcro included for quick attachment to lateral file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back.
- Please choose a fabric from the standard cushion textiles on pages 244-246.

	DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES															DIM./INCH			YRDS		
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	H		D	W
	Lateral Seat	EVCUSHION18X30X1	289	331	361	408	475	506	567	664	739	683	991	1172	1078	1223	1508	1796	2083	1	18	30	1
	Cushions - 1" Thick	EVCUSHION18X36X1	321	363	395	441	509	540	601	697	770	854	1023	1206	1388	1569	1932	2297	2658	1	18	36	1
		EVCUSHION18X42X1	343	385	416	463	531	561	623	719	793	877	1046	1230	1123	1268	1554	1841	2127	1	18	42	1
	Lateral Seat	EVCUSHION18X30X2	1201	359	388	436	504	536	594	692	767	850	1020	1201	1103	1245	1532	1819	2105	2	18	30	2
	Cushions - 2" Thick	EVCUSHION18X36X2	356	398	428	474	543	574	634	730	804	889	1059	1239	1421	1604	1966	2330	2694	2	18	36	2
		EVCUSHION18X42X2	356	398	428	474	543	574	634	730	804	889	1059	1239	1151	1294	1581	1869	2155	2	18	42	2

EVT - LATERAL FILE TOPS


- Note the following abbreviations:
T = Thermally-Fused Laminate and H = High Pressure Laminate.
- Available in standard Evolve finishes see page 240.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	D	W
	Lateral File Tops	EVT1830	148	207	1	18	30
		EVT1836	168	236	1	18	36
		EVT1842	202	309	1	18	42
		EVT1860	273	468	1	18	60
		EVT1872	322	529	1	18	72
		EVT1884	450	605	1	18	84
		EVT1890	485	659	1	18	90
		EVT18108	586	812	1	18	108



EVS12FKIT - 1212 DRAWER CONVERSION KIT


- Converts an existing box/box/file pedestal into a file/file pedestal.
- Kit includes 1 - 12" high drawer front, 1 - 12" high drawer body, 2 sets of slides and lock bar.
- Specify type of conversion kit, color of front and color of handle. Existing pedestal depth to be retrofitted.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
1212 Drawer Conversion Kit	EVS1218FKIT	228	15	18	15
	EVS1223FKIT	228	15	23	15
	EVS1224FKIT	228	15	24	15
	EVS1229FKIT	228	15	29	15
	EVS1230FKIT	228	15	30	15

EVS12BKIT - 6612 DRAWER CONVERSION KIT


- Converts an existing file/file pedestal into a box/box/file pedestal.
- Kit includes 2 - 6" high drawer front, 2 - 6" high drawer body, set of slides and lock bar.
- Specify type of conversion kit, color of front and color of handle. Existing pedestal depth to be retrofitted.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
6612 Drawer Conversion Kit	EVS1218BKIT	228	15	18	15
	EVS1223BKIT	228	15	23	15
	EVS1224BKIT	228	15	24	15
	EVS1229BKIT	228	15	29	15
	EVS1230BKIT	228	15	30	15

EVS12FFKIT - FIXED FRONT DOOR CONVERSION KIT


- Fixed front drawer conversion with receding door roll out drawer.
- Must indicate position (1,2,3,4,5) of conversion from top to bottom.
- Drawer interiors are finished Black.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Fixed Front Door Conversion Kit	EVS1230FFKIT	252	13.5	17	30
	EVS1236FFKIT	252	13.5	17	36
	EVS1242FFKIT	252	13.5	17	42


EVS12RDKIT - RECEDING DOOR WITH FIXED SLOTTED SHELF

- Receding door and fixed slotted shelf conversion from fixed front drawer.
- Fixed front drawer can be substituted for a roll out drawer in a receding opening at no extra charge at the time of order.
- Add list price to each opening being converted.
- Indicate position (1,2,3,4,5) of conversion from top to bottom.
- Drawer interiors are finished Black.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Receding Door with Fixed Slotted Shelf	EVS1230RDKIT	252	9.1	16.5	30
	EVS1236RDKIT	252	9.1	16.5	36
	EVS1242RDKIT	252	9.1	16.5	42

EVS12BHHKIT - HALF HEIGHT DOOR CONVERSION KIT



- Receding door and fixed slotted shelf conversion from fixed front drawer.
- Fixed front drawer can be substituted for a roll out drawer in a receding opening at no extra charge at the time of order.
- Add list price to each opening being converted.
- Indicate position (1,2,3,4,5) of conversion from top to bottom.
- Drawer interiors are finished Black.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Half Height Door Conversion Kit	EVS1230BHHKIT	282	6.75	17	30
	EVS1236BHHKIT	282	6.75	17	36
	EVS1242BHHKIT	282	6.75	17	42





EVSCR/SGD-P - 21" HIGH PANEL MOUNTED DOUBLE WALL CABINET

- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike. Cannot be keyed alike.
- **R**-Round legs
- **S**-Square legs
- Panel supported(brackets included)
- Double wall cabinet top not included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	21" High Panel Mounted Double Wall Cabinet - Round Legs	EVSCRGD1330P	843	21	14.7	30
		EVSCRGD1336P	890	21	14.7	36
		EVSCRGD1342P	953	21	14.7	42
		EVSCRGD1348P	1015	21	14.7	48
		EVSCRGD1354P	1079	21	14.7	54
		EVSCRGD1360P	1125	21	14.7	60
	21" High Panel Mounted Double Wall Cabinet - Square Legs	EVSCSGD1330P	843	21	14.7	30
		EVSCSGD1336P	890	21	14.7	36
		EVSCSGD1342P	953	21	14.7	42
		EVSCSGD1348P	1015	21	14.7	48
		EVSCSGD1354P	1079	21	14.7	54
		EVSCSGD1360P	1125	21	14.7	60



EVSCR/SGD-F - 21" HIGH FREESTANDING DOUBLE WALL CABINET

- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike. Cannot be keyed alike.
- **R**-Round legs
- **S**-Square legs
- Free Standing with Back Wall
- Double wall cabinet top not included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	21" High Freestanding Double Wall Cabinet - Round Legs	EVSCRGD1330F	978	21	14.7	30
		EVSCRGD1336F	1029	21	14.7	36
		EVSCRGD1342F	1102	21	14.7	42
		EVSCRGD1348F	1169	21	14.7	48
		EVSCRGD1354F	1240	21	14.7	54
		EVSCRGD1360F	1293	21	14.7	60
	21" High Freestanding Double Wall Cabinet - Square Legs	EVSCSGD1330F	978	21	14.7	30
		EVSCSGD1336F	1029	21	14.7	36
		EVSCSGD1342F	1102	21	14.7	42
		EVSCSGD1348F	1169	21	14.7	48
		EVSCSGD1354F	1240	21	14.7	54
		EVSCSGD1360F	1293	21	14.7	60



EVSDCR/SGD - 21" HIGH BACK TO BACK DOUBLE WALL CABINET

- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike
- **R**-Round legs
- **S**-Square legs
- Back to Back Free Standing (back wall included)
- Back to Back top not included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	21" High Back to Back Double Wall Cabinet - Round Legs	EVSDCRGD1330	1713	21	29.4	30
		EVSDCRGD1336	1811	21	29.4	36
		EVSDCRGD1342	1947	21	29.4	42
		EVSDCRGD1348	2036	21	29.4	48
		EVSDCRGD1354	2212	21	29.4	54
		EVSDCRGD1360	2309	21	29.4	60
	21" High Back to Back Double Wall Cabinet - Square Legs	EVSDCSGD1330	1713	21	29.4	30
		EVSDCSGD1336	1811	21	29.4	30
		EVSDCSGD1342	1947	21	29.4	30
		EVSDCSGD1348	2036	21	29.4	30
		EVSDCSGD1354	2212	21	29.4	30
		EVSDCSGD1360	2309	21	29.4	30

EVSCR/SGD-P - 28" HIGH PANEL MOUNTED DOUBLE WALL CABINET



- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike
- **R**-Round legs
- **S**-Square legs
- Panel supported (brackets included)
- Double wall cabinet top not included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	28" High Panel Mounted Double Wall Cabinet - Round Legs	EVSCRGD2230P	1114	28	14.7	30
		EVSCRGD2236P	1167	28	14.7	36
		EVSCRGD2242P	1237	28	14.7	42
		EVSCRGD2248P	1306	28	14.7	48
		EVSCRGD2254P	1380	28	14.7	54
		EVSCRGD2260P	1439	28	14.7	60
	28" High Panel Mounted Double Wall Cabinet - Square Legs	EVSCSGD2230P	1114	28	14.7	30
		EVSCSGD2236P	1167	28	14.7	36
		EVSCSGD2242P	1237	28	14.7	42
		EVSCSGD2248P	1306	28	14.7	48
		EVSCSGD2254P	1380	28	14.7	54
		EVSCSGD2260P	1439	28	14.7	60





EVSCR/SGD-F - 28" HIGH FREESTANDING DOUBLE WALL CABINET

- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike
- **R**-Round legs
- **S**-Square legs
- Free Standing with Back Wall
- Double wall cabinet top not included.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	28" High Freestanding Double Wall Cabinet - Round Legs	EVSCRGD2230F	1247	28	14.7	30
		EVSCRGD2236F	1306	28	14.7	36
		EVSCRGD2242F	1392	28	14.7	42
		EVSCRGD2248F	1468	28	14.7	48
		EVSCRGD2254F	1553	28	14.7	54
		EVSCRGD2260F	1611	28	14.7	60
	28" High Freestanding Double Wall Cabinet - Square Legs	EVSCSGD2230F	1247	28	14.7	30
		EVSCSGD2236F	1306	28	14.7	36
		EVSCSGD2242F	1392	28	14.7	42
		EVSCSGD2248F	1468	28	14.7	48
		EVSCSGD2254F	1553	28	14.7	54
		EVSCSGD2260F	1611	28	14.7	60

EVSDCR/SGD - 28" HIGH BACK TO BACK DOUBLE WALL CABINET


- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike
- **R**-Round legs
- **S**-Square legs
- Back to Back Free Standing (back wall included)
- Back to Back top not included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	28" High Back to Back Double Wall Cabinet - Round Legs	EVSDCRGD2230	2254	28	29.4	30
		EVSDCRGD2236	2357	28	29.4	36
		EVSDCRGD2242	2520	28	29.4	42
		EVSDCRGD2248	2663	28	29.4	48
		EVSDCRGD2254	2829	28	29.4	54
		EVSDCRGD2260	2932	28	29.4	60
	28" High Back to Back Double Wall Cabinet - Square Legs	EVSDCSGD2230	2254	28	29.4	30
		EVSDCSGD2236	2357	28	29.4	36
		EVSDCSGD2242	2520	28	29.4	42
		EVSDCSGD2248	2663	28	29.4	48
		EVSDCSGD2254	2829	28	29.4	54
		EVSDCSGD2260	2932	28	29.4	60

DOUBLE WALL CABINET TOP


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Double Wall Cabinet Top	EVT1430	113	1	14.5	30
		EVT1436	128	1	14.5	36
		EVT1442	145	1	14.5	42
		EVT1448	164	1	14.5	48
		EVT1454	179	1	14.5	54
		EVT1460	198	1	14.5	60

BACK TO BACK DOUBLE WALL CABINET TOP

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Back to Double Wall Cabinet Top	EVT2930	168	1	29.4	30
	EVT2936	199	1	29.4	36
	EVT2942	278	1	29.4	42
	EVT2948	293	1	29.4	48
	EVT2954	322	1	29.4	54
	EVT2960	343	1	29.4	60


EVS12TXX2B1F - TWELVE SERIES BOX/BOX/FILE STORAGE TOWER

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Storage tower has 1 adjustable shelf and 1 fixed shelf.
- Coat storage may be specified right or left.
- Tower comes with 3 locks - 1 for the drawers, 1 for the storage door and 1 for the coat locker.
- Full height coat storage is 7" wide with ventilation.
- Locks are keyed alike.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Twelve Series Box/Box File Storage Tower - 42" High	EVS12T422B1FR	2905	42	24	24
	EVS12T422B1FL	2905	42	24	24
Twelve Series Box/Box File Storage Tower - 50" High	EVS12T502B1FR	2905	50	24	24
	EVS12T502B1FL	2905	50	24	24
Twelve Series Box/Box File Storage Tower - 54" High	EVS12T542B1FR	2905	54	24	24
	EVS12T542B1FL	2905	54	24	24
Left shown Twelve Series Box/Box/File Storage Tower - 65 7/8" High	EVS12T662B1FR	3037	65.875	24	24
	EVS12T662B1FL	3037	65.875	24	24

EVS12TXX2F - TWELVE SERIES FILE/FILE STORAGE TOWER


- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Storage tower has 1 adjustable shelf and 1 fixed shelf.
- Coat storage may be specified right or left.
- Tower comes with 3 locks - 1 for the drawers, 1 for the storage door and 1 for the coat locker.
- Full height coat storage is 7" wide with ventilation.
- Locks are keyed alike.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Twelve Series File/File Storage Tower - 42" High	EVS12T422FR	2905	42	24	24
	EVS12T422FL	2905	42	24	24
Twelve Series File/File Storage Tower - 50" High	EVS12T502FR	2905	50	24	24
	EVS12T502FL	2905	50	24	24
Twelve Series File/File Storage Tower - 54" High	EVS12T542FR	2905	54	24	24
	EVS12T542FL	2905	54	24	24
Left shown Twelve Series File/File Storage Tower - 65 7/8" High	EVS12T662FR	3037	65.875	24	24
	EVS12T662FL	3037	65.875	24	24



EVS12TSOXX2BF - TWELVE SERIES SIDE OPENING BOX/BOX/FILE STORAGE TOWER


- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 7" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf.
- Tower comes with 2 locks - 1 for the file drawers and 1 for the coat locker.
- Locks are keyed alike.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series Side Opening	EVS12TS0502BFR	3055	50	24	24
	Box/Box/File Storage Tower - 50" High	EVS12TS0502BFL	3055	50	24	24
	Twelve Series Side Opening	EVS12TS0542B1FR	3210	54	24	24
	Box/Box/File Storage Tower - 54" High	EVS12TS0542B1FL	3210	54	24	24
	Twelve Series Side Opening	EVS12TS0662B1FR	3262	65.875	24	24
	Box/Box/File Storage Tower - 65 7/8" High	EVS12TS0662B1FL	3262	65.875	24	24

Right shown

EVS12TSOXX2F - TWELVE SERIES SIDE OPENING FILE/FILE STORAGE TOWER





- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 7" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf.
- Tower comes with 2 locks - 1 for the file drawers and 1 for the coat locker.
- Locks are keyed alike.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series Side Opening	EVS12TS0502FR	3191	50	24	24
	File/File Storage Tower - 50" High	EVS12TS0502FL	3191	50	24	24
	Twelve Series Side Opening	EVS12TS0542FR	3210	54	24	24
	File/File Storage Tower - 54" High	EVS12TS0542FL	3210	54	24	24
	Twelve Series Side Opening	EVS12TS0662FR	3262	65.875	24	24
	File/File Storage Tower - 65 7/8" High	EVS12TS0662FL	3262	65.875	24	24

Right shown

EVS12F - 12" OPENING LATERAL FILE FIXED FRONT DRAWERS





- 12" Opening Lateral File.
- Two High: All openings are Fixed Front Drawer.
- Three High: All openings are Fixed Front Drawer.
- Four High: Top drawer is receding with roll-out shelf. Remaining drawers are Fixed Front Drawers.
- Five High: Top 2 drawers are receding door and roll-out shelf. Remaining drawers are Fixed Front Drawers.
- Side-to-side bars and lock included.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	12" Opening Lateral File - 2 High	EVS123022FWS	1300	27.75	18	30
		EVS123622FWS	1359	27.75	18	36
		EVS124222FWS	1434	27.75	18	42
	12" Opening Lateral File - 3 High	EVS123033F	1703	40.5	18	30
		EVS123633F	1790	40.5	18	36
		EVS124233F	1894	40.5	18	42
	12" Opening Lateral File - 4 High	EVS123041R3F	2162	54	18	30
		EVS123641R3F	2275	54	18	36
		EVS124241R3F	2411	54	18	42
	12" Opening Lateral File - 5 High	EVS123052R3F	2673	65.88	18	30
		EVS123652R3F	2785	65.88	18	36
		EVS124252R3F	2935	65.88	18	42







EVS12R1F - 12" RECEDING DOOR AND ROLL-OUT SHELVES

- 12" Opening Lateral File.
- Two High: Top opening is Receding Door and Roll-Out Shelf. Bottom drawer is Fixed Front Drawer.
- Three High: Top 2 openings are Receding Door and Roll-Out Shelf. Bottom drawer is Fixed Front Drawer.
- Four High: Top 3 openings are Receding Door and Roll-Out Shelf. Bottom drawer is Fixed Front Drawer.
- Five High: Top 4 openings are Receding Door and Roll-Out Shelf. Bottom drawer is Fixed Front Drawer.
- Side-to-side bars and lock included.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	12" Receding Door and Roll-Out Shelves - 2 High	EVS123021R1FWS	1284	27.75	18	30
		EVS123621R1FWS	1339	27.75	18	36
		EVS124221R1FWS	1416	27.75	18	42
	12" Receding Door and Roll-Out Shelves - 3 High	EVS123032R1F	1778	40.5	18	30
		EVS123632R1F	1866	40.5	18	36
		EVS124232R1F	1965	40.5	18	42
	12" Receding Door and Roll-Out Shelves - 4 High	EVS123043R1F	2248	54	18	30
		EVS123643R1F	2376	54	18	36
		EVS124243R1F	2518	54	18	42
	12" Receding Door and Roll-Out Shelves - 5 High	EVS123054R1F	2766	65.88	18	30
		EVS123654R1F	2911	65.88	18	36
		EVS124254R1F	3070	65.88	18	42

EVS12S - 12" RECEDING DOOR AND FIXED SHELVES


- 12" Opening Lateral File.
- Two High: All openings are Receding Doors and Fixed Shelves.
- Three High: All openings are Receding Doors and Fixed Shelves.
- Four High: All openings are Receding Doors and Fixed Shelves.
- Five High: All openings are Receding Doors and Fixed Shelves.
- 3 Plate Dividers and Lock are included.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	12" Receding Door and Fixed Shelves - 2 High	EVS123022SWS	1299	27.75	18	30
		EVS123622SWS	1359	27.75	18	36
		EVS124222SWS	1434	27.75	18	42
	12" Receding Door and Fixed Shelves - 3 High	EVS123033S	1703	40.5	18	30
		EVS123633S	1790	40.5	18	36
		EVS124233S	1895	40.5	18	42
	12" Receding Door and Fixed Shelves - 4 High	EVS123044S	2162	54	18	30
		EVS123644S	2277	54	18	36
		EVS124244S	2411	54	18	42
	12" Receding Door and Fixed Shelves - 5 High	EVS123055S	2673	65.88	18	30
		EVS123655S	2784	65.88	18	36
		EVS124255S	2936	65.88	18	42




EVS121B3F - 12" OPENING LATERAL FILE WITH 1 "B" - BINDER OPENING, RECEDING DOOR AND 3 FIXED FRONT DRAWERS

- 12" Opening Lateral File.
- Four High: Top opening is "B" size with Receding Door and Fixed Shelf. Remaining 3 drawers are Fixed Front Drawers.
- Five High: Top opening is "B" size with Receding Door and Fixed Shelf. Remaining 4 drawers are Fixed Front Drawers.
- Lock is included.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	12" Opening Lateral File with 1 "B" Opening, Receding Door and 3 Fixed Shelves - 4 High	EVS123041B3F	2750	54	18	30
		EVS123641B3F	2857	54	18	36
		EVS124241B3F	2966	54	18	42
	12" Opening Lateral File with 1 "B" Opening, Receding Door and 4 Fixed Shelves - 5 High 4 High Shown	EVS123051B1R3F	3313	65.88	18	30
		EVS123651B1R3F	3489	65.88	18	36
		EVS124251B1R3F	3687	65.88	18	42


EVT - LATERAL FILE TOPS

- Note the following abbreviations:
- H = High Pressure Laminate
- T = Thermally-Fused Laminate
- Available in standard Evolve finishes see page 240.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			LP	HP	H	D	W
	Lateral File Tops	EVT1830	148	207	1	18	30
		EVT1836	168	236	1	18	36
		EVT1842	202	309	1	18	42
		EVT1860	273	468	1	18	60
		EVT1872	322	529	1	18	72
		EVT1884	450	605	1	18	84
		EVT1890	485	659	1	18	90
		EVT18108	586	812	1	18	108


EVS12M502S2F - 12" OPENING MULTI STORAGE UNIT

- 2 lateral file drawers and storage with hinged doors.
- 2 Locks per unit is included, (1) for door (1) for drawers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
 5 High (Lateral) Shown	12" Opening Multi Storage Unit - 4 High (50" High)	EVS1230M502S2F	2729	50	18	30
		EVS1236M502S2F	2921	50	18	36
		EVS1242M502S2F	3144	50	18	42
	12" Opening Multi Storage Unit - 4 High (54" High)	EVS1230M542S2F	2864	54	18	30
		EVS1236M542S2F	3063	54	18	36
		EVS1242M542S2F	3178	54	18	42
	12" Opening Multi Storage Unit - 5 High (2 Lateral)	EVS1230M662S2F	3185	65.88	18	30
		EVS1236M662S2F	3424	65.88	18	36
		EVS1242M662S2F	3662	65.88	18	42
	12" Opening Multi Storage Unit - 5 High (3 Lateral)	EVS1230M662S3F	3167	65.88	18	30
		EVS1236M662S3F	3424	65.88	18	36
		EVS1242M662S3F	3693	65.88	18	42


EVS12SFSND - OPEN STORAGE CABINET

- Storage Cabinet with no doors.
- 2SIND - 27 3/4" high with 1 shelf.
- 3SIND - 40 1/2" high with 2 shelves.
- 4SIND - 54" high with 3 shelves.
- 5SIND - 65 7/8" high with 4 shelves.
- Shelves are height adjustable.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
 <p>3 High Shown</p>	Open Storage Cabinet - 2 High Worksurface Supporting	EVS1230SF2SND	1016	27.75	18	30
		EVS1236SF2SND	1177	27.75	18	36
		EVS1242SF2SND	1231	27.75	18	42
	Open Storage Cabinet - 3 High	EVS1230SF3SND	1137	40.5	18	30
		EVS1236SF3SND	1231	40.5	18	36
		EVS1242SF3SND	1379	40.5	18	42
	Open Storage Cabinet - 4 High	EVS1230SF4SND	1360	54	18	30
		EVS1236SF4SND	1450	54	18	36
		EVS1242SF4SND	1539	54	18	42
	Open Storage Cabinet - 5 High	EVS1230SF5SND	1568	65.88	18	30
		EVS1236SF5SND	1661	65.88	18	36
		EVS1242SF5SND	1730	65.88	18	42

EVS12S - 12" STORAGE CABINET WITH HINGED DOOR


- 2S - 27 3/4" high with 1 shelf.
- 3S - 40 1/2" high with 2 shelves.
- 4S - 54" high with 3 shelves.
- 5S - 65 7/8" high with 4 shelves.
- 5W - 65 7/8" high wardrobe cabinet with a coat rod and 4 half shelves in the 36" and 42" wide units. 30" wide units have a coat rod and 4 coat hooks.
- Shelves are height adjustable.
- Lock is included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
 <p>5 High Shown</p>	12" Storage Cabinet with Hinged Door - 2 High (WS Supporting)	EVS12302SWS	1067	27.75	18	30
		EVS12362SWS	1188	27.75	18	36
		EVS12422SWS	1294	27.75	18	42
	12" Storage Cabinet with Hinged Door - 3 High	EVS12303S	1317	40.5	18	30
		EVS12363S	1493	40.5	18	36
		EVS12423S	1651	40.5	18	42
	12" Storage Cabinet with Hinged Door - 4 High	EVS12304S	1590	54	18	30
		EVS12364S	1775	54	18	36
		EVS12424S	1965	54	18	42
	12" Storage Cabinet with Hinged Door - 5 High	EVS12305S	1793	65.88	18	30
		EVS12365S	2011	65.88	18	36
		EVS12425S	2227	65.88	18	42
	12" Storage Cabinet with Hinged Door - 5 High Wardrobe	EVS12305W	1801	65.88	18	30
		EVS12365W	2048	65.88	18	36
		EVS12425W	2253	65.88	18	42




92-BHHD - HALF HEIGHT DRAWERS

- Half height drawers. For 30", 36" or 42" "B" opening, specify 92P-BHHD_. For 30", 36" or 42" "L" opening, specify 92P-LHHD_. One pair. Must be factory installed.*

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Half Height Drawers "B" Openings	92P-BHHD30	385			30
		92P-BHHD36	411			36
		92P-BHHD42	440			42
	Half Height Drawers "L" Openings	92P-LHHD30	385			30
		92P-LHHD36	411			36
		92P-LHHD42	440			42


ERRC/EFSL - RECEDING DOOR CONVERSION

- Receding door and roll-out shelf conversion in "B" or "L" openings from a fixed front drawer.* (Add list price to each opening being converted at time of order.) Must be factory installed.
- Receding door and fixed slotted shelf conversion in "B" or "L" openings from a fixed front drawer.* (Add list price to each opening being converted at time of order.) Must be factory installed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Receding Door Conversion	ERRC30	78			30
	Roll-Out Shelf Conversion	ERRC36	78			36
		ERRC42	78			42
	Receding Door Conversion	EFSL30	78			30
	Fixed Slotted Shelf Conversion	EFSL36	78			36
		EFSL42	78			42


EFFD - FIXED DRAWER CONVERSION

- Fixed front drawer conversion in "B" or "L" openings from receding door and roll-out shelf. (No charge for conversion at time of order.) Must be factory installed.
- Note: Fixed shelf cannot be substituted for a roll-out shelf in any position for receding opening. (No charge for conversion at time of order.)
- Please specify all substitutions and options.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Fixed Drawer Conversion	EFFD30				30
		EFFD36	Contact Evolve Customer Service for specific options			36
		EFFD42				42


92PPS - POSTING SHELF

- Posting shelf. Available in five drawer high cabinets. Factory installed between second and third openings.
- Please specify all substitutions and options.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Posting Shelf	92PPS30	236			30
		92PPS36	274			36
		92PPS42	305			42


EVSEDPS - EDP ADAPTER

- Not recommended for use in receding front drawers.
- "B" opening only.
- Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	EDP Adapter	EVSEDPS	54	3	16.5	


EVSHFB - HANGING FILE BARS

- Used in lateral files only.
- Available in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Hanging File Bars	EVSHFB30	53			30
		EVSHFB36	53			36
		EVSHFB42	53			42


EVSFBB - FRONT-TO-BACK BARS

- Cross file bars.
- Used in metal lateral files only.
- Available in grey only.
- Shipped in pairs.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Hanging File Bars	EVSFBB	28			12.25

EVSLAB - LEGAL-TO-LETTER ADAPTER


- Used in lateral files only.
- Available in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Legal-to-Letter Adapter	EVSLAB30	28			30
		EVSLAB36	28			36
		EVSLAB42	28			42




EVS_PD - DIVIDER PLATES

- Used in full-height shelves and drawers.
- Can be used with EVSOF16 series overheads. See page 191 for specific models.
- Three plates per package.
- Used in lateral files only.
- Available in Grey paint only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Divider Plates - Half Height Divider	EVSHPD03	56	4		13
	Divider Plates - Full Height Divider	EVSPFD03	56	7		13

EVAPDIV - PEDESTAL DIVIDER PLATES

- Priced and shipped individually.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Pedestal Divider Plates	EVAPDIV	33	4		12

EVSCWB - COUNTERWEIGHT BALANCE

- Recommended for use in all laterals and freestanding pedestals.
- Black only.
- Must be factory installed.
- Counter weights now designed to accommodate height and width of storage pieces. Please note revised product codes.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Counterweight Balance - 1.5 High	EVSCWB301XH	421			30
		EVSCWB361XH	433			36
		EVSCWB421XH	433			42
	Counterweight Balance - 2 High	EVSCWB302H	421			30
		EVSCWB362H	433			36
		EVSCWB422H	433			42
	Counterweight Balance - 3 High	EVSCWB303H	407			30
		EVSCWB363H	421			36
		EVSCWB423H	433			42
Counterweight Balance - 4 High	EVSCWB304H	247			30	
	EVSCWB364H	274			36	
	EVSCWB424H	286			42	
Counterweight Balance - 5 High	EVSCWB305H	247			30	
	EVSCWB365H	274			36	
	EVSCWB425H	286			42	
	Counterweight Balance - Ped Field Installed	EVSCWPED	120			
	Counterweight Balance - Ped Factory Installed	EVSCWPEDF	218			

EVS__ - ADDITIONAL KEY

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	AK - Additional Key (specify at time of order)	EVSAK92	15			
	EK - Extra Key for existing cabinets (specify at time of order)	EVSEK92	15			
	LOCKKEY - Core and Key	EVLOCKKEY	46			

EVSLK - LOCK FOR OVERHEAD FLIPPER DOOR STORAGE UNIT

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W




	Lock for Overhead Flipper Door Storage Unit	EVSLK12	58			
--	---	---------	----	--	--	--


ALL PEDESTALS FEATURE

- Worksurface supporting pedestals are 28”h
- Pencil tray included with B/B/F pedestal
- Box drawer and file drawers mounted on full extension ball bearing slides
- All file drawers come with adjustable rails for legal or letter size hanging folders
- 1-Door pedestal comes handed left or right (handedness is determined by hinge side)
- 1-Door Pedestal includes one adjustable shelf
- Locks are standard on all units and match pull finish


EVL2PBBF - BOX/BOX/FILE WORKSURFACE SUPPORTING PEDESTAL

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Box/Box/File Worksurface Supporting Pedestal	EVL2PBBF18	945	28	15.5	18
		EVL2PBBF23	1045	28	15.5	23
		EVL2PBBF29	1094	28	15.5	29

EVL2PFF - FILE/FILE WORKSURFACE SUPPORTING PEDESTAL

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	File/File Worksurface Supporting Pedestal	EVL2PFF18	857	28	15.5	18
		EVL2PFF23	976	28	15.5	23
		EVL2PFF29	1026	28	15.5	29

EVL2P1D - 1-DOOR WORKSURFACE SUPPORTING PEDESTAL


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	1-Door Worksurface Supporting Pedestal	EVL2P1D18(L/R)	719	28	15.5	18
		EVL2P1D23(L/R)	794	28	15.5	23
		EVL2P1D29(L/R)	877	28	15.5	29

ALL MOBILE PEDESTALS FEATURE

- Mobile pedestals with inset top are designed for use with cushion
- Pencil tray included with box drawer
- Box drawer and file drawers mounted on full extension ball bearing slides
- If file drawers come with adjustable rails for legal or letter size hanging folders


EVL2PBF - BOX/FILE MOBILE PEDESTAL W/STANDARD TOP

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Box/File Mobile Pedestal w/Standard Top	EVL2PBF20M	1206	22.69	15.5	20
	EVL2PBF24M	1206	22.69	15.5	24




EVL2PBF-MIT - BOX/FILE MOBILE PEDESTAL W/INSET TOP

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Box/File Mobile Pedestal w/Inset Top	EVL2PBF18MIT	1130	22	15.5	18
	EVL2PBF24MIT	1198	22	15.5	24



EVL PSTC - MOBILE PEDESTAL CUSHION (FOR USE WITH INSET TOP MOBILE PEDESTALS)


DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES																DIM./INCH			YRDS	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	H	D		W
Mobile Pedestal Cushion	EVL PSTC1518	276	309	327	358	399	419	461	522	572	626	737	852	969	1090	1323	1560	1798	1	15.5	18	1
	EVL PSTC1524	320	345	370	400	443	463	499	566	615	670	774	895	1012	1128	1366	1598	1835	1	15.5	24	1




LATERAL FILES FEATURES

- Worksurface supporting lateral files ship without a top
- All lateral files feature drawer interlocking system
- All file drawers come with adjustable rails for legal or letter size hanging folders
- "C" combo lateral includes a pencil tray with one box drawer.
- "C" combo lateral only locks on one side
- Lateral files with doors include one adjustable shelf
- Locks are standard on all units and match pull finish
- File drawers are mounted on full extension ball bearing slides

EVL2L2H - FILE/FILE WORKSURFACE SUPPORTING LATERAL FILE, 18"D & 22"D

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	File/File Worksurface Supporting Pedestal	EVL2L2H1830	1536	28	30	18
		EVL2L2H1836	1636	28	36	18
		EVL2L2H1842	1700	28	42	18
		EVL2L2H2230	1581	28	30	22
		EVL2L2H2236	1681	28	36	22
		EVL2L2H2242	1799	28	42	22


EVL2L2D - 2-DOOR WORKSURFACE SUPPORTING LATERAL FILE, 18"D & 22"D

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	2-Door Worksurface Supporting Lateral File	EVL2L2D1830	1075	28	30	18
		EVL2L2D1836	1130	28	36	18
		EVL2L2D1842	1243	28	42	18
		EVL2L2D2230	1163	28	30	22
		EVL2L2D2236	1194	28	36	22
		EVL2L2D2242	1375	28	42	22


COMBO LATERAL FILES FEATURES

- Worksurface supporting lateral files ship without a top
- All lateral files feature drawer interlocking system
- All file drawers come with adjustable rails for legal or letter size hanging folders
- "C" combo lateral includes a pencil tray with one box drawer.
- "C" combo lateral only locks on one side
- Locks are standard on all units and match pull finish
- File drawers are mounted on full extension ball bearing slides

EVL2LCR - RIGHT-HAND WORKSURFACE SUPPORTING COMBO LATERAL FILE, 18"D & 22"D

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Right-Hand Worksurface Supporting Combo Lateral File	EVL2LCR1830	1886	28	30	18
		EVL2LCR1836	2198	28	36	18
	EVL2LCR2230	2190	28	30	22	
	EVL2LCR2236	2303	28	36	22	

EVL2LCL - LEFT-HAND WORKSURFACE SUPPORTING COMBO LATERAL FILE, 18"D & 22"D


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	2-Door Worksurface Supporting Lateral File	EVL2LCL1830	1886	28	30	18
		EVL2LCL1836	2198	28	36	18
	EVL2LCL2230	2190	28	30	22	
	EVL2LCL2236	2303	28	36	22	



STORAGE TOWERS W/CUPBOARD


- Storage tower with cupboard above FF or BBF and wardrobs will lock only the wardrobe and drawers
- Storage towers with wardrobe include a coat rod
- Locks are standard on all units and match pull finish

EVL2TWBBF2DL - STORAGE TOWER W/CUPBOARD, BOX/BOX/FILE, RIGHT & LEFT HAND

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Storage Tower w/Cupboard, Box/Box/File,				
	EVL2TWBBF2DL4224	2354	42	24	24
	EVL2TWBBF2DL4824	2354	48	24	24
	EVL2TWBBF2DL5424	2435	54	24	24
	EVL2TWBBF2DL6624	2729	66	24	24
	EVL2TWBBF2DR4224	2354	42	24	24
	EVL2TWBBF2DR4824	2354	48	24	24
	EVL2TWBBF2DR5424	2435	54	24	24
	EVL2TWBBF2DR6624	2729	66	24	24

Right Hand Shown

EVL2TW2F2DL - STORAGE TOWER W/CUPBOARD, FILE/FILE, RIGHT & LEFT HAND

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Storage Tower w/Cupboard, File/File				
	EVL2TW2F2DL4224	2266	42	24	24
	EVL2TW2F2DL4824	2266	48	24	24
	EVL2TW2F2DL5424	2328	54	24	24
	EVL2TW2F2DL6624	2610	66	24	24
	EVL2TW2F2DR4224	2266	42	24	24
	EVL2TW2F2DR4824	2266	48	24	24
	EVL2TW2F2DR5424	2328	54	24	24
	EVL2TW2F2DR6624	2610	66	24	24


Contact Evolve Customer Service for specific options

Right Hand Shown


STORAGE TOWERS W/SIDE ACCESS

- Storage tower with cupboard above FF or BBF and wardrobs will lock only the wardrobe and drawers
- Storage towers with wardrobe include a coat rod
- Locks are standard on all units and match pull finish

EVL2TWBBFDOL - STORAGE TOWER W/SIDE ACCESS, BOX/BOX/FILE, RIGHT & LEFT HAND

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				H	D	W	
 <p>Right Hand Shown</p>	Storage Tower w/Side Access, Box/Box/File,	EVL2TWBBFDOL4224	2167	42	24	24	
		EVL2TWBBFDOL4824	2167	48	24	24	
		EVL2TWBBFDOL5424	2223	54	24	24	
		EVL2TWBBFDOL6624	2472	66	24	24	
			EVL2TWBBFDOR4224	2167	42	24	24
			EVL2TWBBFDOR4824	2167	48	24	24
			EVL2TWBBFDOR5424	2223	54	24	24
			EVL2TWBBFDOR6624	2472	66	24	24

EVL2TW2FDOL - STORAGE TOWER W/SIDE ACCESS, FILE/FILE, RIGHT & LEFT HAND


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				H	D	W	
 <p>Right Hand Shown</p>	Storage Tower w/Side Access, File/File,	EVL2TW2FDOL4224	2091	42	24	24	
		EVL2TW2FDOL4824	2091	48	24	24	
		EVL2TW2FDOL5424	2154	54	24	24	
		EVL2TW2FDOL6624	2404	66	24	24	
			EVL2TW2FDOR4224	2092	42	24	24
			EVL2TW2FDOR4824	2092	48	24	24
			EVL2TW2FDOR5424	2154	54	24	24
			EVL2TW2FDOR6624	2404	66	24	24




CREDENZA, BOX/FILE AND OPEN

- All lateral files feature drawer interlocking system
- All file drawers come with adjustable rails for legal or letter size hanging folders
- Locks are standard on all units and match pull finish
- File drawers are mounted on full extension ball bearing slides
- B/F Drawer Width -- 24" w on 48" w unit, 30" w on 54" w and 60" w units, 36" w on 66" w and 72" w units
- Two credenza spacers may be installed between a worksurface and credenza for support

EVL2CRBFO - BOX/FILE/OPEN CREDENZA, 20" H

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 <p>Box/File/Open Credenza</p>	EVL2CRBFO2048	1836	20	48	20
	EVL2CRBFO2054	2005	20	54	20
	EVL2CRBFO2060	2130	20	60	20
	EVL2CRBFO2066	2235	20	66	20
	EVL2CRBFO2072	2317	20	72	20

EVL2CROBF - OPEN/BOX/FILE CREDENZA, 20" H


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 <p>Open/Box/File Credenza</p>	EVL2CROBF2048	1836	20	48	20
	EVL2CROBF2054	2005	20	54	20
	EVL2CROBF2060	2130	20	60	20
	EVL2CROBF2066	2235	20	66	20
	EVL2CROBF2072	2317	20	72	20

CREDENZA, SLIDING GLASS DOOR

- Sliding Door Credenzas are split evenly so door may cover either side
- Sliding door credenzas do not lock
- Two credenza spacers may be installed between a worksurface and credenza for support

EVL2CRGSD - SLIDING GLASS DOOR CREDENZA, 20”H

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W




Sliding Glass Door Credenza

EVL2CRGSD2048	2459	20	48	20
EVL2CRGSD2060	2702	20	60	20
EVL2CRGSD2072	2958	20	72	20

EVWSSL - CREDENZA TO WORKSURFACE SPACER

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W



Credenza to Worksurface Spacer

EVWSSL08	70	8	3	3
----------	----	---	---	---



SO#		PO#		TAG#		DATE			
KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D
401		431		461		491		521	
402		432		462		492		522	
403		433		463		493		523	
404		434		464		494		524	
405		435		465		495		525	
406		436		466		496		526	
407		437		467		497		527	
408		438		468		498		528	
409		439		469		499		529	
410		440		470		500		530	
411		441		471		501		531	
412		442		472		502		532	
413		443		473		503		533	
414		444		474		504		534	
415		445		475		505		535	
416		446		476		506		536	
417		447		477		507		537	
418		448		478		508		538	
419		449		479		509		539	
420		450		480		510		540	
421		451		481		511		541	
422		452		482		512		542	
423		453		483		513		543	
424		454		484		514		544	
425		455		485		515		545	
426		456		486		516		546	
427		457		487		517		547	
428		458		488		518		548	
429		459		489		519		549	
430		460		490		520		550	

401 - 430 =	431 - 460 =	461 - 490 =	491 - 520 =	521 - 550 =
-------------	-------------	-------------	-------------	-------------

Total:

NOTE : If Key Alike Instructions are not submitted to EVOLVE with the Customer's Purchase Order, all components will be keyed randomly.


accessories

ACCESSORIES

TACK BOARD / FELT DIVIDER / WHITE MARKER BOARD


EVATB - TACK BOARD

- Provide a tackable surface for notes and memos in a work area.
- Includes two pairs of panel-mounting brackets.
- Only fabric must be specified.
- 17" to be installed under EVSOF13 or EVSOF16
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.
- All tackboards are 0.25" in thickness.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Tack Board - 17" High	EVATB1730	276	288	17	30	0.25
		EVATB1736	317	325	17	36	0.25
		EVATB1742	359	370	17	42	0.25
		EVATB1748	401	412	17	48	0.25
		EVATB1754	445	457	17	54	0.25
		EVATB1760	485	502	17	60	0.25
	Tack Board - 21" High	EVATB2124	255	268	21	24	0.25
		EVATB2130	276	289	21	30	0.25
		EVATB2136	317	325	21	36	0.25
		EVATB2142	359	373	21	42	0.25
EVATB2148		403	415	21	48	0.25	
EVATB2154		443	462	21	54	0.25	
Tack Board - 24" High	EVATB2160	485	505	21	60	0.25	
	EVATB2430	276	290	24	30	0.25	
	EVATB2436	317	328	24	36	0.25	
	EVATB2442	359	374	24	42	0.25	
	EVATB2448	403	417	24	48	0.25	
	EVATB2454	443	464	24	54	0.25	
	EVATB2460	485	505	24	60	0.25	


EVFPDXXXWS - WORKSURFACE FELT DIVIDER

- Privacy felt divider integrated into an aluminum top trim.
- Attaches on top of a worksurface to add privacy or divide space.
- Must be used at connector location.
- Includes aluminum trim with channel, felt tile and brackets.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify felt finish.
- Aluminum extrusion and brackets available in standard paint finishes.
- Felt tile and attachment hardware to ship separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Felt Divider	EVFPD1818WS	187	18	18	
		EVFPD1824WS	209	18	24	
		EVFPD1830WS	235	18	30	
		EVFPD1836WS	256	18	36	

EVAWB - WHITE MARKER BOARD


- Provides a writing surface within a work area.
- Includes two pairs of panel-mounting brackets.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	White Marker Board - 21" High	EVAWB2130	295	21	30	
		EVAWB2136	333	21	36	
		EVAWB2142	375	21	42	
		EVAWB2148	436	21	48	
	White Marker Board - 24" High	EVAWB2430	295	24	30	
		EVAWB2436	333	24	36	
		EVAWB2442	375	24	42	
		EVAWB2448	436	24	48	




EVAMT - MARKER TRAY

- Provides a tray for storage of markers, erasers, etc.
- Attaches to the bottom of the White Marker Board.
- Available in standard and premium paint selections. See Textiles and Finishes (page 278) for complete offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Marker Tray	EVAMT12	19		12	


EVALB2 - LOAD BAR - TOP

- Enables accessory items to be hung from a panel.
- Includes end caps and mounting brackets.
- Can be panel mounted.
- Can connect to EVALB2-2 and/or EVALB2-3 Load Bars to create a multi-level load bar or "Slat Wall"
- Note: can be used on its own.
- Available in standard and premium paint selections. See Textiles and Finishes (page 278) for complete offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Load Bar - Top	EVALB224	114	2.25	24	1
		EVALB230	119	2.25	30	1
		EVALB236	129	2.25	36	1
		EVALB242	136	2.25	42	1
		EVALB248	140	2.25	48	1
		EVALB254	145	2.25	54	1
		EVALB260	148	2.25	60	1


EVALB2-2 - LOAD BAR - MIDDLE

- Enables accessory items to be hung from a panel.
- Includes end caps and is to be used in conjunction with the Load Bar - Top (EVALB2). Mounting brackets NOT included.
- Can be panel mounted.
- Connects between EVALB2 and EVALB2-3 Load Bars to create a multi-level load bar or "Slat Wall"
- Note: Needs to be used in conjunction with both EVALB2 (as noted above) and EVALB2-3. Multiples of EVALB2-2 can be joined, one below the other, to create a "Slat Wall"

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Load Bar - Middle	EVALB2-224	81	2.25	24	1
		EVALB2-230	85	2.25	30	1
		EVALB2-236	91	2.25	36	1
		EVALB2-242	98	2.25	42	1
		EVALB2-248	103	2.25	48	1
		EVALB2-254	111	2.25	54	1
		EVALB2-260	115	2.25	60	1


EVALB2-3 - LOAD BAR - BOTTOM

- Enables accessory items to be hung from a panel.
- Includes end caps and mounting brackets.
- Can be panel mounted.
- Connects between EVALB2-2 and EVALB2-3 Load Bars to create a multi-level load bar or "Slat Wall"
- Note: Needs to be used in conjunction with an EVALB2 or a combination of EVALB2 and EVALB2-2

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Load Bar - Bottom	EVALB2-324	111	2.25	24	1
	EVALB2-330	115	2.25	30	1
	EVALB2-336	119	2.25	36	1
	EVALB2-342	129	2.25	42	1
	EVALB2-348	137	2.25	48	1
	EVALB2-354	143	2.25	54	1
	EVALB2-360	146	2.25	60	1


EVALB - LOAD BAR

- Enables accessory items to be hung from a panel.
- Includes end caps and mounting brackets.
- Can be panel or wall mounted.
- Must specify finish.
- Attachment slot dimensions = 0.115" W x 0.240" H.
- Slatwall mounted mointor arms will NOT hang on EVALB - load bar.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Load Bar	EVALB24	144	2.25	24	1
	EVALB30	159	2.25	30	1
	EVALB36	172	2.25	36	1
	EVALB42	200	2.25	42	1
	EVALB48	233	2.25	48	1
	EVALB54	245	2.25	54	1
	EVALB60	265	2.25	60	1

EVHOMB - OFF MODULE WORKSURFACE BRACKET


- Supports the worksurface in the work station corner in the case where an adjoining panel is wider than the worksurface.
- Enhances the stability of the worksurface.
- Can be used only in conjunction with the Top Load Bar EVALB2xx (xx being the panel width of adjoining panel).
- Available in standard paint colors.
- Top Load Bar EVALB2xx must be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Bracket	EVHOMB1	26	1.6	3	2.73




EVAFWMXXP - WIRE MANAGER

- PET Wire manager installed under worksurface
- Including attachment brackets
- Available in standard felt colors

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	PET Wire Manager	EVAFWM22P	116	3.375	22	4
		EVAFWM28P	133	3.375	28	4
		EVAFWM34P	147	3.375	34	4


EVAFWMXXPL - WIRE MANAGER FOR 90 DEGREE CORNER-LEFT

- PET Wire manager installed under worksurface
- Including attachment brackets
- Available in standard felt colors

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	PET Wire Manager	EVAFWM26PL	128	3.375	26	4
	90 Degree Corner - Left	EVAFWM32PL	143	3.375	32	4
		EVAFWM38PL	156	3.375	38	4


EVAFWMXXPR - FELT WIRE MANAGER FOR 90 DEGREE CORNER-RIGHT

- Felt Wire manager installed under worksurface
- Including attachment brackets
- Available in standard felt colors

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	PET Wire Manager	EVAFWM26PR	128	3.375	26	4
	90 Degree Corner - Right	EVAFWM32PR	143	3.375	32	4
		EVAFWM38PR	156	3.375	38	4


EVABB01 - BINDER BIN

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Binder Bin	EVABB01	74	9	4	10.25


EVALT01 - LETTER TRAY

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Letter Tray	EVALT01	59	2	13.5	9.25


EVALT02 - LEGAL TRAY

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Legal Tray	EVALT02	67	1.75	14.7	8.75

EVASS01 - SLANT SORTER


- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Slant Sorter	EVASS01L	48	9.5	5	10.25
		EVASS01R	48	9.5	5	10.25




EVAMB01 - MEDIA BIN

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Media Bin	EVAMB01	59	3	5.75	5.25


EVAUT01 - UTILITY TRAY

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Utility Tray	EVAUT01	40	1	8.5	3.75


EVAFS01 - FLIP SORTER

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Comes with nickel plated wire.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Flip Sorter	EVAFS01	55	9.25	2.75	9.25

EVAPP01 - MAIL BOX


- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Mail Box	EVAPP01	94	9	12	2.75

EVATH01 - TELEPHONE HOLDER

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Telephone Holder	EVATH01	90	2	9	10
------------------	---------	----	---	---	----

EVANP02 - NAME PLATE

- Name Plate attached to 1" increment slots.
- Available in single sided (parallel to panel) or double sided (perpendicular to panel) for isle application displaying name on both sides.
- Injection molded frame and die cast base with black rubberized finish.
- Includes two slide-in name cards, steel brackets and fasteners.
- Available in black only.
- Free template for additional slide-in name cards are available at http://evolvefurnituregroup.com/PDFs/Name_Plate_Template.doc

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Name Plate	EVANP02	136	3.30	5.3	1.25
------------	---------	-----	------	-----	------

EVACH01 - COAT HOOK

- Panel mounted coat hook.
- Available in all standard Evolve paint colors except Steel (STL). Also available in premium paint selections (minimum quantities required to order).

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Coat Hook	EVACH01	100	3	.75	
-----------	---------	-----	---	-----	--

EVACH02 - PANEL COAT HOOK

- Panel mounted coat hook.
- Installed at panel top in groove between module and top trim.
- Available in standard and premium paint colors.
- Priced per six piece package.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Panel Coat Hook	EVACH02	114	2.5	.625	
-----------------	---------	-----	-----	------	--



EVWAKM01 - SOFT TOUCH KEYBOARD SUPPORT MECHANISM

- Height range 6" (+1.0"/-5.0").
- Soft touch knob tilt adjustable range +15°/-15°.
- 360° base swivel.
- Soft touch knob for simultaneous height and tilt adjustment.
- Spring-assisted mechanism helps counter balance weight of keyboard and tray.
- Low profile design for maximum leg room.
- Includes 21.75" under worksurface glide track as standard. Optional 12" and 18" glide tracks are available at no upcharge. Contact Evolve Customer Support for details.
- Keyboard support mechanisms and trays available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D




Soft Touch Keyboard Support Mechanism	EVWAKM01	290			
---------------------------------------	----------	-----	--	--	--

EVWAKM02 - LIFT-N-LOCK KEYBOARD SUPPORT MECHANISM

- Height range 8.38" (+2.25"/-6.13").
- Dial-tilt gauge shows precise tilt angle from +10°/-15° positions.
- 360° base swivel.
- Patent pending height indicator gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Patented Lift-N-Lock height adjustment without knobs or levelers automatically locks into position with release of tray for greater ADA/Barrier Free compliance.
- Exceeds BIFMA performance standards.
- Includes 21.75" under worksurface glide track as standard. Optional 12" and 18" glide tracks are available at no upcharge. Contact Evolve Customer Support for details.
- Keyboard support mechanisms and trays available in Black only.
- Positive Tilt Lockout available. Contact Evolve Customer Support for details.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D




Lift-N-Lock Keyboard Support Mechanism	EVWAKM02	380			
--	----------	-----	--	--	--

EVWAKM03 - LIFT-N-LOCK SIT-STAND KEYBOARD SUPPORT MECHANISM

- Height range 14.13" (+8.25"/-5.88")
- Dial-tilt gauge shows precise tilt angle from +10°/-15°.
- 360° base swivel.
- Patent pending height indicator gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Curved neck allows user to be closer to the desk when in standing position.
- Exceeds BIFMA performance standards.
- Includes 21.75" under worksurface glide track as standard. Optional 12" and 18" glide tracks are available at no upcharge. Contact Evolve Customer Support for details.
- Keyboard support mechanisms and trays available in Black only.
- Positive tilt lockout available. Contact Evolve Customer Service for details.
- Maximizes ergonomic support for both seated and standing positions.
- Patented Lift-N-Lock height adjustment without knobs or levelers automatically locks into position with release of tray for greater ADA/Barrier Free compliance.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D



Lift-N-Lock Sit-Stand Keyboard Support Mechanism	EVWAKM03	611			
--	----------	-----	--	--	--


EVWAKT01 - MDF TRAY WITH SLIDING MOUSE SUPPORT

- Formed MDF tray with textured finish and a foam anti-skid mat.
- Sliding retractable mouse support slides below tray for left or right mouse positioning.
- Extends 9.91" beyond the end of the keyboard tray.
- Keyboard support mechanisms and trays available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	MDF Tray with Sliding Mouse Support	EVWAKT01	292	21.3	10.5	


EVWAKT02 - 27" HDPE TRAY WITH TWO MOUSING SURFACES

- HDPE tray is 1/2" thick high density polyethylene with textured finish.
- Includes removable plug-in, gel free foam palm rest and anti-skid straps.
- Keyboard and mouse can be placed left or right.
- Includes mouse fence with cable manager.
- Keyboard support mechanisms and trays available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	27" HDPE Tray with Two	EVWAKT02	375	27.5	11.5	


EVWAKT03 - PHENOLIC TRAY WITH HEIGHT ADJUSTABLE MOUSE SUPPORT

- Solid low profile keyboard tray with graphite finish to help hide fingerprints and smudges.
- Includes removable plug-in, gel free foam palm rest and anti-skid straps.
- Height adjustable mouse support provides ergonomic adjustment of tilt, swivel and height adjustments.
- Keyboard and mouse can mount left or right.
- Mousing surface includes mouse fence with cable manager.
- Keyboard support mechanisms and trays available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Phenolic Tray with Height Adjustable Mouse Support	EVWAKT03	404	23	11.5	


EVWAKT04 - 1/2" HDPE TRAY WITH HEIGHT ADJUSTABLE MOUSE SUPPORT

- 1/2" thick high density polyethylene with textured finish.
- HDPE includes removable plug-in, gel free foam palm rest and anti-skid straps.
- Height adjustable mouse support with ergonomic adjustment of tilt, swivel and height adjustment.
- Can mount left or right and includes mouse fence and cable manager.
- Keyboard support mechanisms and trays available in Black only.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	1/2" HDPE Tray with Height Adjustable Mouse Support	EVWAKT04	453	23	11.5	




KEYBOARD COMBINATION CHART - PACKAGED CODES




EVWAKT01




EVWAKT02



EVWAKT03



EVWAKT04




EVWAKM01

**EVWAKK101
578**

**EVWAKK102
663**

**EVWAKK103
694**

**EVWAKK104
739**




EVWAKM02

**EVWAKK201
668**

**EVWAKK202
752**

**EVWAKK203
785**

**EVWAKK204
829**



EVWAKM03

**EVWAKK301
898**

**EVWAKK302
\$980**

**EVWAKK303
\$1013**

**EVWAKK304
\$1058**


MONITOR ARM SPECIFICATIONS (APPLIES TO ALL EVOLVE MONITOR ARMS LISTED BELOW):

- VESA mounting plate contains 75mm & 100mm mounting configuration.
- VESA plate head is fully adjustable with 180° of tilt, 180° of swivel and 360° of rotation for portrait to landscape viewing.
- Keyhole slots in VESA plate for quick mounting of display screen.
- Counterbalance spring mechanism does not contain gas cylinders (that are prone to leakage).
- Cable management provided on arm swivel joints.
- Arm components manufactured from 100% recyclable aluminum dye cast material, providing stability and durability.
- 13" arm height adjustment on 11" stainless steel pole.
- Pole support ring doubles as cable manager.
- 360° of arm swivel around pole.
- Desk clamp and grommet mounting options standard on pole applications.

EVLCD03 - MONITOR ARM - SINGLE SCREEN/SINGLE EXTENSION

- Display viewing - 180° of tilt, 180° of swivel and 360° of rotation.
- Quick-release VESA plate included.
- 9" pole adjustment.
- Available in White (WHT), Black (BLK) and Silver (SIL). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W



Monitor Arm - Single Screen
Single Extension


EVLCD03

490

EVLCD04 - MONITOR ARM - SINGLE SCREEN/DUAL EXTENSION/HEIGHT ADJUSTABLE

- Frees up valuable worksurface space and supports a sit/stand working posture.
- Attaches to any standard worksurface with a flush edge, or through a grommet.
- Monitor arm adjusts from 3" to 12" above worksurface.
- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360° and tilts +/- 90° (180°).
- Double extension has 19" of back and forth movement to allow for different vocal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- Quick-release VESA plate included.
- Available in White (WHT), Black (BLK) and Silver (SIL). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D



Monitor Arm - Single Screen
Dual Extension/Height Adjustable


EVLCD04

700

EVLCD05 - MONITOR ARM - DUAL SCREEN/DUAL EXTENSION

- Frees up valuable worksurface space.
- Used for side-by-side or back-to-back applications.
- Attaches to any standard worksurface with flush edge or through a grommet.
- Monitor arm adjusts from 3" to 12" above worksurface.
- Monitor connecting extension has 19" of back and forth movement to allow for different vocal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- Quick-release VESA plate included.
- Available in White (WHT), Black (BLK) and Silver (SIL). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D



Monitor Arm - Dual Screen


EVLCD05

1028




EVLCD06 - MONITOR ARM - DUAL SCREEN/DUAL EXTENSION/HEIGHT ADJUSTABLE

- Frees up valuable worksurface space and supports a sit/stand working posture.
- Used for side-by-side or back-to-back applications.
- Attaches to any standard worksurface with flush edge or through a grommet.
- Monitor arm adjusts from 3" to 12" above worksurface.
- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360° and tilts +/- 90° (180°).
- Double extension has 19" of back and forth movement to allow for different vocal depths of viewing comfort.
- Built in cable clips on underside of extension arms and pole base allows organized cable management.
- Quick-release VESA plate included.
- Available in White (WHT), Black (BLK) and Silver (SIL).
- Accommodates flat screen monitors up to 32" in size.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Monitor Arm - Dual Screen Dual Extension/Height Adjustable	EVLCD06	1275			


EVLCD08 - MONITOR ARM - SINGLE SCREEN/DUAL EXTENSION

- 9 1/2" reach from center of pole to front of VESA plate.
- Display viewing - 180° of tilt, 180° of swivel and 360° of rotation.
- Quick-release VESA plate included.
- 9" pole adjustment.
- Available in White (WHT), Black (BLK) and Silver (SIL). Post is chromed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Monitor Arm - Single Screen Dual Extension	EVLCD08	583			


EVLCD09 - SINGLE SCREEN MONITOR ARM - FOR 5 TO 20LBS

- Adjustable counterbalance cylinder provides smooth 14 1/2" of height adjustment with fingertip control - counterbalances monitors from 5 lbs. to 20 lbs.
- Double extension arms provide a maximum of 26 3/4" extension from the rear edge of the mounting surface to the VESA Plate for greater monitor adjustment on deep or corner workstations.
- Arms fold back to a minimum dimension of 4 1/2" to provide maximum desk utilization.
- Weight gauge provided to allow for quick and easy counterbalance adjustment of the arm prior to installing the screen.
- Saves time and guesswork especially for multiple arm installations.
- Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability.
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from hitting walls.
- Comes with all tools and mounting hardware for quick and easy installation (Tool-free).
- Available in White (WHT), Black (BLK) and Silver Metallic (SIL). Post is chromed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Single Screen Monitor Arm - For 5 to 20 lbs.	EVLCD09	652	38	6	8.5


EVCPU - CPU HOLDER

- CPU holder with soft touch knob.
- Vertical underside storage space.
- Maintains CPU at set height.
- Inside width adjustment 3.5" — 9.25"
- Inside vertical adjustment 12.25" — 22.25"
- Load rating: 85lbs.
- Available in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	CPU Holder	EVCPU01	315	14	8.25	7.75


EVCPU02 - CPU HOLDER ON GLIDE TRACK

- Accepts tower CPUs with a width range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.
- 12" glide track mounted and 360-degree swivel for easy access to rear of CPU.
- Manufactured from steel and engineered resin, providing rugged durability and support.
- Available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	CPU Holder on Glide Track	EVCPU02	333			

EVWALS01 - LAPTOP SUPPORT WITH INTEGRATED 4 PORT USB HUB

- 5 adjustment angles for ergonomic viewing.
- Adjustment arm allows for unrestricted air flow.
- 4 port USB hub powered by a computer, no external power required.
- Fully compliant with universal serial bus specifications 2.0.
- Over current protection for downstream port.
- Compatible with Windows 7, XP, 98, ME, 2000 and Vista. Also compatible with MAC OS 8x, 9x, and 10.
- CE/UL/FCC approved and RoHS compliant. Available in Black and Grey.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Laptop Support with Integrated 4 Port USB Hub	EVWALS01	181			



ACCESSORIES


EWWADH01 - DESKTOP DOCUMENT HOLDER

- Dimensions of 16 1/2" wide x 10" high x 8" deep.
- Heavy duty steel easel support.
- Magnetic line glide.
- Available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Desktop Document Holder	EWWADH01	181			


EWWAFR01 - ADJUSTABLE FOOT REST

- Provides support for the 5th percentile female when chair adjustment is not adequate.
- Easily adjustable to angles of 6°, 12°, 16° and 25°.
- Footrest surface covered with anti-fatigue rubber mat.
- Available in Black/Grey combination only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Adjustable Foot Rest	EWWAFR01	181			


EWWACP - CRT CORNER PLATE

- Converts two abutting worksurfaces in a 90° corner into a 45° angle keyboard workspace.
- Keyboard mechanism not included.
- Must specify paint color.
- Made of metal.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	CRT Corner Plate	EWWACP1818	99	1.125	18	18

EVATP - TOUCH-UP PAINT KIT

- Available in standard Evolve paint colors to facilitate easy touch-ups.
- 1/2 fl. ounce bottle (spray not available).
- Specify color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Touch-Up Paint Kit	EVATP01	46			

textiles and finishes

Care and Cleaning

The following guide encompasses the Evolve System line.

The guide was compiled using information from our "raw" material suppliers and is relevant only to our standard offering finishes and textiles.

FABRICS

To extend the life of your upholstered panels, regularly dust the panel to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

PANEL FRAMES

The panel frames are manufactured out of sturdy aluminum with a powder coated enamel paint finish. To clean the frames of the panels, and all hardware associated with the Evolve line, simply utilize a clean, damp cloth. For stubborn stains on the panel frames, you may consider adding a mild detergent.

GLAZED PANELS

Cleaning of the glazing in panels should only be done with a damp lint-free cloth. A mild detergent can be used if necessary. Do not use paper towels in combination with a window cleaner-this may cause scratches to the glazing.

WORKSURFACES

The worksurfaces are manufactured using primarily Nevamar Brand laminates as the exposed surface. To properly clean these areas, it is best to use a clean, damp cloth and circular motion to prevent streaks. For stubborn stains, you are able to add a mild detergent to the water. Be certain not to use an ammonia-based solution. It will react with the PVC, or wood edge trim, causing permanent damage to the contacted areas.

ACCESSORIES

The accessories sold with the Evolve product line can be simply cleaned with a clean, damp cloth. If they are really dirty, a mild, non-abrasive solution may be added. Wipe with a damp cloth after the solution, and finally, a dry cloth.

LAMINATES – THERMALLY FUSED & HIGH PRESSURE

Absolute Acajou*	ACJ
Asian Night*	ASN
Avant Cherry*	AWC
Avant Honey*	AWH
Black*	BLK
Blizzard*	BZD
Blizzard Matrix	BMX
Brushed Cobalt*	BRC
Clear Maple*	CMB
Custom Grey	CGY
Dark Espresso*	DES
Designer White*	DWT
Grey Matrix	GRX
Hayden Grey	HGT
Hayden Linen	HLN
Noce Biondo	(NBL)
Noce Grigio	(NGL)
Noce Leggero	(NEL)
Noce Medio	(NML)
Quartered Mahogany*	QTM
Stone Dust	SDT
Stone Linen	SLN
Storm Grey	SOG
Studio White Matrix	SWX
String	STG
Tiger Fruitwood*	TFW
Tiger Walnut*	TWL
Walnut Heights*	WHE
Willow Grey	WGY
Winter Cherry*	WCR
White Chocolate*	WHC

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

* Matching Wood Grain PVC edge available.

* PVC panel and connector trims are discontinued. Effective 12/2014

* 1 1/8" Worksurfaces are discontinued. Effective December 2014

PVC EDGE TRIM

Absolute Acajou	AAE
Asian Night	ASE
Avant Cherry	ACE
Avant Honey	AHE
Black	BLK
Blizzard	BZD
Brushed Cobalt	BRC
Charcoal	CHR
Clear Maple	CME
Dark Espresso*	DES
Designer White	DWE
Nevada	NEV
Quartered Mahogany*	QTM
Shaker Cherry*	SKE
Silver	SIL
Taupe	TPE
Tiger Fruitwood*	TFW
Tiger Maple*	TMP
Tiger Walnut*	TWL
Tungsten	TUN
Walnut Heights	WHE
Winter Cherry*	WCR
White Chocolate*	CBE

* 1 7/16" HPW PVC Trim for Worksurfaces is not available in Dark Espresso (DES), Tiger Fruitwood (TFW), Tiger Maple (TMP) and Tiger Walnut (TWL).

WOOD VENEER WORKSURFACES*

Almond Cherry	AMW
Cocoa Walnut	CAW
Coral	CRW
Dark Cherry	DCW
Espresso Walnut	EWV
Evening Oak	EVV
Grey on Oak	GRW
Hazlenut	HAW
Honey Maple	SMW
Java	JAW
Latte Walnut	LTW
Milestone	MTW
Mocha	MCW
Natural Maple	MPW
Red Cherry	RCW
Vintage Cherry	VNW
Walnut	WLW
Warm Cherry	WCW
White Maple	WMW

All wood veneer worksurfaces are 1.38" thick.

*Note: Wood veneer options for worksurfaces are available at an up charge and with an extended lead time. Contact Evolve Customer Support for details.

ACCENT PAINTED FINISHES

Crystal Blue	CYB
Lime Green	LMG
Orange Flame	ORF
Steel Blue	STB
Vermilion Red	VLR

Accessory painted finishes are subject to 10% upcharge and minimum order of 50 pieces, orders under 50 pieces subject to \$500 net fee

STANDARD PAINT & FRAME COLORS

(for application to trim, steel components, PVC, vertical and horizontal members)

Black	BLK
Blizzard (Textured)	BZD
Charcoal	CHR
Designer White	DWT
Fog	FOG
Nevada	NEV
Silver	SIL
Stone Dust (Textured)	SDT
Taupe	TPE
Tungsten ^o	TUN

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

^oTungsten paint is subject to 10% upcharge EXCEPT on Worksurfaces, PVC items, or when PVC trim components are ordered separately.

PREMIUM PAINT & FRAME COLORS

Black Coffee*	BKC
Bone*	BNE
Business Grey*	BGR
Claret*	CLT
Dark Chocolate*	DCH
Desert Putty*	DPT
Grey*	GRY
Ice*	ICE
Ivory*	IVR
Light Grey*	LGR
Metro*	MET
Mocha*	MCH
Moss*	MOS
Navy*	NAV
Oyster*	OYS
Sky*	SKY
Stone*	STN
Storm Grey	SGR
Tahiti Sand*	TSA
Willow*	WIL

*Premium paint selections are available on the following components: Panels (top trim and frame), Hardware, End-of run/Post Kits, and Accessories at a 22% upcharge. Storage with no upcharge.

*Please note all Double Wall Storage units must be ordered in a minimum quantity of 50 when ordering in a premium paint finish. Different model types can be combined to achieve the minimum quantity required. See pages 192-193 for affected models.

All special and premium paint match orders of 50 panels or less will incur a \$500 net setup fee. Panels, hardware, accessories and storage may be combined on orders to achieve minimum of 50 pieces or more and will not be subject to \$500 net set up fee. Add on orders will not have that charge for 90 days after the original order has shipped and must have the original PO# quoted otherwise they will not qualify for the program.

Global matte paint finishes are available on most Evolve Storage pieces without an up charge regardless of quantities.

All Mica and Metallic paint finishes will incur a minimum up charge of 10%.

All non-standard paint finishes must be approved by Evolve prior to placing an order.

ADA Overheads are not available in Evolve premium color paints. ADA Overheads are available in Evolve standard paint colors only.

Frames for all Open Panel models, all panel retainers, PVC components for panels and connectors are unavailable in premium or special/custom paint colors. They are available in standard Evolve paint colors only.



PANEL FABRICS – GRADE 1

Anchorage - 35% Post - consumer Recycled Polyester and 65% Pre -consumer Recycled Polyester

Birch	AN40
Green Apple	AN41
Lapis	AN42
Straw	AN43
Wolf	AN44
Goose	AN45
Angora	AN46
Cumin	AN47
Asteroid	AN48
Geranium	AN49
Thistle	AN50
Graphite	AN51
Slate	AN52
Quarry Blue	AN53
Onyx	AN54
Pumpkin	AN55
Red Delicious	AN56
Sunshine	AN57
Waterfall	AN59
Vanilla	AN61
Vanilla	AN61
Cobalt	AN62
Cloud	AN64

Aurora - 100% Polyester, 80% minimum Post-Consumer Recycled Polyester

Cloud	AU20
Seal	AU21
Fog	AU22
Pewter	AU23
Granite	AU24
Oat	AU25
Coconut	AU26
Latte	AU27
Lake	AU28
Frost	AU29

Chance - 63% Virgin Polyester, 37% Post-Consumer Recycled Polyester

Mist	CN51
Dill	CN52
Island	CN53
Plaza	CN54
Tranquil	CN55
Malt	CN56
Navajo	CN57
Prairie	CN58
Cinder	CN59
Oasis	CN66

Linea - 100% Post Consumer Recycled Polyester

Queue	LN41
Cord	LN42
Twine	LN43
Thread	LN44
Contour	LN45
Silhouette	LN46
Cable	LN47
Route	LN48

Lisbon - 80% Polyester, 20% Post-Consumer Recycled Polyester

Gesso	LS11
Dusk	LS12
Grey	LS13
Ivory	LS14
Henna	LS15
Nocturnal	LS16
Moss	LS17
Navy	LS18
Buff	LS19
Spa	LS20

Loopy - 100% Recycled Polyester

Oyster	LP60
Putty	LP61
Marble	LP62
Hazelnut	LP63
Latte	LP64
Bay	LP65
Wild Rice	LP66
Harbor	LP67

Melody - 100% Recycled Polyester

Spray	ME40
Pond	ME41
Sand Bar	ME42
Silt	ME43
Pebble	ME44
Lake	ME45
Gravel	ME46
Boulder	ME47

Merge - 100% Polyester, 75% minimum Post-Consumer Recycled Polyester

Fawn	MG20
Marshmallow	MG21
Driftwood	MG22
Dove	MG23
Graphite	MG24
Slate	MG25
Eucalyptus	MG26
Fire Engine	MG27
Mediterranean	MG28
Midnight	MG29

Pinpoint - 100% Post-Consumer Recycled Polyester

Bliss	PN11
Delight	PN12
Dune	PN13
Infusion	PN14
Ebony	PN15
Fresh	PN16
Carrot	PN17
Splash	PN18
Vibe	PN19
Gala	PN20

Streak - 100% Recycled Polyester

Beach	SR81
Shade	SR86
Stretch	SR88
Sprint	SR89
Roll	SR91
Dart	SR92
Zoom	SR93
Splash	SR94
Whiz	SR95
Flash	SR96

Tek - 100% Recycled Polyester

Finesse	TX60
Grain	TX61
Essence	TX62
Warp	TX64
Mesh	TX67
Form	TX69
Spice	TX71
Glacier	TX72
Spring	TX73
Harmony	TX74
Smoke	TX75
Pebble	TX76

Terrace - 100% Post-Consumer Recycled Polyeste

Lotus	TC60
Tigerlily	TC61
Shadow	TC62
Cobble	TC63
Cherry Blossom	TC64
Bluebell	TC65
Apple	TC66
Haze	TC67
Cerise	TC68
Twilight	TC69
Wintergreen	TC70
Ironwork	TC71
Flirt	TC73
Echo	TC74
Glacier	TC75

PANEL FABRICS— GRADE 2

Cyclone - 56% post-consumer recycled polyester and 44% polyester.

Stove Pipe	IM37
Stainless.....	IM40
Polished Pewter	IM41
Welded Steel	IM43
Etched Bronze.....	IM44
Fired Titanium.....	IM46
Chrome.....	IM49
Dark Annealed.....	IM50
Karat.....	IM54
Red Metal.....	IM55
Oxidized Bronze.....	IM56
Bright Ray.....	IM57
Bismuth Crystal.....	IM58
Gallium Blue.....	IM59

Dashing -100% Post-Consumer Recycled Polyester

Classic Silver.....	DS21
Refined Marble.....	DS22
Antique Sage.....	DS23
Polished Slate	DS24
Genteel Beige	DS25
Bespoke Tan	DS26
Dapper Grey.....	DS27

Mesh - 100% Recycled Polyester

Canyon.....	B33A
Napa Valley.....	B34A
Huntington.....	B36A
Huron.....	B37A
Heartland.....	B39A
Oat.....	B81A
Pepper	B82A
Limestone.....	B84A
Zinc.....	B86A

Quadrille - 52.5% Polyester / 47.5% Recycled Polyester
*Maximum panel width is 48'

Escapade.....	QU30
Shenanigan	QU31
Revelry	QU32
Spring.....	QU33
Regalia	QU34
Soiree.....	QU35
Zest.....	QU36
Gambol.....	QU37
Leisure	QU38
Fair	QU39
Fiesta.....	QU40
Carnival	QU41
Spree.....	QU42
Opus	QU43
Jubilee.....	QU44
Masquerade	QU45
Cabarets	QU46

PET PANEL FABRICS

Graphite.....	GPH
Mist.....	MTS
Pewter.....	PWT
Harvest.....	HVT
Shamrock.....	SHR
Brick.....	BRI
Denim.....	DEN
Black.....	BLK
White.....	WHT



GRADE 1

Dobby - 96% Recycled Polyester / 4% Virgin Polyester

Snowcap.....	DB30
Bonsai.....	DB31
Cloud.....	DB32
Sand.....	DB33
Pewter.....	DB34
Sante Fe.....	DB35
Corfu.....	DB36
Medium Taupe.....	DB37
Charcoal.....	DB38
Berry.....	DB39
Royal.....	DB40
Titanium.....	DB41
Black.....	DB42

Fusion - 90% Virgin Polyester/ 10% Post-Consumer Recycled Polyester

Tangerine.....	FU71
Fresh.....	FU72
Moss.....	FU73
TomatoF.....	FU74
Aqua.....	FU75
Sandstone.....	FU76
Granite.....	FU77
Poppy.....	FU78
Cadet.....	FU79
Oasis.....	FU80
Graphite.....	FU81
Viola.....	FU82
Cobalt.....	FU83
Flax.....	FU84
Carbon.....	FU85

Hudson - 100% Post-Consumer Recycled Polyester

Cordovan.....	HD02
Ruby.....	HD03
Orange.....	HD04
Wheat.....	HD05
Meadow.....	HD06
Coffee.....	HD07
Grey.....	HD08
Mocha.....	HD09
Thyme.....	HD10
Carbon.....	HD11
Midnight.....	HD12
Ocean.....	HD13
Cerulean.....	HD14

Illusion - 100% Virgin Polyester

Cappuccino.....	II01
Paprika.....	II02
Tropic.....	II03
Wicker.....	II04
Hemp.....	II05
Cayenne.....	II06
Maui.....	II07
Dusk.....	II08
Smoke.....	II09
Currant.....	II10
Fiji.....	II11
Ozone.....	II12
Ebony.....	II13

Jenny - 100% Polyester

Midnite.....	JN01
Ebony.....	JN02
Slate.....	JN03
Vermilion.....	JN07
Admiral.....	JN08
Charcoal.....	JN11
Silver Lining.....	JN25
Oatmeal.....	JN26
Sunflower.....	JN27
Cascade.....	JN28
Harvest.....	JN29
Mellon.....	JN30
Berry.....	JN31
Green Grass.....	JN32
Roast.....	JN33

Quilt - 100% Polyester

Black.....	QL10
Charcoal Grey.....	QL11
Navy.....	QL14
Wine.....	QL16
Silver.....	QL19
Feather.....	QL20
Dune.....	QL21
Meadow.....	QL22
Cadet.....	QL23
Geranium.....	QL24
Daisy.....	QL25
Quest.....	QL26
Punch.....	QL27
Tangerine.....	QL28
Cocoa.....	QL29

Terrace - 100% Post-Consumer Recycled Polyester

Lotus.....	TC60
Tigerlily.....	TC61
Shadow.....	TC62
Cobble.....	TC63
Cherry Blossom.....	TC64
Bluebell.....	TC65
Apple.....	TC66
Haze.....	TC67
Cerise.....	TC68
Twilight.....	TC69
Wintergreen.....	TC70
Ironwork.....	TC71
Pine Cone.....	TC72
Flirt.....	TC73
Echo.....	TC74

Trak - 100% Recycled Polyester

Taupe.....	TK40
Mustard.....	TK41
Latte.....	TK42
Cement.....	TK43
Silver.....	TK44
Copper.....	TK45
Teal.....	TK46
Apple.....	TK47
Steel.....	TK48
Merlot.....	TK49
Midnight Sky.....	TK50
Mocha.....	TK51
Carbon.....	TK52

Urban - 62% Recycled Polyester / 32% Polyester

Red Rose.....	UR10
Ocean Blue.....	UR11
Blue Bayou.....	UR12
Green Grass.....	UR13
Sandcastle.....	UR14
Beach Day.....	UR15
Boardwalk.....	UR16
Earth.....	UR17
Brown Ridge.....	UR18
White Sand.....	UR19
Granite Rock.....	UR20
Gravel Road.....	UR21
Black Coal.....	UR22

Waterfall - 60% Virgin Polyester /40% Post - Consumer Recycled Polyester

Trance.....	WA40
Tryst.....	WA41
Splash.....	WA42
Victoria.....	WA43
Imagine.....	WA44
Sky.....	WA45
Rainforest.....	WA46
Rumble.....	WA47
Prism.....	WA48
Tranquility.....	WA49
Grand.....	WA50
Rushing.....	WA51
Majestic.....	WA52
Pacific.....	WA53
Dance.....	WA54

Waterfall - 60% Virgin Polyester /40% Post - Consumer Recycled Polyester

Lime.....	WV01
Mint.....	WV02
Stone.....	WV03
Flame.....	WV04
Mykonos.....	WV05
Savannah.....	WV06
Mesa.....	WV07
Plasma.....	WV08
Cancun.....	WV09
Quartz.....	WV10
Moonrock.....	WV11
Rubine.....	WV12
Corfu.....	WV13
Bluejay.....	WV14

GRADE 2 (FABRIC)

Imprint - 100% Post-Consumer Polyester

Almond.....	IM70
Cork.....	IM71
Sand.....	IM72
Currie.....	IM73
Candy Apple.....	IM74
Ocean.....	IM75
Navy.....	IM76
Green Tea.....	IM77
Celery.....	IM78
Oregano.....	IM79
Walnut.....	IM80
Paprika.....	IM81
Graphite.....	IM82
Slate.....	IM83
Licorice.....	IM84

Match - 100% Recycled Polyester

Desert.....	MT20
Sand.....	MT21
Moss.....	MT22
Orange.....	MT23
Sunset.....	MT24
Blue.....	MT25
Wave.....	MT26
Green.....	MT27
Chocolate.....	MT28
Burgundy.....	MT29
Grey.....	MT30
Quarry.....	MT31
Black.....	MT32
Arctic.....	MT33

GRADE 2 (FABRIC) - CONTINUED

Replay - 100% Post-Consumer Recycled Polyester

Caramel	RP21
Navy	RP25
Teal	RP29
Autumn	RP30
Slate	RP32
Dove	RP33
Coal	RP34

Silhouette - 100% Nylon with Teflon
Designed to color coordinate with Cumulus and Oxygen fabrics.

Asphalt	SL20
Indigo	SL22
Camel	SL26
Charcoal	SL30

GRADE 2 (VINYL)

For availability of chair series in Vinyl, please contact a Global Sales Representative.

Allante FRee - 100% Vinyl Face / 100% Polyester Backing

Illusion	A01F
Bright White	A02F
White Crush	A03F
Ivory	A04F
Ice	A05F
Bleached Sand	A06F
Taupe Fawn	A07F
Warm Smoke	A08F
Autumn Rain	A09F
Cookie	A10F
Sierra Brick	A11F
Gibraltar	A12F
Chateau Grey	A13F
Golden Green	A14F
Oasis Green	A15F
Ink Black	A16F
Purple impulse	A17F
Italian Rose	A18F
Mountain Sky	A19F
Old Navy.....	A20F
Galaxy	A21F
Red Truffle	A22F
Chocolate Sundae	A23F
Province Blue	A24F
Eclipse	A25F

GRADE 3 (RECYCLED)

Couture - 100% Post-Consumer Polyester

Mocha	CE71
Sapphire.....	CE74
Neptune.....	CE75
Lake.....	CE76
Willow.....	CE77
Sassy.....	CE78
Persimmon.....	CE80
Carbon.....	CE81
Sterling.....	CE82



PANEL C.O.M REQUEST FOR APPLICATION TEST

SEND COMPLETED FORM AND FABRIC TO:

Evolve Furniture Group
555 Petrolia Road, Unit 2
Toronto, Ontario M3J2X8
Attn: Eliza Porres

Requested By: _____

Phone #: _____

Fax #: _____

Project Name _____

Dealer/Specifier _____

Dealer Contact: _____

Evolve CSR: _____

Phone #: _____

Fax #: _____

FABRIC INFORMATION

Fabric Manufacturer: _____

Color Name: _____

Color #: _____

Pattern Name: _____

Pattern #: _____

Content: _____

Weight: _____

Width: _____

Repeat Horizontal: _____

Repeat Vertical: _____

Other Comments: _____

REQUEST FOR APPLICATION TEST (THIS REQUIRES 2 YARDS OF FABRIC)

_____ Evolve Panel

_____ Evolve Tackboard

_____ OH Doors

Total Number of yards for testing: _____

Please Note:

Evolve is not responsible for the duty and brokerage fees for C.O.M. Fabric to clear customs. These charges will be billed to the dealer on a separate invoice.

PANEL FABRIC SPECIFICATION SHEET

SEND COMPLETED FORM TO:

EVOLVE Furniture Group
 555 Petrolia Road, Unit 2
 Toronto, Ontario M3J2X8
 Attn: Eliza Porres

SUPPLIER PATTERN WIDTH CONTENT	REMARKS: _____ _____ _____ _____	
LIGHT FASTNESS FLAMMABILITY TUNNER TEST	REMARKS: _____ _____ _____ _____	
CUT PRICE 1 - 3 ROLLS 4 ROLLS	REMARKS: _____ _____ _____ _____	
DIRECTIONAL PANELS CORNERS RACEWAY COVER RACEWAY CORNERS STRETCH	REMARKS: _____ _____ _____ _____	EASY HARD X-HARD
APPROVED <input type="checkbox"/> NOT APPROVED <input type="checkbox"/> CONDITIONAL APPROVAL <input type="checkbox"/>		
REMARKS: _____ _____ _____		
* This fabric is approved for upholster-ability only. The approval does not account for the durability of the fabric at the time of, and after installation of the product		
SIGNATURE: _____ PRINT NAME: _____ DATE: _____		



TOP

**STAPLE
MINIMUM 6" X 6"
FABRIC SAMPLE HERE
IN THE DIRECTION IT IS TO BE
APPLIED TO THE PRODUCT**

BOTTOM



APPENDIX

The Evolve Furniture Group has partnered with the software vendors listed below to provide you with an online source for viewing the 2019 Evolve Electronic Catalog. Please visit their websites for additional information and download details.

2020 Technologies

www.2020technologies.com
5503 Mile Road NW
Grand Rapids, MI 49544
Phone: 800-638-6002

Ice Edge Business Solutions

www.ice-edge.com
4001 S 700 East, Suite 450
Salt Lake City, UT 84107
Phone: 801-747-0373

KISP

www.kisp.com
Customer Support: 416-499-2457
Cad Services Team: 416-499-2457 x3
Customer Service e-mail: tellmemore@kisp.com
CAD Services requests CadServices@kispstech.com

Project Matrix

www.projectmatrix.com
11655 Lebanon Rd.
Cincinnati, OH 45241
Tech Support Instant Messenger: projectmatrixtech@yahoo.com
Phone: 513.554.1665
Fax: 513.554.1255

Quintero-Smith Incorporated/Midnight Oil

www.midnight-oil.com
10469 Kinnard Avenue
Los Angeles, CA 90024
voice: 800-350-7434 (US Only)
international: 310-478-5140
fax: 310-478-4572
e-mail: jimrsr@q-si.com



TERMS & CONDITIONS

APPLICATION OF STANDARD TERMS

Sales of Evolve products are made only on Evolve standard terms and conditions of sale which are contained in the Price Book and in Evolve's order acknowledgments. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Evolve's authorized personnel at its head office in Marlton, New Jersey. An offer by Purchaser of said terms and conditions shall not be binding until accepted by Evolve in writing.

All illustrations, specifications and prices in this Price List are based on the latest product information available at the time of publication. Evolve reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

PRICES AND PAYMENT

The prices shown in this Price List, as well as those quoted by Evolve, shall be in US dollars for orders shipped to destinations within the continental United States.

Prices listed herein are for standard product. Quotations for special product are available through Evolve Customer Support Department in Marlton, New Jersey.

If shipping date requested is more than 90 days from date of order Evolve shall use published list prices effective at the time of shipment.

Not included in the list price are special or export packing, unpacking and installation. Orders are invoiced at the time of shipment. The Customer agrees to pay a charge of 2% per month of invoices outstanding more than 30 days.

FOR PAYMENTS ONLY, MAIL TO:

Evolve Furniture Group, a division of:
Global Industries, Inc.
17 West Stow Road
P.O. Box 562
Marlton, New Jersey 08053

Any products sold shall remain the property of Evolve until fully paid for in cash. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Evolve until such time as the goods have been paid for in full.

Freight charges will be prepaid by Evolve to destinations within the contiguous United States on shipments of \$10,000 list and greater. For shipments less than \$10,000 list, the freight charge will be 5% of the total list price.

Please note exception below:

All showroom and mock-up orders will be subject to actual freight charges.

Evolve shall, in its sole discretion, determine the most appropriate method of shipment routing and carrier. Shipments of less than a full trailer load (LTL) shall ship via common carrier. **These LTL shipments are not subject to specific delivery days or times.** Full trailer loads will provide for dedicated delivery time and schedule. Purchaser may request special packaging or method of shipment at Purchaser's sole expense.

TAXES

All sales, use, excise and other applicable taxes and the collection and reporting thereof (excluding only taxes on the net income of Evolve) are the Purchaser's responsibility and will be invoiced to the Purchaser. If Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish an appropriate exemption certificate to Evolve.

ORDER INFORMATION

Evolve requires that **all orders be submitted in writing** to avoid errors and/or duplication. Orders will be acknowledged with Evolve's acknowledgement forms governing the transaction. The details appearing on the acknowledgement will describe the items to be shipped to Purchaser who must ascertain that they are correct. If not correct, Purchaser should notify Evolve immediately by telephone or fax followed by written confirmation. Acknowledgment shows approximate shipping date of items ordered. **Shipping dates are assigned to orders based on the item having the longest manufacturing lead time.** Orders with Customer's Own Material (C.O.M.), or missing or incorrect information (finish selections, fabric selections, etc.) will be scheduled for manufacturing upon receipt of COM or correct complete information. Purchaser must indicate if multiple shipping schedules are required including noting if the shipping date requested is longer than standard posted lead time. Each shipment will be invoiced at time of shipping and will be subject to payment terms described herein.

C.O.M. CUSTOMER'S OWN MATERIAL

Should Purchaser request a fabric, not standard to the Evolve upholstery line, Purchaser shall submit a sample of not less than two yards for approval. Evolve will determine whether fabric is suitable to manufacturing process and applicable UL or code requirements. Should Evolve be required to test such fabric, it shall so advise Purchaser, and Purchaser shall be responsible for all costs associated therewith. This includes all duty and brokerage fees.

Fabric yardage requirement will be determined by Evolve. An additional charge may be made to cover the cost of cutting, matching or sewing unusual or directional patterns. Evolve shall have no responsibility for condition, quality, performance, physical properties or any other aspect of C.O.M. For panels, price as if grade 1 fabric is used.

Evolve reserves the right to reject any C.O.M. deemed unsuitable.

Evolve reserves the right to cancel an order at any time if C.O.M. is, in the sole judgement of Evolve, inadequate for any reason.

CHANGES AND CANCELLATION

The order may not be changed or cancelled by Purchaser without the written consent of Evolve. This charge can be as much as 100% based upon proximity to scheduled shipment date. Special order items and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric has been cut.

DEPOSIT ON SPECIAL ORDERS

Orders for nonstandard products may, at Evolve's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

SUSPENSION

In the event that the Purchaser defaults in the payment of any sum due Evolve, or in the event the Purchaser's financial condition becomes unsatisfactory to Evolve, Evolve shall have the right at its option, upon written notice to the Purchaser, to cancel shipment of any goods, unless within ten (10) days of Purchaser's receipt of such notice Purchaser provides assurance of payment to Evolve in such form, content and/or amounts as Evolve, in its sole discretion, deems adequate.

COMBINED SHIPMENTS

Evolve will make every effort to combine shipments and orders on written request. However, acceptance of such request shall be with Evolve's sole discretion.

CODE RESTRICTIONS

Evolve portable furniture may be subject to local fire, electrical and/or building codes applicable to portable furniture. It shall be Purchaser's sole responsibility for the proper application of Evolve items within the limitations of such local codes, which may be different from area to area.

SERVICE

Service problems shall be handled by the authorized Evolve dealer. Where this cannot be accomplished on a local level, service problems should be referred to:

Evolve Furniture Group
Customer Support
17 West Stow Road
Marlton, New Jersey USA 08053
856-552-4000 888-827-2500
Attention: Evolve Operations Manager



TERMS & CONDITIONS

STORAGE

In the event Purchaser requests postponement of delivery beyond the acknowledged shipping date, Evolve may transfer the goods to storage on Purchaser's account and at Purchaser's risk and expense subject to a daily storage rate. Such transfer to storage shall be deemed shipment to Purchaser for all purposes, including invoicing and payment.

DELAYS

Evolve's order acknowledgement will state a shipping date which is Evolve's best estimate at the time the order is acknowledged. However, Evolve shall not incur any obligation or liability to Purchaser for failure to ship by a specified date. In addition, Evolve shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Evolve, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Evolve may, without causing any breach or incurring liability, allocate goods which are in short supply, regardless of the reasons therefore, among purchasers, in any manner which Evolve, in its sole discretion, deems advisable.

BACK CHARGES

Evolve will not accept charges for expense incurred by the Purchaser in expediting shipments or otherwise. Evolve will not accept charges for the repair of damage by others.

CLAIMS

All goods are sold F.O.B. Toronto, Canada, unless otherwise agreed to in writing by Evolve. Evolve is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Any claims made against Evolve for apparent defects, errors or shortages must be made by the Purchaser in writing, within fifteen (15) working days after any delivery. Failure by the Purchaser to make any claim against Evolve within the above-described fifteen days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

RETURNS

No returns of goods will be accepted without written consent and shipping instructions, including Evolve's Return Goods Authorization (R.G.A.) numbers, to Evolve. A minimum restocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Evolve in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items and fabric-covered items are in no event subject to return. All returns must be approved and authorized in writing by Evolve Customer Support, Marlton, New Jersey.

LIFETIME WARRANTY

Evolve warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser. This warranty is made by Evolve only to original customers acquiring the product directly from Evolve's authorized dealers. The customer's sole remedy pursuant to this warranty is limited to repair or replacement of parts or product at Evolve's option. Consent from Evolve must be obtained before any warranty work is performed. This warranty shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or "accident", shipping damage, or product use and installation other than in accordance with written instructions or warnings. It shall also not apply when product has been modified or altered, repaired or refurbished by someone other than Evolve or an authorized dealer or because of natural variations over which Evolve has no control. In the event of repair and/or replacement of any defective product, Evolve does not warrant matching color, grain, texture or dye lots. Evolve's warranty does not cover the cost of transportation or labor. Repair or replacement will be at Evolve's option. Evolve makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth in this Price List. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Evolve be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

This Lifetime Warranty is NOT applicable to customers who use Evolve products for rental purposes and is effective only for products, parts or components manufactured after January 1, 2011.

Exceptions to this warranty include:

- Global fabrics and wood veneers, which are warranted for five years from date of delivery.
- Electrical components, which are warranted for ten years from the date of delivery.
- Moving parts such as glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for five years from date of delivery.

- Fading on fabric and wood veneers can be caused by exposure to U.V. rays/sunlight. Natural wood veneer, being a natural material, will have shade differences between veneer sheers, the difference will be more apparent between dye lots.

Evolve does not warrant color fastness on Customer's Own Material.

Because of natural variations over which Evolve has no control, this warranty does not extend to color, grain or texture of wood, and Evolve does not warrant matching of color, grain or texture.

Evolve makes no warranties, including implied warranties of merchantability and fitness for a particular purpose, other than the express warranties contained herein.

LIMITATION OF REMEDY

Purchaser's sole and exclusive remedy (excluding the repair or replacement of goods for breach of the express warranty above) for any matter or claim arising under or relating to these terms and conditions, the goods covered hereby and any transaction involving or relating to such goods, whether in contract, tort (including negligence) or otherwise, shall be payment of the lesser of the cost to repair or replace said product or the purchase price for the goods to which the claim relates. In no event shall Evolve be liable for any special, indirect, consequential, or incidental damages, including without limitation, damages for loss of business profits, business interruptions, or loss of information.

EVOLVE'S WARRANTY DOES NOT APPLY (FOR ANY PRODUCT CATEGORY) TO THE FOLLOWING:

- Failures due to wear and tear
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Evolve's written instructions and warnings
- Modifications, attachments or repair methods not approved by Evolve
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Evolve's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

showrooms and distribution centers throughout the united states

SHOWROOMS

Atlanta

10 10th Street
Suite 150
Atlanta, GA 30309
T 404.879.0998

Chicago

The Merchandise Mart
10th Floor, Suite 1035
Chicago, IL 60654
T 312.755.0843

New Jersey (Southern)

119 Greentree Road
Marlton, NJ 08053
T 856.596.3390

Philadelphia

1735 Market Street
38th Floor
Philadelphia PA, 19103
215.861.0963

Washington, DC

1130 Connecticut
Avenue
Washington, DC 20036
T 202.659.0230

Boston

One Harbor Street,
Suite 104
Boston, MA 02210
T 617.406.5435

Miami

112 NE 41st Street
6th floor
Miami, FL 33137

New York City

386 Park Avenue South,
7th floor
New York, NY 10016
T 212.545.9900

Phoenix

4675 East Cotton
Center Boulevard,
Suite 165
Phoenix, AZ 85040
T 602.426.0666

SHOWROOMS + DISTRIBUTION CENTERS

Atlanta Area

6715 Maple Ave.
Suite 100
Buford, GA 30518
T 678.602.4130

Chicago Area

27W501 North Avenue
West Chicago, IL 60185
T 630.681.2818

Denver Area

16401 E. 33rd Dr., Ste. 50
Aurora, CO 80011
T 303.340.1617

Kansas Area

11617 West 81st Street
Lenexa, KS 66214
T 913.310.9963

Tampa Area

10351 Windhorst Road
Tampa, FL 33619
T 813.621.6272

Baltimore Area

Troy Hill Corporate
Center
7030 Troy Hill Drive
Elkridge, MD 21075
T 410.379.8021

Cincinnati Area

8712 LeSaint Drive
Fairfield, OH 45014
T 513.777.0009

Ft. Lauderdale Area

560 Sawgrass
Corporate Parkway
Sunrise, FL 33325
T 954.846.8888

Los Angeles Area

12320 Bloomfield
Avenue, Unit A
Santa Fe Springs, CA
90670
T 562.484.9686

Boston Area

19 Connector Rd., Unit 1
Andover, MA 01810
T 978.470.8463

Dallas Area

2025 W. Beltline Rd.,
#100
Carrollton, TX 75006
T 972.236.1366

Houston

7865 Northcourt Road,
Building D, Suite 200
Houston, TX 77040
T 713.695.5777

Seattle Area

Oakesdale Commerce
Center
820 Southwest 34th St.
Building W7, Suite A
Renton, WA 98057
T 425.291.9282

Global - USA Headquarters

17 West Stow Road P.O. Box 562
Marlton, New Jersey U.S.A. 08053
Tel (856) 596-3390 | (800) 220-1900
www.globalfurnituregroup.com

Global - Canada Headquarters

1350 Flint Road
Downsview, ON Canada M3J 2J7
Sales & Marketing: Tel (1-877) 446-2251
Customer Service: Fax (800) 361-3182
Government Customer Service: Fax (416) 739-6319



Association of Canadian Ergonomists
Association Canadienne d'Ergonomie