

# compile systems





#### PROTECTING THE ENVIRONMENT FOR FUTURE GENERATIONS

Our environmental success story began with the challenge to create an office system that would meet today's business requirements while maintaining a firm commitment to save and protect the environment.

Sustainability became a part of the creative focus and development of Compile that incorporates the latest technology and design features to provide excellent performance at a competitive price.

As government and industry environment ratings such as LEEDS & Greenguard become more prevalent, Compile offers designers and architects functional, attractive, and economical office designs that meet these standards.

Evolve Furniture Group is a leader in reducing waste in the manufacturing of its products as well as utilizing recycled materials wherever possible. We make extensive use of recycled plastic and wood waste from other Global factories.

Evolve Furniture Group is committed to the continuous improvement of our environmental systems, the prevention of pollution, and to comply with both the spirit and the letter of all relevant environmental legislation.

Compile Panels are 100% recyclable at the end of their lifespan. Nothing from an Evolve Panel needs to end up in a landfill.

#### SUSTAINABILITY INFORMATION

Compile offers fabrics that are made from 100% recycled polyester, which means less waste going to landfills. These fabrics also reduced the demand for petroleum products, and decrease the environmental impacts of processing those petroleum products into polyester.

Compile's epoxy powder coating process involves no liquids and is solvent free. It contains no harmful VOC's or lead. Up to 99% of over sprayed powdered is reclaimed, mixed with virgin powder and reused.

Compiles's entire panel is up to 82% recycled.

Compile masonite is up to 85% recycled.

Compile's entire product line is up to 99% recyclable.

REFERENCES	
Features, Benefits & General Information	3
Coding an Order	4
Textiles & Finishes	112
Panel COM Form	117
Panel Fabric Specification Sheet	118
Pedestal Cushions COM Form	119
Panel Fabric Sample	120
Appendix	121
Terms & Conditions	
PANELS	
Panels – Technical Information	8
Panel – Types	
Panel Package – Configuration	15
Monolithic Panel Packages	
Segmented Panel Packages	18
Acoustic Panel Packages	
Monolithic Laminate Panel Packages	22
Segmented Laminate Panel Packages	
Segmented Writeboard Panel Packages	
Single Segmented Open Bottom Panel Packages	
Glazed Panel Packages	
Partly Glazed Panel Packages	
12" Top Partly Glazed Panel Packages	
Privacy Glass	
Over Panels	
Gallery Panels	
Sliding Doors	
Post Packages	
Raceway & Knockout Covers	
Posts & Trim Inserts	
Post Covers	
Panel Legs	
Post Separator	
ELECTRICAL	
Electrical – Technical Information	
Electrical – Wire Schematic	
Electrical – Configuration	
Power Distribution Housing	67
Cables	68
I Connector	68
Duplex Receptacle	69
Power Entry	70
Electrical Box	70
Post Extension	71

ELECTRICAL	
Ceiling Feed	71
Cable Cover	71
Task Lights	72
WORKSURFACES	
Worksurfaces – Technical Information	74
Worksurfaces - Configuration	75
Rectangular Worksurface	76
Straight Worksurfaces	77
Rectangular Worksurface for Height Adjustable Tables	78
Wedge Worksurfaces	79
Span a Post Rectangular Worksurfaces	79
Curvilinear Worksurface	80
Corner Worksurface	81
Extended Curved Corner	82
"D" Worksurface	83
Hatchet Worksurface	84
Straight Wedge Worksurfaces	84
Quarter Round Panel Worksurface	84
Transaction Worksurface	85
Accessories	86
STORAGE	
Storage – Technical Information	92
Storage - Configuration	93
Pedestals	94
Overhead Storage	96
Lateral File	98
Storage Towers	101
Key Alike Form	103
ACCESSORIES	
Tack Board	106
White Marker Board	106
Load Bars	107
Rail Accessories	107



#### **PANELS**

 Panel Fabric modules consist of Module Frames, Module Interiors and Fabric Skins.

#### Fabric

 Fabric offerings include selections woven with 100% recycled yarn.

#### **Panel Frame**

- Typical workstation contains up to 62.2% recycled material.
- Panel is made of 82.3% recycled material.
- Acoustic panels are light tackable with 0.70 NRC and a 26 STC rating.
- Non Acoustic panels are not tackable with 0.17 NRC and a 28 STC rating.
- · Raceway covers are aluminum.
- Plastic top cap vs Aluminum top cap.

#### Metal Components/Raceway Finish

- All aluminum components are painted with environmentally friendly epoxy powder.
- Raceway interiors are coated with recycled epoxy powder.
- The entire Compile Panel and the processes used to manufacture it are designed to save and protect the environment. Compile Panels are made from recycled materials and are 99% recyclable.

#### **Panel Options**

- Compile Panels come in 4 heights: 30", 42", 54" and 66".
- Panel widths come in 7 sizes including: 24", 30", 36", 42", 48", 54" and 60".
- Panels conform to CGSB and ANSI/BIFMA standards.
   This is your assurance that the quality, and performance level of these Panels have been tested to equal or exceed the requirements of the US government.
- Rigid, aluminum Panel Frame is 2 3/8" thick.
- Aluminum Panel Frame combined with easy to assemble "Quick Connect" clips, create a rigid Panel Wall
- Levelling glides extend 2". Enables the client to deal with severe undulations in the flooring levels of a building.
- Compile makes it easy to select a Panel function that is suitable for your application.
- Compile makes it easy to select a Panel type and height that is suitable for your application.

# **VOICE/DATA AND ELECTRICAL POWER**

- Voice/data cables can be inserted at the base. 8 wire, 4 circuit electrical capability, 2 utility + 2 dedicated circuits, each with 10 gauge (oversized) neutrals. All circuits can support up to 20 amps (15 CSA).
- Raceway Cover opening sizes conform to the ANSI/ TIA/EIA Furniture Opening Standard of 1.345"x 2.680".
- Panels 24" wide include raceway covers with 2 knockouts.
- Panels 30" 60" wide include raceway covers with 3 knockouts.

- Panels and electrical components are CSA/UL approved.
- Compile panel raceway is roughly 2.13" x 4.6" without power distribution housing installed. With power distribution housing installed inside, the dimension is reduced to roughly 2.13" x 2.13
- The base raceway cavity accommodates 50 .25" diameter communication cables without power installed or 30 .25" diameter communication cables with power installed.
- 90-degree posts accommodate 25 .25"diameter communication cables without a ceiling infeed or 20 .25" diameter communication cables with a ceiling infeed installed.
- 120-degree posts may not be utilized for power infeeds or communication cables. 90-degree posts may be utilized at the end of a 120-degree configuration if ceiling infeed of power and/or data cables is required.
- No tools are required to install electrical in the Compile Panel System.

#### WORKSURFACES

- 1" thick worksurfaces come in a variety of shapes and sizes. Essentially, they are 24" or 30" deep and are available in 6" increments from 24" to 84" wide.
- Cable scoops located at the back of each Worksurface provide routing of power and data cables.
- This convenient feature, together with a 3/8" gap between the Worksurface and the Panel, allows access to cables without having grommet holes in the Worksurface.
- With this choice of product, we can tailor each installation to your requirements. The addition of custom sizes shows a commitment to client satisfaction that not every manufacturer offers.
- Thermally fused laminate tops are standard.
- · All Worksurfaces utilize balanced construction.
- Predrilled holes in worksurfaces enable installer to properly align worksurface.

#### STORAGE

- 19", 23" and 29" deep Pedestals. Freestanding and Worksurface supporting options available.
- Drawer divider and pencil tray included in all Freestanding Pedestals containing box drawers.
   Drawer divider and pencil tray not included in Worksurface Supporting Pedestals.
- Adjustable glides are accessible from the inside of the solvingt.
- Positive and secure locking system on all Pedestals is standard.
- Full height drawer sides are standard on all file drawers. This enables you to hang files from the drawer side so no extra hardware is necessary. File drawers accept letter sized files. Optional file bars are available to file legal and metric sized files.
- Steel construction guarantees the performance of the product over the long term. Welded joints with a full top, back and base ensure that the Pedestal will sit square and adequately support the Worksurface where necessary.

- Worksurface supporting Pedestals are standard with Compile
- · Shelves feature all metal construction.
- All storage components as well as the Panel Frames are epoxy powder coated.
- Glides enable you to level the cabinet to the floor and or Worksurface. The convenient adjustment feature allows the installer to adjust the height of the cabinet while it is under the Worksurface. This saves time in the installation process.
- For additional security and peace of mind, locks can be keyed alike or master keyed for additional convenience. Standard recessed handle offers uncluftered aesthetic.
- "Environmentally friendly" epoxy powder coat is 15 times more durable in independent testing than a wet paint spray. This helps maintain the look of the product over its many years of service.

#### **WARRANTIES AND PERFORMANCE**

- · A Lifetime Warranty
- Non Obsolescence Warranty
- Reduced cost of assembly and reconfiguration
- ISO9001:2008 Registered
- ISO14001:2004 Registered
- GreenGuard Certified
- · Level 2 Certified
- ANSI/BIFMA CGSB testing on all products
- For piece of mind over the long term, we cover you with a comprehensive warranty that is supported by our dealer network.
- Some installation companies claim that the Compile Panels System can be installed in half the time it takes to install most of our competitor's segmented panels. This cost saving can amount to thousands of dollars over the lifetime of our furniture.
- Your assurance of consistent quality to an international standard. Evolve Furniture Group is committed to design, manufacture and distribute superior quality office furniture, which meets or exceeds the requirements of our customers.
- Confirmation that Evolve Furniture Group is committed

   (1) to providing product that, through their entire life cycle, minimize negative environmental impacts on the environment,
   (2) to continuous improvement to our environmental systems and programs and
   (3) to comply to all relevant environmental legislation and regulations.
- Compile Panel System can help a company meet LEED requirements for office furniture.
- Compile components are tested to the highest standard in the industry. This is your assurance of quality and longevity.
- Panel textiles, adjustable keyboard mechanisms, task lights and electrical devices = five (5) Years
- Other parts = Lifetime Warranty

**CODING AN ORDER** INTRODUCTION

Compile products have been coded using alphas that correspond with the product name. This creates an easy-to-remember code. The following breaks down the coding logic and highlights the required code components needed to order within each product category.


#### **Panels**

Example:

Product:

Compile Fabric Monolithic Panel

Specify:



Base Code found on the product page to the left of the product name and a simple product illustration.

CoMpile product line

Fabric-covered Panel

Monolithic panel category

CMFM6648

Panel size offering. Listed on every product page with price listing.

Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering

code.

CMFM6648-BK

Standard paint code for frame. See the Fabric & Finish listing in this section.


To specify fabric for a Compile Panel, please note:



CMFM6648-BK-B84A

Fabric code for all modules on both sides of the Panel\*. See the Fabric & Finish listing in this section.

\* NOTE: If different fabrics are to be included on a Compile Panel, please use the following ordering format. Start at the bottom of one side of a Panel and work to the top module of that Panel. Then start the process over on the other side of the Panel. As an example:



= 42 Position 2

Position 1

11 **B86A** 12 B84A

01 **B86A** 02 B84A I = Inside

0 = Outside

INTRODUCTION CODING AN ORDER


#### **Electrical**

Example:

**Product:** 

Flexible Mesh Jumper Cable

Specify:



CE8CP**17** 

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Electrical category.

Cable Panel.

Pass-Through.

Product size offering – length. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.


#### Worksurfaces

**Example:** 

**Product:** 

Curvilinear Worksurface - Left

Specify:



CWVL**3042** 

CWVL3042-T431

CWVL3042-T890-CR

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Worksurface category.

CurVilinear shape.

Left hand configuration.

Worksurface size offering. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

Laminate code for surface. See the Fabric & Finish listing in this section.

PVC code for trim. See the Fabric & Finish listing in this section.

5

INTRODUCTION CODING AN ORDER


#### Worksurfaces - Hardware

Example:

Product:

**End Panel** 

Specify:



2 CHEP-**T431** 

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Hardware category.

End Panel.

End Panel.

Laminte code for End Panel. See the Fabric & Finish listing in this section.


Storage

Example:

Product:

Box, Box, File Pedestal

Specify:



2 CS1923BBF

3 CS19**23**BBF

4 CS1923BBF

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Storage category.

19 Product Series.

23" Pedestal depth in inches.

 $\boldsymbol{B} o \boldsymbol{x}$  drawer,  $\boldsymbol{B} o \boldsymbol{x}$  drawer,  $\boldsymbol{F} i le$  drawer.


# panels

#### THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF COMPILE PANELS:


- Compile Panels are:
  - Available in four (5) heights: 30", 42", 48", 54" and 66"; and seven (7) widths: 24", 30" 36", 42", 48", 54" and 60".
  - 2 3/8" thick.
  - Monolithic, Segmented, Acoustic, and Glazed.
- Acoustic panels are lightly tackable with 0.70 NRC rating and a 26 STC rating.
- Compile Non Acoustic panels are not tackable.
- Raceway openings are 1.375" x 2.680".
- Panels 24" wide include raceway covers with 2 knockouts.
- Panels 30" 60" wide include raceway covers with 3 knockouts.
- . Opposite sides of each Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- · Standard with aluminum frame.
- Individual fabric covered acoustic modules incorporated into an aluminum frame.
- Reinforced aluminum raceway covers are included when ordering panel packages or may be ordered and shipped separately. Raceway covers can be replaced in the field
  to change a panel from non-powered to powered (or vice versa).
- · Base raceway lifts up and locks in an upright 90-degree position, or can be removed for open access to base raceway.
- Electric knockouts in the raceway have black plastic covers that snap into place from the outside of the cover, when a duplex is not required. Electric knockout covers must be specified separately. Available in standard paint finishes.
- 3 panel connector brackets per side for 30"h, 42"h and 54"h come installed on panels and universal posts.
- 4 panel connector brackets per side for 66"h panels come installed on panels and universal posts.
- Panel connector brackets are opposite direction of each other per panel side, and can be removed with one screw per bracket.

#### **MONOLITHIC PANEL PACKAGES - PAGES 16 & 17, 22-25**


#### Non-Powered Compile Monolithic Fabric Panel Package




# **Powered Compile Monolithic Fabric Panel Package**




#### Non-Powered Compile Monolithic Fabric Panel Package



**Powered Compile Monolithic Fabric Panel Package** 



#### **Non-Powered Compile Monolithic Fabric Panel Package**





Non-Powered Compile Monolithic Laminate Panel Package



#### **Model Definitions:**

N0 = No punch outs on raceways.

N1 = Raceway punch out on one side.

N2 = Raceway punch out on both sides.

P1 = Power harness and raceway punch out on one side.

P2 = Power harness and raceway punch outs on two sides.

#### **RACEWAY COVER OPTIONS (Suffix)**

(NO) No Knockouts Side 1 and Side 2

(N1) Knockouts Side 1 - No Knockout Side 2

(N2) Knockouts Side 1 and Side

(P1) Knockouts Side 1 - No Knockout Side 2


(P2) Knockouts Side 1 and Side 2




**PANELS** PANEL TYPES

# **SEGMENTED - PANEL PACKAGES - PAGES 18 & 19, 26-35**


#### Non-Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package



**Powered Compile Single Segmented Fabric Panel Package** 




**Powered Compile Single Segmented Fabric Panel Package** 




# **ACOUSTIC PANEL PACKAGES - PAGES 20 & 21**


#### **Non-Powered Compile Monolithic Acoustic Panel Package**




Non-Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package



#### **Powered Compile Monolithic Acoustic Panel Package**




#### Powered Compile Monolithic Acoustic Panel Package




**PANELS** PANEL TYPES

# SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGES - PAGES 34-35


Non-Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package



**Powered Compile Single Segmented Open Bottom Panel Package** 




**Powered Compile Single Segmented Open Bottom Panel Package** 



# **DOOR PANELS - PAGE 42**


**Sliding Privacy Door** 




CMPDSL6636/42

# **GLAZED PANEL PACKAGES - PAGES 36-37**


#### **Non-Powered Compile Glazed Panel Package**




Non-Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package



**Powered Compile Glazed Panel Package** 




**Powered Compile Glazed Panel Package** 




**PANELS** PANEL TYPES

# **PARTLY GLAZED PANEL PACKAGES - PAGES 38-41**


#### Non-Powered Compile Partly Glazed Panel Package




**Non-Powered Compile Partly Glazed Panel Package** 




**Non-Powered Compile Partly Glazed Panel Package** 



**Powered Compile Partly Glazed Panel Package** 




**Powered Compile Partly Glazed Panel Package** 



**Compile Privacy Glass** 

Available in widths from 24" to 60".



# MINI PANEL KIT - PAGE 43

#### Mini Panel Kit



CMFMA2418KIT1

**PANELS** CONFIGURATION

This page provides an exploded view of a sample Panel Package highlighting each Panel component included within the package.

# **Package Components**

#### Package 1 CMFM6636N0


- A. (1) 66"h x 36"w Monolithic Fabric Panel
- B. (2) 36"w Raceway Covers Without Knockouts


#### Package 2 CMFF6636P2


- C. (1) 66"h x 36"w Single Segmented Fabric Panel
- D. (2) 36"w Raceway Covers With Knockouts
- E. (1) 36"w Power Distribution Housing

#### Package 3 CHP66-2

- F. (1) 66"h Universal Corner Post
- G. (2) Trim Inserts for 66" Universal Corner Post
- H. (1) Post Base Cover for 2-Way Application
- I. "Quick Connect" comes standard with Panels and Universal Corner Post







# CMFMXXYYN\_ - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE		LIST PRICE Gr1 Gr2		DIMENSIONS/INCHES H W D	
			ווט	UIZ	П	VV	U
	Non-Powered Compile Fabric Monolithic	CMFM3024N_	365	398	30	24	2 3/8
	Panel Package - 30"	CMFM3030N_	412	444	30	30	2 3/8
		CMFM3036N_	447	511	30	36	2 3/8
		CMFM3042N_	494	558	30	42	2 3/8
		CMFM3048N	525	589	30	48	2 3/8
		CMFM3054N_	581	645	30	54	2 3/8
		CMFM3060N_	613	676	30	60	2 3/8
	Non-Powered Compile Fabric Monolithic	CMFM4224N_	365	398	42	24	2 3/8
	Panel Package - 42"	CMFM4230N_	412	444	42	30	2 3/8
	Š	CMFM4236N_	447	511	42	36	2 3/8
/ II		CMFM4242N_	494	558	42	42	2 3/8
		CMFM4248N	525	589	42	48	2 3/8
<u> </u>		CMFM4254N_	581	645	42	54	2 3/8
		CMFM4260N	613	676	42	60	2 3/8
		01VII 1VI42001V_	010	070	72	00	230
<b>/</b>	Non-Powered Compile Fabric Monolithic	CMFM4824N_	380	418	48	24	2 3/8
	Panel Package - 48"	CMFM4830N_	431	469	48	30	2 3/8
		CMFM4836N_	479	553	48	36	2 3/8
		CMFM4842N_	533	608	48	42	2 3/8
		CMFM4848N	560	636	48	48	2 3/8
		CMFM4854N	607	683	48	54	2 3/8
		CMFM4860N_	663	736	48	60	2 3/8
	Non-Powered Compile Fabric Monolithic	CMFM5424N_	381	420	54	24	2 3/8
	Panel Package - 54"	CMFM5430N_	431	470	54	30	2 3/8
		CMFM5436N_	480	556	54	36	2 3/8
~   <b> </b>		CMFM5442N_	533	609	54	42	2 3/8
		CMFM5448N_	561	638	54	48	2 3/8
<b>4</b> *		CMFM5454N_	608	685	54	54	2 3/8
		CMFM5460N_	663	739	54	60	2 3/8
_							
	Non-Powered Compile Fabric Monolithic	CMFM6624N_	426	477	66	24	2 3/8
ا گھ	Panel Package - 66"	CMFM6630N_	489	540	66	30	2 3⁄8
//II		CMFM6636N_	558	651	66	36	2 3/8
		CMFM6642N_	627	720	66	42	2 3/8
		CMFM6648N_	678	771	66	48	2 3/8
		CMFM6654N_	755	848	66	54	2 3/8
		CMFM6660N_	829	924	66	60	2 3/8

# **Raceway Cover Options (1) Shown**

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMFMXXYYP\_ - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST Gr1	PRICE Gr2	DIMI H	ENSIONS/IN W	CHES D
	Powered Compile Fabric Monolithic	CMFM3024P_	519	552	30	24	2 3/8
	Panel Package - 30"	CMFM3030P_	619	651	30	30	2 3/8
		CMFM3036P_	665	729	30	36	2 3/8
		CMFM3042P_	715	779	30	42	2 3/8
		CMFM3048P_	764	828	30	48	2 3/8
		CMFM3054P_	820	884	30	54	2 3/8
		CMFM3060P_	854	917	30	60	2 3/8
	D 10 11 51 1 14 151	01.451.4400.45	540	550	40		0.00
	Powered Compile Fabric Monolithic	CMFM4224P_	519	552	42	24	2 3/8
ا گھ	Panel Package - 42"	CMFM4230P_	619	651	42	30	2 3/8
		CMFM4236P_	665	729	42	36	2 3/8
r II		CMFM4242P_	715	779	42	42	2 3/8
		CMFM4248P_	764	828	42	48	2 3/8
		CMFM4254P_	820	884	42	54	2 3/8
		CMFM4260P_	854	917	42	60	2 3/8
<i>a</i>	Powered Compile Fabric Monolithic	CMFM4824P	533	572	48	24	2 3/8
	Panel Package - 48"	CMFM4830P_	635	673	48	30	2 3/8
	Fuller devage 40	CMFM4836P	693	768	48	36	23/8
		_	753	828	48	42	
r II		CMFM4842P_ CMFM4848P	755 801	876	46 48	42	2 3/8 2 3/8
		_		920			
		CMFM4854P_	844		48	54	2 3/8
		CMFM4860P_	902	977	48	60	2 3/8
	Powered Compile Fabric Monolithic	CMFM5424P_	533	572	54	24	2 3/8
	Panel Package - 54"	CMFM5430P_	635	674	54	30	2 3/8
	· ·	CMFM5436P	696	772	54	36	2 3/8
		CMFM5442P	754	830	54	42	2 3/8
		CMFM5448P	801	878	54	48	2 3/8
		CMFM5454P	845	922	54	54	2 3/8
		CMFM5460P_	902	978	54	60	2 3/8
	Powered Compile Fabric Monolithic	CMFM6624P_	578	629	66	24	2 3/8
	Panel Package - 66"	CMFM6630P_	696	747	66	30	2 3/8
		CMFM6636P_	775	868	66	36	2 3/8
		CMFM6642P_	847	940	66	42	2 3/8
		CMFM6648P_	918	1011	66	48	2 3/8
		CMFM6654P_	995	1088	66	54	2 3/8
		CMFM6660P_	1069	1164	66	60	2 3/8

#### Raceway Cover Options (1) Shown

#### • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

(2) Knockouts Side 1 and Side 2

# CMFFXXYYN\_ - NON-POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- Non nowered
- Includes one panel, two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE		PRICE	DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
	Non-Power Compile Single Segmented	CMFF4224N_	382	415	42	24	2 3/8
	Fabric Panel Package - 42"	CMFF4230N_	431	464	42	30	2 3/8
		CMFF4236N_	456	519	42	36	2 3/8
		CMFF4242N_	520	584	42	42	2 3/8
/ <b>   </b>		CMFF4248N_	555	619	42	48	2 3/8
		CMFF4254N_	616	680	42	54	2 3/8
		CMFF4260N_	659	723	42	60	2 3/8
		CMFF4266N_	777	901	42	66	2 3/8
		CMFF4272N_	819	943	42	72	2 3/8
	Non-Powered Compile Single Segmented	CMFF4824N_	416	454	48	24	2 3⁄8
	Fabric Panel Package - 48"	CMFF4830N_	461	499	48	30	2 3/8
	Ŭ	CMFF4836N_	521	596	48	36	2 3/8
/ I/ ]		CMFF4842N	590	665	48	42	2 3/8
		CMFF4848N	637	712	48	48	2 3/8
		CMFF4854N_	678	752	48	54	2 3/8
		CMFF4860N_	729	804	48	60	2 3/8
4	Non-Powered Compile Single Segmented	CMFF5424N	417	455	54	24	2 3/8
	Fabric Panel Package - 54"	CMFF5430N_	462	501	54	30	2 3/8
ar a	g	CMFF5436N	522	598	54	36	2 3/8
/		CMFF5442N	590	666	54	42	2 3/8
		CMFF5448N	638	714	54	48	2 3/8
		CMFF5454N_	678	754	54	54	2 3/8
		CMFF5460N_	729	805	54	60	2 3/8
	Non-Powered Compile Single Segmented	CMFF6624N	488	539	66	24	2 3/8
	Fabric Panel Package - 66"	CMFF6630N	557	608	66	30	2 3/8
		CMFF6636N_	619	712	66	36	23/8
" II /		CMFF6642N	706	799	66	42	23/8
		CMFF6648N	748	841	66	48	23/8
		CMFF6654N	811	904	66	54	2 3/8
^ <b>  </b>		CMFF6660N	861	954	66	60	23/8
		_					

#### **Raceway Cover Options (1) Shown**

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMFFXXYYP\_ - POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	Powered Compile Single Segmented Fabric Panel Package - 42"  Powered Compile Single Segmented	CMFF4224P_ CMFF4230P_ CMFF4236P_ CMFF4242P_ CMFF4248P_ CMFF4254P_ CMFF4250P_ CMFF4260P_ CMFF4272P_	6r1 534 635 673 742 791 857 899 1038 1094	567 668 736 806 855 921 963 1161 1217	42 42 42 42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
	Fabric Panel Package - 42"	CMFF4230P_ CMFF4236P_ CMFF4242P_ CMFF4248P_ CMFF4254P_ CMFF4260P_ CMFF4266P_	635 673 742 791 857 899 1038	668 736 806 855 921 963 1161	42 42 42 42 42 42 42	30 36 42 48 54	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
		CMFF4236P_ CMFF4242P_ CMFF4248P_ CMFF4254P_ CMFF4260P_ CMFF4266P_	673 742 791 857 899 1038	736 806 855 921 963 1161	42 42 42 42 42 42	36 42 48 54	2 3/8 2 3/8 2 3/8 2 3/8
	Powarad Campila Single Segmented	CMFF4242P_ CMFF4248P_ CMFF4254P_ CMFF4260P_ CMFF4266P_	742 791 857 899 1038	806 855 921 963 1161	42 42 42 42 42	42 48 54	2 3/8 2 3/8 2 3/8
	Powarad Campila Single Segmented	CMFF4248P_ CMFF4254P_ CMFF4260P_ CMFF4266P_	791 857 899 1038	855 921 963 1161	42 42 42 42	48 54	2 3/8 2 3/8
	Powarad Campila Single Segmented	CMFF4254P_ CMFF4260P_ CMFF4266P_	857 899 1038	921 963 1161	42 42 42	54	2 3/8
	Powarad Campila Single Segmented	CMFF4260P_ CMFF4266P_	899 1038	963 1161	42 42		
	Powarad Campila Single Segmented	CMFF4266P_	1038	1161	42	60	2 2 0
	Payarad Campila Single Segmented	_					2 3/8
	Poward Campile Single Segmented	CMFF4272P_	1094	1217		66	2 3/8
	Pawarad Campila Single Segmented				42	72	2 3/8
	i owered compile amque acquiented	CMFF4824P	570	607	48	24	2 3/8
	Fabric Panel Package - 48"	CMFF4830P	668	706	48	30	2 3/8
	0	CMFF4836P	739	812	48	36	2 3/8
		CMFF4842P	811	886	48	42	2 3/8
		CMFF4848P_	877	952	48	48	2 3/8
		CMFF4854P_	919	993	48	54	2 3/8
		CMFF4860P_	971	1044	48	60	2 3/8
	Powered Compile Single Segmented	CMFF5424P_	571	609	54	24	2 3/8
	Fabric Panel Package - 54"	CMFF5430P	668	707	54	30	2 3/8
	3	CMFF5436P	741	817	54	36	2 3/8
		CMFF5442P	812	888	54	42	2 3/8
		CMFF5448P_	878	954	54	48	2 3/8
		CMFF5454P_	920	996	54	54	2 3/8
		CMFF5460P_	972	1048	54	60	2 3/8
	Powered Compile Single Segmented	CMFF6624P_	640	691	66	24	2 3/8
	Fabric Panel Package - 66"	CMFF6630P_	763	814	66	30	2 3/8
	-	CMFF6636P_	834	927	66	36	2 3/8
"   <b> </b>		CMFF6642P_	927	1020	66	42	2 3/8
		CMFF6648P_	985	1078	66	48	2 3/8
		CMFF6654P_	1049	1142	66	54	2 3/8
′ <b>,  </b>		CMFF6660P_	1100	1193	66	60	2 3/8

#### **Raceway Cover Options (1) Shown**

# • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

(2) Knockouts Side 1 and Side 2

# CMFMAXXYYN\_ - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h nanels
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

vered Compile Monolithic Acoustic backage - 42" wered Compile Monolithic Acoustic ackage - 48"	CMFMA4224N_ CMFMA4230N_ CMFMA4236N_ CMFMA4242N_ CMFMA4248N_ CMFMA4254N_ CMFMA4250N_  CMFMA4830N_ CMFMA4830N_ CMFMA4836N_	434 488 531 583 620 686 722 453 510	6r2 466 520 595 647 684 750 785	42 42 42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
nckage - 42" vered Compile Monolithic Acoustic	CMFMA4230N_ CMFMA4236N_ CMFMA4242N_ CMFMA4248N_ CMFMA4254N_ CMFMA4260N_  CMFMA4824N_ CMFMA4824N_ CMFMA4836N_ CMFMA4836N_	488 531 583 620 686 722	520 595 647 684 750 785	42 42 42 42 42 42	30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
vered Compile Monolithic Acoustic	CMFMA4236N_ CMFMA4242N_ CMFMA4248N_ CMFMA4254N_ CMFMA4260N_  CMFMA4824N_ CMFMA4824N_ CMFMA4836N_ CMFMA4836N_	531 583 620 686 722	595 647 684 750 785	42 42 42 42 42	36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8
	CMFMA4242N_ CMFMA4248N_ CMFMA4254N_ CMFMA4260N_  CMFMA4824N_ CMFMA4824N_ CMFMA4830N_ CMFMA4836N_	583 620 686 722	647 684 750 785	42 42 42 42	42 48 54 60	2 3/8 2 3/8 2 3/8
	CMFMA4248N_ CMFMA4254N_ CMFMA4260N_  CMFMA4824N_ CMFMA4830N_ CMFMA4836N_	620 686 722 453	684 750 785 491	42 42 42	48 54 60	2 3/8 2 3/8
	CMFMA4254N_ CMFMA4260N_  CMFMA4824N_ CMFMA4830N_ CMFMA4836N_	686 722 453	750 785 491	42 42	54 60	2 3/8
	CMFMA4260N_  CMFMA4824N_ CMFMA4830N_ CMFMA4836N_	722 453	785 491	42	60	
	CMFMA4824N_ CMFMA4830N_ CMFMA4836N_	453	491			2 3/8
	CMFMA4830N_ CMFMA4836N_			10		
	CMFMA4836N_	510		40	24	2 3/8
-		010	532	48	30	2 3/8
	_	563	638	48	36	2 3/8
	CMFMA4842N_	630	705	48	42	2 3/8
	CMFMA4848N_	665	740	48	48	2 3/8
	CMFMA4854N	713	788	48	54	2 3/8
	CMFMA4860N_	779	855	48	60	2 3/8
Non-Powered Compile Monolithic Acoustic	CMFMA5424N	453	492	54	24	2 3/8
ackage - 54"	CMFMA5430N	511	550	54	30	2 3/8
3.	CMFMA5436N	563	640	54	36	2 3/8
	CMFMA5442N_	630	707	54	42	2 3/8
	CMFMA5448N	665	741	54	48	2 3/8
	CMFMA5454N	714	791	54	54	2 3/8
	CMFMA5460N_	779	856	54	60	2 3/8
vered Compile Monolithic Acoustic	CMFMA6624N	505	556	66	24	2 3/8
	CMFMA6630N		631		30	2 3/8
ŭ	CMFMA6636N	663	756	66	36	2 3/8
	CMFMA6642N	745	838	66	42	2 3/8
	_					2 3/8
						2 3/8
			1074	66	60	23/8
	wered Compile Monolithic Acoustic ackage - 66"	ackage - 66" CMFMA6630N_ CMFMA6636N_	ackage - 66" CMFMA6630N 580 CMFMA6636N 663 CMFMA6642N 745 CMFMA6648N 805 CMFMA6654N 893	ckage - 66"     CMFMA6630N_     580     631       CMFMA6636N_     663     756       CMFMA6642N_     745     838       CMFMA6648N_     805     898       CMFMA6654N_     893     988	ackage - 66" CMFMA6630N 580 631 66 CMFMA6636N 663 756 66 CMFMA6642N 745 838 66 CMFMA6648N 805 898 66 CMFMA6654N 893 988 66	ackage - 66" CMFMA6630N_ 580 631 66 30 CMFMA6636N_ 663 756 66 36 CMFMA6642N_ 745 838 66 42 CMFMA6648N_ 805 898 66 48 CMFMA6654N_ 893 988 66 54

#### **Raceway Cover Options (1) Shown**

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMFMAXXYYP\_ - POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST	LIST PRICE		DIMENSIONS/INCHES	
			Gr1	Gr2	Н	W	D
<b>/</b>	Powered Compile Monolithic Acoustic	CMFMA4224P_	587	619	42	24	2 3/8
	Panel Package - 42"	CMFMA4230P_	693	725	42	30	2 3/8
	· ·	CMFMA4236P_	748	812	42	36	2 3/8
		CMFMA4242P_	806	870	42	42	2 3/8
		CMFMA4248P_	858	922	42	48	2 3/8
		CMFMA4254P_	924	988	42	54	2 3/8
		CMFMA4260P_	961	1024	42	60	2 3/8
	Powered Compile Monolithic Acoustic	CMFMA4824P	604	642	48	24	2 3/8
	Panel Package - 48"	CMFMA4830P	714	752	48	30	2 3/8
		CMFMA4836P	780	856	48	36	2 3/8
/ II		CMFMA4842P	850	926	48	42	2 3/8
		CMFMA4848P	902	977	48	48	2 3/8
		CMFMA4854P	954	1030	48	54	2 3/8
		CMFMA4860P_	1019	1095	48	60	2 3/8
	Powered Compile Monolithic Acoustic	CMFMA5424P_	607	646	54	24	2 3/8
	Panel Package - 54"	CMFMA5430P_	715	754	54	30	2 3/8
	· ·	CMFMA5436P_	780	857	54	36	2 3/8
/ II		CMFMA5442P_	851	928	54	42	2 3/8
		CMFMA5448P_	902	978	54	48	2 3/8
		CMFMA5454P_	954	1031	54	54	2 3/8
		CMFMA5460P_	1020	1097	54	60	2 3/8
	Powered Compile Monolithic Acoustic	CMFMA6624P_	659	710	66	24	2 3/8
	Panel Package - 66"	CMFMA6630P_	787	838	66	30	2 3/8
	-	CMFMA6636P_	879	972	66	36	2 3/8
<b>/</b>		CMFMA6642P_	963	1056	66	42	2 3/8
		CMFMA6648P_	1042	1135	66	48	2 3/8
		CMFMA6654P_	1132	1227	66	54	2 3/8
		CMFMA6660P_	1219	1312	66	60	2 3/8
·							

#### **Raceway Cover Options (1) Shown**

# • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

(2) Knockouts Side 1 and Side 2

# CMLFMXXYYN\_ - MONOLITHIC LAMINATE SINGLE SIDED PANEL - NON-POWERED

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- · Panels are not tackable.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		ICHES D
			Gr1	Gr2	Н	W	U
	Non-Powered Compile Monolithic	CMLFM3024N_	443	461	30	24	2 3/8
	Single Sided Panel Package - 30"	CMLFM3030N_	514	527	30	30	2 3/8
		CMLFM3036N_	586	602	30	36	2 3/8
		CMLFM3042N_	665	678	30	42	2 3/8
_ <b>   </b>		CMLFM3048N_	724	740	30	48	2 3/8
		CMLFM3054N_	799	818	30	54	2 3/8
		CMLFM3060N_	877	898	30	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM4224N_	523	539	42	24	2 3/8
	Single Sided Panel Package - 42"						
	omyte otded rattet rackage - 42	CMLFM4230N_	613	632	42	30	2 3/8
´   <b> </b>		CMLFM4236N_	700 704	723	42	36 42	23/8
		CMLFM4242N_	794	817	42	42	23/8
		CMLFM4248N_	865	890	42	48	23/8
		CMLFM4254N_	957	987	42	54	2 3/8
		CMLFM4260N_	1050	1081	42	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM4824N_	619	645	48	24	2 3/8
	Single Sided Panel Package - 48"	CMLFM4830N_	726	745	48	30	2 3/8
		CMLFM4836N	833	857	48	36	2 3/8
		CMLFM4842N_	944	973	48	42	2 3/8
		CMLFM4848N_	1030	1061	48	48	2 3/8
		CMLFM4854N_	1146	1180	48	54	2 3/8
		CMLFM4860N_	1258	1295	48	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM5424N_	620	642	54	24	2 3/8
	Single Sided Panel Package - 54"	CMLFM5430N	726	751	54 54	30	23/8
	Siligle Sided Fallel Fackage - 54	CMLFM5436N	833	857	54 54	36	23/8
		CMLFM5442N	945	975	54 54	30 42	23/8
		CMLFM5448N	1030	1063	54 54	42 48	23/8
		CMLFM5454N CMLFM5454N	1146	1180	54 54	48 54	2 3/8
		CMLFM5460N_	1258	1296	54 54	54 60	2 3/8 2 3/8
		CIVILFIVI546UIN_	1258	1296	54	bU	2 3/8
	Non-Powered Compile Monolithic	CMLFM6624N_	765	790	66	24	2 3/8
	Single Sided Panel Package - 66"	CMLFM6630N_	896	926	66	30	2 3/8
		CMLFM6636N_	1033	1065	66	36	2 3/8
		CMLFM6642N_	1175	1209	66	42	2 3/8
		CMLFM6648N_	1278	1319	66	48	2 3/8
		CMLFM6654N_	1422	1467	66	54	2 3/8
		CMLFM6660N_	1565	1614	66	60	2 3/8

#### Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMLFMXXYYP\_ - MONOLITHIC LAMINATE SINGLE SIDED PANEL - POWERED

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- · Panels are not tackable.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h. panels.
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST   Gr1	PRICE Gr2	DIM H	ENSIONS/IN W	ICHES D
	Non-Powered Compile Monolithic	CMLFM3024P_	596	613	30	24	2 3/8
	Single Sided Panel Package - 30"	CMLFM3030P_	719	790	30	30	2 3/8
<b>/</b> 11		CMLFM3036P_	802	884	30	36	2 3/8
		CMLFM3042P_	886	974	30	42	2 3/8
		CMLFM3048P_	961	1058	30	48	2 3/8
		CMLFM3054P_	1038	1149	30	54	2 3/8
		CMLFM3060P_	1117	1237	30	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM4224P_	676	751	42	24	2 3/8
	Single Sided Panel Package - 42"	CMLFM4230P	819	906	42	30	2 3/8
	Siligle Sided Faller Fackage - 42	CMLFM4236P_	918	1019	42	36	2 3/8
~   <b> </b>		CMLFM4242P_	1017	1130	42	42	2 3/8
		_	1104	1227	42	48	
		CMLFM4248P_					2 3/8
		CMLFM4254P_	1197	1337	42	54	2 3/8
		CMLFM4260P_	1293	1444	42	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM4824P_	773	788	48	24	2 3⁄8
	Single Sided Panel Package - 48"	CMLFM4830P	932	954	48	30	2 3/8
	· ·	CMLFM4836P	1049	1075	48	36	2 3/8
		CMLFM4842P_	1164	1193	48	42	2 3/8
		CMLFM4848P_	1268	1296	48	48	2 3/8
		CMLFM4854P	1384	1421	48	54	2 3/8
		CMLFM4860P_	1499	1681	48	60	2 3/8
<i>a</i>	N. D. LO T. M. Edit	ON ALL EN AS A O A D	77.4	004	E4	0.4	0.00
	Non-Powered Compile Monolithic	CMLFM5424P_	774	864	54	24	2 3/8
	Single Sided Panel Package - 54"	CMLFM5430P_	932	1040	54	30	2 3/8
		CMLFM5436P_	1049	1169	54	36	2 3/8
		CMLFM5442P_	1164	1303	54	42	2 3/8
		CMLFM5448P_	1268	1418	54	48	2 3/8
		CMLFM5454P_	1385	1550	54	54	2 3/8
		CMLFM5460P_	1499	1682	54	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM6624P	920	1033	66	24	2 3/8
	Single Sided Panel Package - 66"	CMLFM6630P	1100	1232	66	30	2 3/8
		CMLFM6636P_	1250	1401	66	36	2 3/8
<b>^     </b>		CMLFM6642P_	1394	1565	66	42	2 3/8
		CMLFM6648P_	1516	1703	66	48	2 3/8
		CMLFM6654P	1663	1870	66	54	2 3/8
		CMLFM6660P_	1807	2032	66	60	2 3/8
		GIVILI IVIUUUUI _	1007	LUJL	UU	JU	2 J/U

#### Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2



# ${\bf CMLLMXXYYN\_-MONOLITHIC\,LAMINATE\,DOUBLE\,SIDED\,PANEL-NON-POWERED}$

- Individual laminate modules incorporated into an aluminum frame.
- · Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h nanels
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.

red Compile Monolithic ed Laminate Panel Package - 30" red Compile Monolithic ed Laminate Panel Package - 42"	CMLLM3024N_ CMLLM3030N_ CMLLM3036N_ CMLLM3048N_ CMLLM3054N_ CMLLM3060N_  CMLLM3060N_  CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM424N_	501 594 678 774 864 956 1033 594 699 814 928	H 30 30 30 30 30 30 30 30 30 42 42 42	24 30 36 42 48 54 60	2 38 2 38 2 38 2 38 2 38 2 38 2 38 2 38
ed Laminate Panel Package - 30" red Compile Monolithic	CMLLM3030N_ CMLLM3036N_ CMLLM3042N_ CMLLM3054N_ CMLLM3060N_  CMLLM4224N_ CMLLM4236N_ CMLLM4236N_ CMLLM4248N_ CMLLM4248N_	594 678 774 864 956 1033 594 699 814	30 30 30 30 30 30 30 42 42 42	30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
red Compile Monolithic	CMLLM3036N_ CMLLM3042N_ CMLLM3054N_ CMLLM3050N_  CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4248N_ CMLLM4248N_	678 774 864 956 1033 594 699 814	30 30 30 30 30 30 42 42 42 42	36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
	CMLLM3042N_ CMLLM3048N_ CMLLM3054N_ CMLLM3060N_  CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4242N_ CMLLM4248N_	774 864 956 1033 594 699 814	30 30 30 30 30 42 42 42	42 48 54 60 24 30	2 38 2 38 2 38 2 38 2 38 2 38
	CMLLM3048N_ CMLLM3054N_ CMLLM3060N_  CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_	864 956 1033 594 699 814	30 30 30 30 42 42 42 42	48 54 60 24 30	2 3/8 2 3/8 2 3/8 2 3/8
	CMLLM3054N_ CMLLM3060N_  CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_	956 1033 594 699 814	30 30 42 42 42 42	54 60 24 30	2 3/8 2 3/8 2 3/8
	CMLLM3060N_  CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_	1033 594 699 814	30 42 42 42 42	24 30	2 3/8
	CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_	594 699 814	42 42 42	24 30	2 3/8
	CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_	699 814	42 42	30	
	CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_	699 814	42 42	30	
eu Lammate i anei i atkage - 42	CMLLM4236N_ CMLLM4242N_ CMLLM4248N_	814	42		2 3/0
	CMLLM4242N_ CMLLM4248N_				2 3/8
	CMLLM4248N_	320	42	36 42	2 3/8 2 3/8
		1039	42 42	42 48	2 3/8 2 3/8
				48 54	
	_	1142	42		2 3/8
Non Powered Compile Manelithia	CMLLM4260N_	1242	42	60	2 3/8
Non-Powered Compile Monolithic Double Sided Laminate Panel Package - 48"	CMLLM4824N_	702	48	24	2 3/8
	CMLLM4830N_	832	48	30	2 3/8
	CMLLM4836N_	965	48	36	2 3/8
	CMLLM4842N_	1103	48	42	2 3/8
	CMLLM4848N_	1240	48	48	2 3/8
	CMLLM4854N_	1366	48	54	2 3/8
	CMLLM4860N_	1444	48	60	2 3/8
red Compile Monolithic	CMLLM5424N_	702	54	24	2 3/8
ed Laminate Panel Package - 54"	CMLLM5430N_	832	54	30	2 3/8
ed Lammate i anei i ackage - 54	CMLLM5436N_	966	54	36	2 3/8
	CMLLM5442N	1104	54	42	2 3/8
	_				2 3/8
					2 3/8
	_				2 3/8
	CIVILLIVIS400IN_	1407	54	00	2 3/0
	CMLLM6624N_	889	66	24	2 3/8
ed Laminate Panel Package - 66"	CMLLM6630N_	1050	66	30	2 3/8
	CMLLM6636N_	1218	66	36	2 3/8
	CMLLM6642N_	1395	66	42	2 3/8
	CMLLM6648N_	1565	66	48	2 3/8
	CMLLM6654N_	1726	66	54	2 3/8
	CMLLM6660N_	1887	66	60	2 3/8
	red Compile Monolithic led Laminate Panel Package - 66"	led Laminate Panel Package - 66"  CMLLM6630N_ CMLLM6636N_ CMLLM6642N_ CMLLM6648N_ CMLLM6654N_	CMLLM5454N_ 1366 CMLLM5460N_ 1487  red Compile Monolithic	CMLLM5454N_ 1366 54 CMLM5460N_ 1487 54  red Compile Monolithic CMLLM6624N_ 889 66 led Laminate Panel Package - 66" CMLLM6630N_ 1050 66 CMLLM6636N_ 1218 66 CMLLM6642N_ 1395 66 CMLLM6648N_ 1565 66 CMLLM6654N_ 1726 66	CMLLM5454N_ 1366 54 54 60 CMLLM5460N_ 1487 54 60 cmed Compile Monolithic CMLLM6624N_ 1050 66 30 CMLLM6636N_ 1218 66 36 CMLLM6636N_ 1395 66 42 CMLLM6642N_ 1395 66 42 CMLLM6648N_ 1565 66 48 CMLLM6654N_ 1726 66 54

# **Raceway Cover Options (1) Shown**

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMLLMXXYYP\_ - MONOLITHIC LAMINATE DOUBLE SIDED PANEL - POWERED

- Individual laminate modules incorporated into an aluminum frame.
- · Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIME H	ENSIONS/IN W	CHES D
			UII	Н	VV	U
	Powered Compile Monolithic	CMLLM3024P_	657	30	24	2 3/8
	Double Sided Laminate Panel Package - 30"	CMLLM3030P_	801	30	30	2 3/8
	· ·	CMLLM3036P_	896	30	36	2 3/8
		CMLLM3042P_	994	30	42	2 3/8
		CMLLM3048P	1100	30	48	2 3/8
		CMLLM3054P	1196	30	54	2 3/8
		CMLLM3060P_	1274	30	60	2 3/8
_						
	Powered Compile Monolithic	CMLLM4224P_	748	42	24	2 3/8
	Double Sided Laminate Panel Package - 42"	CMLLM4230P_	906	42	30	2 3/8
		CMLLM4236P_	1032	42	36	2 3/8
		CMLLM4242P_	1150	42	42	2 3/8
		CMLLM4248P_	1276	42	48	2 3/8
		CMLLM4254P_	1383	42	54	2 3/8
		CMLLM4260P_	1483	42	60	2 3/8
	Powered Compile Monolithic	CMLLM4824P_	855	48	24	2 3⁄8
	Double Sided Laminate Panel Package - 48"	CMLLM4830P_	1038	48	30	2 3/8
		CMLLM4836P	1183	48	36	2 3/8
		CMLLM4842P_	1325	48	42	2 3/8
		CMLLM4848P	1479	48	48	2 3/8
		CMLLM4854P_	1606	40 48	40 54	2 3/8
		CMLLM4854P_ CMLLM4860P		48 48	54 60	2 3/8
		CIVILLIVI480UP_	1678	48	DU	2 3/0
	Powered Compile Monolithic	CMLLM5424P_	855	54	24	2 3/8
	Double Sided Laminate Panel Package - 54"	CMLLM5430P_	1039	54	30	2 3/8
	· ·	CMLLM5436P_	1183	54	36	2 3/8
		CMLLM5442P_	1325	54	42	2 3/8
		CMLLM5448P_	1480	54	48	2 3/8
		CMLLM5454P_	1608	54	54	2 3/8
		CMLLM5460P_	1727	54	60	2 3⁄8
<b>*</b>	Powered Compile Monolithic	CMITMECAND	1042	ee.	24	2 20
	•	CMLLM6624P_	1042	66 ee	24	2 3/8
	Double Sided Laminate Panel Package - 66"	CMLLM6630P_	1258	66	30	2 3/8
		CMLLM6636P_	1435	66	36	2 3/8
r   I		CMLLM6642P_	1617	66	42	2 3/8
		CMLLM6648P_	1802	66	48	2 3/8
		CMLLM6654P_	1966	66	54	2 3/8
		CMLLM6660P_	2128	66	60	2 3/8

# **Raceway Cover Options (1) Shown**

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

#### CMFLXXYYN\_ - SEGMENTED LAMINATE SINGLE SIDED PANEL - NON-POWERED

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
	Non-Powered Compile Single Segmented	CMFL4224N_	523	540	42	24	2 3/8
	Laminate Panel Package - 42"	CMFL4230N_	613	632	42	30	2 3/8
		CMFL4236N_	700	724	42	36	2 3/8
		CMFL4242N_	794	818	42	42	2 3/8
rap		CMFL4248N_	865	891	42	48	2 3/8
		CMFL4254N_	957	987	42	54	2 3/8
		CMFL4260N_	1050	1081	42	60	2 3/8
	Non-Powered Compile Single Segmented	CMFL4824N	619	638	48	24	2 3⁄8
	Laminate Panel Package - 48"	CMFL4830N_	726	745	48	30	2 3/8
	·	CMFL4836N_	833	858	48	36	2 3/8
		CMFL4842N_	944	974	48	42	2 3/8
		CMFL4848N	1030	1060	48	48	2 3/8
		CMFL4854N	1146	1371	48	54	2 3/8
		CMFL4860N_	1258	1297	48	60	2 3⁄8
	Non-Powered Compile Single Segmented	CMFL5424N	620	642	54	24	2 3⁄8
	Laminate Panel Package - 54"	CMFL5430N	726	751	54	30	2 3/8
	Ç	CMFL5436N_	833	858	54	36	2 3/8
		CMFL5442N_	945	975	54	42	2 3/8
		CMFL5448N_	1030	1063	54	48	2 3/8
		CMFL5454N_	1146	1181	54	54	2 3/8
		CMFL5460N_	1258	1297	54	60	2 3/8
	Non-Powered Compile Single Segmented	CMFL6624N_	765	791	66	24	2 3⁄8
	Lmainate Panel Package - 66"	CMFL6630N	896	926	66	30	2 3/8
		CMFL6636N	1033	1065	66	36	2 3/8
		CMFL6642N	1175	1207	66	42	2 3/8
		CMFL6648N	1278	1320	66	48	2 3/8
		CMFL6654N	1422	1468	66	54	2 3/8
r JW		CMFL6660N_	1565	1615	66	60	2 3/8
		_					

#### **Raceway Cover Options (1) Shown**

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMFLXXYYP\_ - SEGMENTED LAMINATE SINGLE SIDED PANEL - POWERED

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
	Powered Compile Single Segmented	CMFL4224P_	676	751	42	24	2 3/8
	Laminate Panel Package - 42"	CMFL4230P_	819	906	42	30	2 3/8
		CMFL4236P_	918	1020	42	36	2 3/8
		CMFL4242P_	1017	1131	42	42	2 3/8
		CMFL4248P_	1104	1228	42	48	2 3/8
		CMFL4254P_	1197	1337	42	54	2 3/8
		CMFL4260P_	1293	1444	42	60	2 3/8
	Powered Compile Single Segmented	CMFL4824P	773	791	48	24	2 3/8
	Laminate Panel Package - 48"	CMFL4830P	932	953	48	30	2 3/8
		CMFL4836P	1049	1075	48	36	2 3/8
		CMFL4842P	1164	1192	48	42	2 3/8
		CMFL4848P	1268	1300	48	48	2 3/8
		CMFL4854P	1384	1420	48	54	2 3/8
		CMFL4860P_	1499	1540	48	60	2 3/8
<i>a</i>	Powered Compile Single Segmented	CMFL5424P	774	865	54	24	2 3/8
	Laminate Panel Package - 54"	CMFL5430P	932	1040	54	30	2 3/8
	Lammate Funer Fuckage 54	CMFL5436P_	1049	1169	54	36	2 3/8
		CMFL5442P	1164	1303	54	42	2 3/8
		CMFL5448P	1268	1419	54	48	2 3/8
		CMFL5454P	1385	1550	54	54	2 3/8
		CMFL5460P_	1499	1683	54	60	2 3/8
	Powered Compile Single Segmented	CMELCC24P	020	1034	cc	24	2 20
	Laminate Panel Package - 66"	CMFL6624P_ CMFL6630P	920 1100	1034	66 66	24 30	2 3/8 2 3/8
	Lammate Paner Package - 00	CMFL6636P	1212	1403	66	30 36	2 3/8 2 3/8
		CMFL6642P			66	36 42	2 3/8 2 3/8
		CMFL6642P_ CMFL6648P	1394	1565 1701	66	42 48	2 3/8 2 3/8
		CMFL6654P	1516 1663	1871	66		2 3/8 2 3/8
		_	1807	2034	66	54 60	2 3/8 2 3/8
		CMFL6660P_	1807	2034	00	OU	Z 3/0

#### Raceway Cover Options (1) Shown

#### • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

(2) Knockouts Side 1 and Side 2

#### CMLLXXYYN\_ - SEGMENTED LAMINATE DOUBLE SIDED PANEL - NON-POWERED

- Individual laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the

same height.

- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE					
			Gr1	Н	W	D	
	Non-Powered Compile Single Segmented	CMLL4224N_	594	42	24	2 3/8	
	Double Sided Laminate Panel Package - 42"	CMLL4230N_	699	42	30	2 3/8	
	-	CMLL4236N_	814	42	36	2 3/8	
		CMLL4242N_	928	42	42	2 3/8	
/ <b>   </b>		CMLL4248N_	1039	42	48	2 3/8	
		CMLL4254N_	1142	42	54	2 3/8	
		CMLL4260N_	1242	42	60	2 3/8	
	Non-Powered Compile Single Segmented	CMLL4824N_	702	48	24	2 3/8	
	Double Sided Laminate Panel Package - 48"	CMLL4830N_	832	48	30	2 3/8	
	•	CMLL4836N_	965	48	36	2 3/8	
' IP I		CMLL4842N_	1103	48	42	2 3/8	
		CMLL4848N_	1240	48	48	2 3/8	
		CMLL4854N_	1366	48	54	2 3/8	
		CMLL4860N_	1485	48	60	2 3/8	
	Non-Powered Compile Single Segmented	CMLL5424N_	702	54	24	2 3/8	
	Double Sided Laminate Panel Package - 54"	CMLL5430N_	832	54	30	2 3/8	
		CMLL5436N_	966	54	36	2 3/8	
l l l l		CMLL5442N_	1104	54	42	2 3/8	
		CMLL5448N_	1241	54	48	2 3/8	
		CMLL5454N_	1366	54	54	2 3/8	
		CMLL5460N_	1487	54	60	2 3⁄8	
	Non-Powered Compile Single Segmented	CMLL6624N_	889	66	24	2 3/8	
	Double Sided Laminate Panel Package - 66"	CMLL6630N_	1050	66	30	2 3/8	
		CMLL6636N_	1218	66	36	2 3/8	
		CMLL6642N_	1395	66	42	2 3/8	
		CMLL6648N_	1565	66	48	2 3/8	
		CMLL6654N_	1726	66	54	2 3/8	
		CMLL6660N_	1887	66	60	2 3/8	

#### Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

#### CMLLXXYYP\_ - SEGMENTED LAMINATE DOUBLE SIDED PANEL - POWERED

- Individual laminate covered modules incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66" panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
		Gr1	Н	W	D
Powered Compile Single Segmented	CMLL4224P_	748	42	24	2 3/8
Double Sided Laminate Panel Package - 42"	CMLL4230P_	906	42	30	2 3/8
	CMLL4236P_	1032	42	36	2 3/8
	CMLL4242P_	1150	42	42	2 3/8
	CMLL4248P_	1276	42	48	2 3/8
	CMLL4254P_	1383	42	54	2 3/8
	CMLL4260P_	1483	42	60	2 3⁄8
Powered Compile Single Segmented	CMLL4824P	855	48	24	2 3⁄8
Double Sided Laminate Panel Package - 48"	CMLL4830P	1038	48	30	2 3/8
	CMLL4836P	1183	48	36	2 3/8
	CMLL4842P	1325	48	42	2 3/8
	CMLL4848P_	1479	48	48	2 3/8
	CMLL4854P	1606	48	54	2 3/8
	CMLL4860P_	1727	48	60	2 3/8
Powered Compile Single Segmented	CMLL5424P_	855	54	24	2 3/8
Double Sided Laminate Panel Package - 54"	CMLL5430P_	1039	54	30	2 3/8
	CMLL5436P_	1183	54	36	2 3/8
	CMLL5442P_	1325	54	42	2 3/8
	CMLL5448P_	1480	54	48	2 3/8
	CMLL5454P_	1608	54	54	2 3/8
	CMLL5460P_	1727	54	60	2 3/8
Powered Compile Single Segmented	CMLL6624P_	1042	66	24	2 3/8
Double Sided Laminate Panel Package - 66"	CMLL6630P_	1258	66	30	2 3/8
	CMLL6636P_	1435	66	36	2 3/8
	CMLL6642P_	1617	66	42	2 3/8
	CMLL6648P_	1802	66	48	2 3/8
	CMLL6654P_	1966	66	54	2 3/8
	CMLL6660P_	2128	66	60	2 3/8

#### Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

#### CMFWXXYYN\_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL - NON-POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE LIST PRICE			DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
	Non-Powered Compile Write Board	CMFW4824N_	555	582	48	24	2 3/8
	Single Sided Panel Package - 48"	CMFW4830N_	670	702	48	30	2 3/8
	No punchouts	CMFW4836N_	743	779	48	36	2 3/8
		CMFW4842N_	838	702	48	42	2 3/8
MRI I		CMFW4848N_	942	990	48	48	2 3/8
		CMFW4854N_	1047	1084	48	54	2 3/8
		CMFW4860N_	1152	1214	48	60	2 3/8
	Non-Powered Compile Write Board	CMFW5424N	556	578	54	24	2 3/8
	Single Sided Panel Package - 54"	CMFW5430N	671	696	54	30	2 3/8
	<b>3</b>	CMFW5436N	744	768	54	36	2 3/8
		CMFW5442N_	839	869	54	42	2 3/8
MRATE		CMFW5448N	943	976	54	48	2 3/8
		CMFW5454N	1047	1082	54	54	2 3/8
		CMFW5460N_	1153	1192	54	60	2 3/8
	Non-Powered Compile Write Board	CMFW6624N	700	726	66	24	2 3/8
	Single Sided Panel Package - 66"	CMFW6630N	832	862	66	30	2 3/8
	3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	CMFW6636N	927	959	66	36	2 3/8
		CMFW6642N	1048	1083	66	42	2 3/8
[ <sub>4</sub> ]]		CMFW6648N	1169	1211	66	48	2 3/8
VRITE		CMFW6654N	1300	1344	66	54	2 3/8
		CMFW6660N	1435	1483	66	60	2 3/8

#### Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

#### CMFWXXYYP\_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL - POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	PRODUCT CODE			DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
_	Powered Compile Write Board	CMFW4824P_	707	734	48	24	2 3/8
	Single Sided Panel Package - 48"	CMFW4830P_	877	909	48	30	2 3/8
	Punchouts on one side	CMFW4836P_	959	995	48	36	2 3/8
		CMFW4842P_	1058	1104	48	42	2 3/8
WRITE		CMFW4848P_	1180	1226	48	48	2 3/8
		CMFW4854P_	1287	1323	48	54	2 3/8
		CMFW4860P_	1393	1454	48	60	2 3/8
	Powered Compile Write Board	CMFW5424P_	709	731	54	24	2 3/8
	Single Sided Panel Package - 54"	CMFW5430P_	878	903	54	30	2 3/8
		CMFW5436P_	959	984	54	36	2 3/8
		CMFW5442P_	1059	1089	54	42	2 3/8
		CMFW5448P_	1180	1213	54	48	2 3/8
		CMFW5454P_	1289	1324	54	54	2 3/8
		CMFW5460P_	1393	1435	54	60	2 3/8
	Powered Compile Write Board	CMFW6624P_	854	879	66	24	2 3/8
	Single Sided Panel Package - 66"	CMFW6630P_	1039	1069	66	30	2 3/8
		CMFW6636P_	1142	1174	66	36	2 3/8
		CMFW6642P_	1269	1304	66	42	2 3/8
		CMFW6648P_	1408	1447	66	48	2 3/8
\\``\		CMFW6654P_	1539	1585	66	54	2 3/8
		CMFW6660P_	1677	1727	66	60	2 3/8

#### Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

#### CMWWXXYYN\_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL - NON-POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE			DIMENSIONS/INCHES			
			Gr1	Gr2	Н	W	D	
	Non-Powered Compile Write Board	CMWW4824N_	608	625	48	24	2 3/8	
	Single Segmented Panel Package - 48"	CMWW4830N_	755	776	48	30	2 3/8	
WRITE	No Punchouts	CMWW4836N_	817	846	48	36	2 3/8	
		CMWW4842N_	927	957	48	42	2 3/8	
MRITE		CMWW4848N_	1085	1118	48	48	2 3/8	
		CMWW4854N_	1204	1241	48	54	2 3/8	
		CMWW4860N_	1327	1365	48	60	2 3/8	
_	Non-Powered Compile Write Board	CMWW5424N_	609	642	54	24	2 3/8	
	Single Segmented Panel Package - 54"	CMWW5430N_	755	788	54	30	2 3/8	
WRITE		CMWW5436N_	817	881	54	36	2 3/8	
		CMWW5442N_	928	992	54	42	2 3/8	
MRITE		CMWW5448N_	1085	1149	54	48	2 3/8	
		CMWW5454N_	1205	1269	54	54	2 3/8	
		CMWW5460N_	1327	1391	54	60	2 3/8	
	Non-Powered Compile Write Board	CMWW6624N_	751	784	66	24	2 3/8	
	Single Segmented Panel Package - 66"	CMWW6630N_	920	953	66	30	2 3/8	
ا کا کا کا		CMWW6636N_	927	991	66	36	2 3/8	
WRITE		CMWW6642N_	1138	1203	66	42	2 3/8	
WRITE		CMWW6648N_	1308	1372	66	48	2 3/8	
//"/		CMWW6654N_	1460	1524	66	54	2 3/8	
		CMWW6660N_	1610	1674	66	60	2 3/8	

#### **Raceway Cover Options (1) Shown**

#### RACEWAY COVER OPTIONS (Suffix)

(0) No Knockouts Side 1 and Side 2

(1) Knockouts Side 1 - No Knockout Side 2

(2) Knockouts Side 1 and Side 2

#### CMWWXXYYP\_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL - POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

		PRODUCT CODE	Gr1	PRICE Gr2	H	ENSIONS/IN W	D
				012	••	•••	
	Powered Compile Write Board	CMWW4824P_	761	779	48	24	2 3/8
	Single Segmented Panel Package - 48"	CMWW4830P_	961	982	48	30	2 3/8
WRITE	Punchouts on one side	CMWW4836P_	1034	1061	48	36	2 3/8
		CMWW4842P_	1149	1178	48	42	2 3/8
WRU		CMWW4848P_	1322	1355	48	48	2 3/8
		CMWW4854P_	1444	1481	48	54	2 3/8
		CMWW4860P_	1568	1605	48	60	2 3/8
_	Powered Compile Write Board	CMWW5424P_	761	794	54	24	2 3/8
	Single Segmented Panel Package - 54"	CMWW5430P_	961	994	54	30	2 3/8
WRITE		CMWW5436P_	1034	1098	54	36	2 3/8
		CMWW5442P_	1150	1214	54	42	2 3/8
WRITE		CMWW5448P_	1322	1386	54	48	2 3/8
		CMWW5454P_	1445	1509	54	54	2 3/8
		CMWW5460P_	1568	1632	54	60	2 3/8
	Powered Compile Write Board	CMWW6624P_	902	935	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMWW6630P_	1125	1158	66	30	2 3/8
ا کا کا		CMWW6636P_	1219	1283	66	36	2 3/8
WRITE		CMWW6642P_	1358	1422	66	42	2 3/8
WRITE		CMWW6648P_	1547	1611	66	48	2 3/8
		CMWW6654P_	1700	1764	66	54	2 3/8
		CMWW6660P_	1851	1915	66	60	2 3/8

# **Raceway Cover Options (1) Shown**

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

#### CMFOXXYYN\_ - COMPILE SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceways covers with no punchouts and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION			LIST PRICE DIMENSIONS/INCH			CHES
			Gr1	Gr2	Н	W	D
	Non-Powered Compile Single Segmented	CMF04224N_	355	371	42	24	2 3/8
	Open Bottom Panel Package - 42"	CMF04230N_	398	412	42	30	2 3/8
		CMF04236N_	422	449	42	36	2 3/8
		CMF04242N_	482	509	42	42	2 3/8
		CMF04248N_	513	540	42	48	2 3/8
		CMF04254N_	572	586	42	54	2 3/8
		CMF04260N_	611	638	42	60	2 3/8
	Non-Powered Compile Single Segmented	CMF04824N_	383	404	48	24	2 3/8
ا ام	Open Bottom Panel Package -48"	CMF04830N_	429	447	48	30	2 3/8
		CMF04836N_	482	501	48	36	2 3/8
		CMF04842N_	547	584	48	42	2 3/8
		CMF04848N_	590	628	48	48	2 3/8
		CMF04854N_	627	665	48	54	2 3/8
		CMF04860N_	675	713	48	60	2 3/8
	Non-Powered Compile Single Segmented	CMF05424N	384	406	54	24	2 3/8
	Open Bottom Panel Package -54"	CMF05430N	429	451	54	30	2 3/8
		CMF05436N	483	505	54	36	2 3/8
'IP J		CMF05442N	547	585	54	42	2 3/8
/1 <b>//</b> /		CMF05448N_	590	628	54	48	2 3/8
		CMF05454N_	627	666	54	54	2 3/8
		CMF05460N_	676	714	54	60	2 3/8
	Non-Powered Compile Single Segmented	CMF06624N_	450	482	66	24	2 3/8
	Open Bottom Panel Package - 66"	CMF06630N_	516	548	66	30	2 3/8
		CMF06636N_	574	631	66	36	2 3/8
		CMF06642N_	653	711	66	42	2 3/8
		CMF06648N_	691	749	66	48	2 3/8
		CMF06654N_	751	808	66	54	2 3/8
		CMF06660N_	796	853	66	60	2 3/8

#### Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

#### CMFOXXYYP\_ - COMPILE SINGLE SEGMENTED - OPEN BOTTOM PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout, one raceway cover without punchout and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- 24" wide panels have one punchout, 30" wide panels or wider have two punchouts.

Powered Compile Single Segmented Open Bottom Panel Package - 42"  Powered Compile Single Segmented Open Bottom Panel Package -48"	CMF04224P_ CMF04230P_ CMF04236P_ CMF04242P_ CMF04248P_ CMF04254P_ CMF04260P_	494 588 620 685 730 791 832	510 604 647 712 757 805 859	42 42 42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
Open Bottom Panel Package - 42"  Powered Compile Single Segmented	CMF04230P_ CMF04236P_ CMF04242P_ CMF04248P_ CMF04254P_ CMF04260P_	588 620 685 730 791	604 647 712 757 805	42 42 42 42 42	30 36 42 48 54	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
Powered Compile Single Segmented	CMF04236P_ CMF04242P_ CMF04248P_ CMF04254P_ CMF04260P_	620 685 730 791	647 712 757 805	42 42 42 42	36 42 48 54	2 3/8 2 3/8 2 3/8 2 3/8
1 0 0	CMF04242P_ CMF04248P_ CMF04254P_ CMF04260P_	685 730 791	712 757 805	42 42 42	42 48 54	2 3/8 2 3/8 2 3/8
1 0 0	CMF04248P_ CMF04254P_ CMF04260P_	730 791	757 805	42 42	48 54	2 3/8 2 3/8
1 0 0	CMF04254P_ CMF04260P_	791	805	42	54	2 3/8
1 0 0	CMF04260P_					
1 0 0	_	832	859	42	60	2 3/8
1 0 0	ON 450 400 4D					
1 0 0	CMF04824P	525	546	48	24	2 3/8
-1	CMF04830P	616	635	48	30	2 3/8
	CMF04836P	684	703	48	36	2 3/8
	CMF04842P	750	788	48	42	2 3/8
	CMF04848P	809	847	48	48	2 3/8
	CMF04854P	847	885	48	54	2 3/8
	CMF04860P_	897	934	48	60	2 3/8
Powered Compile Single Segmented	CMF05424P	525	547	54	24	2 3/8
	_		640		30	2 3/8
3	_		706			2 3/8
	_	751	790			2 3/8
	_	811	850	54	48	2 3/8
	CMF05454P	850	888	54	54	2 3/8
	CMF05460P_	897	935	54	60	2 3/8
Powered Compile Single Segmented	CMF06624P_	591	622	66	24	2 3/8
Open Bottom Panel Package - 66"	CMF06630P	704	736	6	30	2 3/8
	CMF06636P	773	831	66	36	2 3/8
	CMF06642P	855	912	66	42	2 3/8
	_		966			2 3/8
	_	971				2 3/8
	CMF06660P_	1019				23/8
		Powered Compile Single Segmented Open Bottom Panel Package -54"  CMF05424P_ CMF05430P_ CMF05436P_ CMF05442P_ CMF05442P_ CMF05448P_ CMF05454P_ CMF05454P_ CMF05460P_  Powered Compile Single Segmented Open Bottom Panel Package - 66"  CMF06632P_ CMF06636P_ CMF06642P_ CMF06648P_ CMF06654P_	CMF04860P_ 897	CMF04860P_   897   934	Powered Compile Single Segmented   CMF05424P_   525   547   54	CMF04860P_   897   934   48   60

#### Raceway Cover Options (1) Shown

#### • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

(2) Knockouts Side 1 and Side 2

# CMFGXXYYN\_ - COMPILE GLAZED PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.

- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance.
- PVC glass retainer in matching paint color.
- Glazing starts at 29" high to the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
<b>/1</b>	Non-Powered Compile Glazed	CMFG4224N_	480	498	42	24	2 3/8
	Panel Package - 42"	CMFG4230N_	547	568	42	30	2 3/8
		CMFG4236N_	612	638	42	36	2 3/8
		CMFG4242N_	684	713	42	42	2 3/8
		CMFG4248N_	748	778	42	48	2 3/8
		CMFG4254N_	841	873	42	54	2 3/8
		CMFG4260N_	927	964	42	60	2 3/8
A	Non-Powered Compile Glazed	CMFG4824N_	516	534	48	24	2 3/8
	Panel Package - 48"	CMFG4830N_	604	625	48	30	2 3/8
	-	CMFG4836N_	687	712	48	36	2 3/8
		CMFG4842N_	770	797	48	42	2 3/8
		CMFG4848N_	840	870	48	48	2 3/8
		CMFG4854N_	978	1011	48	54	2 3/8
		CMFG4860N_	1106	1145	48	60	2 3/8
a	Non-Powered Compile Glazed	CMFG5424N_	517	538	54	24	2 3/8
	Panel Package - 54"	CMFG5430N_	607	629	54	30	2 3/8
		CMFG5436N_	687	713	54	36	2 3/8
		CMFG5442N_	773	800	54	42	2 3/8
		CMFG5448N_	841	872	54	48	2 3/8
/   <b>//</b> /		CMFG5454N_	979	1012	54	54	2 3/8
		CMFG5460N_	1107	1146	54	60	2 3/8
	Non-Powered Compile Glazed	CMFG6624N_	648	675	66	24	2 3/8
1	Panel Package - 66"	CMFG6630N_	753	784	66	30	2 3/8
	·	CMFG6636N_	858	891	66	36	2 3/8
		CMFG6642N_	966	1009	66	42	2 3/8
		CMFG6648N	1048	1095	66	48	2 3/8
		CMFG6654N_	1213	1264	66	54	2 3/8
		CMFG6660N_	1369	1423	66	60	2 3/8

# **Raceway Cover Options (1) Shown**

# • RACEWAY COVER OPTIONS (Suffix)

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

## CMFGXXYYP\_ - COMPILE GLAZED PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same

- height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.
- Glazing starts at 29" high to the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST P			NSIONS/IN	
			Gr1	Gr2	Н	W	D
<b>/</b> 1	Powered Compile Glazed	CMFG4224P_	632	650	42	24	2 3/8
	Panel Package - 42"	CMFG4230P_	753	774	42	30	2 3/8
	-	CMFG4236P_	829	855	42	36	2 3/8
		CMFG4242P_	902	931	42	42	2 3/8
		CMFG4248P_	985	1015	42	48	2 3/8
		CMFG4254P_	1078	1110	42	54	2 3/8
		CMFG4260P_	1165	1202	42	60	2 3/8
	Powered Compile Glazed	CMFG4824P_	668	687	48	24	2 3/8
ه ا	Panel Package - 48"	CMFG4830P_	809	830	48	30	2 3/8
		CMFG4836P_	902	928	48	36	2 3/8
		CMFG4842P_	992	1018	48	42	2 3/8
		CMFG4848P_	1076	1107	48	48	2 3/8
		CMFG4854P_	1216	1249	48	54	2 3/8
		CMFG4860P_	1347	1385	48	60	2 3/8
٥	D 10 10 1	ON 4505 40 4D	000	000	E4	04	0.00
	Powered Compile Glazed	CMFG5424P_	668	689	54	24	2 3/8
ا ا	Panel Package - 54"	CMFG5430P_	811	833	54	30	2 3/8
		CMFG5436P_	902	928	54	36	2 3/8
		CMFG5442P_	992	1019	54	42	2 3/8
		CMFG5448P_	1077	1108	54	48	2 3/8
		CMFG5454P_	1217	1250	54	54	2 3/8
		CMFG5460P_	1348	1387	54	60	2 3/8
<i>a</i>	Powered Compile Glazed	CMFG6624P	801	828	66	24	2 3/8
	Panel Package - 66"	CMFG6630P_	959	990	66	30	2 3/8
af I	i aliei i ackaye - uu	CMFG6636P	1075	1108	66	36	2 3/8
		CMFG6642P	1187	1230	66	30 42	2 3/8
r		CMFG6648P	1289	1336	66	42 48	2 3/8
1		CMFG6654P	1450	1501	66	48 54	2 3/8
		CMFG6660P_	1612	1666	66	54 60	2 3/8
		CIVICG000UF_	1012	1000	00	DU	2 <b>3</b> /8

#### Raceway Cover Options (1) Shown

#### • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

(2) Knockouts Side 1 and Side 2

#### CMPGXXYYN\_ - COMPILE PARTLY GLAZED PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.

- 3 Panel connector brackets per side come standard with 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 10% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.
- Glazing is 14" nominal from the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
<b>A</b> 1	Non-Powered Compile Partly Glazed	CMPG4824N_	550	592	48	24	2 3/8
	Panel Package - 48"	CMPG4830N_	634	688	48	30	2 3/8
		CMPG4836N_	707	762	48	36	2 3/8
		CMPG4842N_	787	857	48	42	2 3/8
		CMPG4848N_	868	951	48	48	2 3/8
		CMPG4854N_	959	1044	48	54	2 3/8
		CMPG4860N_	1042	1136	48	60	2 3/8
A	Non-Powered Compile Partly Glazed	CMPG5424N_	550	593	54	24	2 3⁄8
	Panel Package - 54"	CMPG5430N_	634	689	54	30	2 3/8
	•	CMPG5436N_	709	766	54	36	2 3/8
		CMPG5442N_	788	857	54	42	2 3/8
		CMPG5448N_	868	951	54	48	2 3/8
		CMPG5454N_	959	1045	54	54	2 3/8
		CMPG5460N_	1043	1138	54	60	2 3/8
<b>/1</b>	Non-Powered Compile Partly Glazed	CMPG6624N_	604	651	66	24	2 3/8
	Panel Package - 66"	CMPG6630N_	692	749	66	30	2 3/8
	-	CMPG6636N_	776	921	66	36	2 3/8
		CMPG6642N_	864	933	66	42	2 3/8
		CMPG6648N_	955	1037	66	48	2 3/8
		CMPG6654N_	1052	1136	66	54	2 3/8
		CMPG6660N_	1146	1237	66	60	2 3/8

# **Raceway Cover Options (1) Shown**

# RACEWAY COVER OPTIONS (Suffix)

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMPGXXYYP\_ - COMPILE PARTLY GLAZED PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.

- 3 Panel connector brackets per side come standard with 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- · Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.
- Glazing is 14" nominal from the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
<b>/</b> 1	Powered Compile Partly Glazed	CMPG4824P_	704	746	48	24	2 3/8
	Panel Package - 48"	CMPG4830P_	841	895	48	2 3/8	
	· ·	CMPG4836P_	923	978	48	36	2 3/8
		CMPG4842P_	1008	1076	48	42	2 3/8
		CMPG4848P_	1107	1189	48	48	2 3/8
		CMPG4854P_	1197	1283	48	54	2 3/8
		CMPG4860P_	1282	1377	48	60	2 3/8
	Powered Compile Partly Glazed	CMPG5424P_	704	747	54	24	2 3/8
	Panel Package - 54"	CMPG5430P_	842	897	54	30	2 3/8
		CMPG5436P_	924	981	54	36	2 3/8
		CMPG5442P_	1008	1077	54	42	2 3/8
		CMPG5448P_	1108	1191	54	48	2 3/8
		CMPG5454P_	1198	1284	54	54	2 3/8
		CMPG5460P_	1282	1377	54	60	2 3/8
	Powered Compile Partly Glazed	CMPG6624P_	755	802	66	24	2 3/8
	Panel Package - 66"	CMPG6630P_	898	955	66	30	2 3/8
		CMPG6636P_	992	1137	66	36	2 3/8
		CMPG6642P_	1085	1154	66	42	2 3/8
/   <b> </b>		CMPG6648P_	1192	1274	66	48	2 3/8
		CMPG6654P_	1293	1377	66	54	2 3/8
J 🅊		CMPG6660P_	1386	1477	66	60	2 3/8
		_					

# Raceway Cover Options (1) Shown

# • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

(2) Knockouts Side 1 and Side 2

#### CMPLGXXYYN\_ - SINGLE 12" GLAZED AT TOP PANEL - NON-POWERED

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h

panels.

- 4 Panel connector brackets per side come standard with 66"h. panels.
- Standard clear (CLR) plexi.
- Optional smoked (SMK) plexi-glass or frosted (FRST) plexi.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Glazing is 12" nominal from the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST	LIST PRICE		ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
<b>A</b> 1	Non-Powered Compile 12" Top Glazed	CMPLG4224N_	527	546	42	24	2 3/8
	Single Segmented Panel Package - 42"	CMPLG4230N_	616	635	42	30	2 3/8
		CMPLG4236N	707	745	42	36	2 3/8
		CMPLG4242N	787	824	42	42	2 3/8
		CMPLG4248N	855	893	42	48	2 3/8
		CMPLG4254N	955	993	42	54	2 3/8
		CMPLG4260N_	1048	1086	42	60	2 3/8
<b>/1</b>	Non-Powered Compile 12" Top Glazed	CMPLG4824N_	539	556	48	24	2 3/8
	Single Segmented Panel Package - 48"	CMPLG4830N_	621	639	48	30	2 3/8
		CMPLG4836N_	693	729	48	36	2 3/8
		CMPLG4842N_	770	806	48	42	2 3/8
		CMPLG4848N_	843	879	48	48	2 3/8
		CMPLG4854N_	942	975	48	54	2 3/8
		CMPLG4860N_	1022	1058	48	60	2 3/8
<b>/</b> 1	Non-Powered Compile 12" Top Glazed	CMPLG5424N_	542	563	54	24	2 3/8
	Single Segmented Panel Package - 54"	CMPLG5430N_	621	640	54	30	2 3/8
		CMPLG5436N_	696	733	54	36	2 3/8
		CMPLG5442N_	773	811	54	42	2 3/8
		CMPLG5448N_	854	892	54	48	2 3/8
		CMPLG5454N_	943	981	54	54	2 3/8
		CMPLG5460N_	1023	1061	54	60	2 3/8
	Non-Powered Compile 12" Top Glazed	CMPLG6624N_	590	628	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMPLG6630N_	678	716	66	30	2 3/8
		CMPLG6636N_	776	851	66	36	2 3/8
		CMPLG6642N_	847	922	66	42	2 3/8
		CMPLG6648N_	938	1012	66	48	2 3/8
		CMPLG6654N_	1033	1108	66	54	2 3/8
		CMPLG6660N_	1124	1199	66	60	2 3/8

#### Raceway Cover Options (1) Shown

#### • RACEWAY COVER OPTIONS (Suffix)

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMPLGXXYYP\_ - SINGLE 12" GLAZED AT TOP PANEL - POWERED

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.

- · Standard clear (CLR) plexi.
- · Optional smoked (SMK) plexi-glass or frosted (FRST) plexi.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Please specify duplex receptacles separately.
- Glazing is 12" nominal from the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
<b>1</b>	Powered Compile 12" Top Glazed	CMPLG4224P_	680	701	42	24	2 3⁄8
	Single Segmented Panel Package - 42"	CMPLG4230P_	822	843	42	30	2 3/8
		CMPLG4236P_	923	960	42	36	2 3/8
		CMPLG4242P_	1007	1045	42	42	2 3/8
		CMPLG4248P_	1094	1132	42	48	2 3/8
		CMPLG4254P_	1194	1231	42	54	2 3/8
		CMPLG4260P_	1291	1328	42	60	2 3/8
	Powered Compile 12" Top Glazed	CMPLG4824P	692	713	48	24	2 3/8
	Single Segmented Panel Package - 48"	CMPLG4830P	828	845	48	30	2 3/8
	ogio ooginontoa i anoi i aokago 40	CMPLG4836P	911	946	48	36	2 3/8
		CMPLG4842P	992	1025	48	42	2 3/8
		CMPLG4848P	1073	1108	48	48	2 3/8
		CMPLG4854P	1181	1216	48	54	2 3/8
		CMPLG4860P	1265	1300	48	60	2 3/8
		_					
	Powered Compile 12" Top Glazed	CMPLG5424P_	693	712	54	24	2 3/8
	Single Segmented Panel Package - 54"	CMPLG5430P_	829	848	54	30	2 3/8
		CMPLG5436P_	911	949	54	36	2 3/8
		CMPLG5442P_	992	1030	54	42	2 3/8
r I		CMPLG5448P_	1092	1130	54	48	2 3/8
		CMPLG5454P_	1181	1219	54	54	2 3/8
		CMPLG5460P_	1265	1303	54	60	2 3/8
a	Powered Compile 12" Top Glazed	CMPLG6624P_	745	782	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMPLG6630P	886	924	66	30	2 3/8
	omgre obginerited raner rackage - 00	CMPLG6636P_	979	1053	66	36	2 3/8
		CMPLG6642P	1069	1143	66	42	2 3/8
		CMPLG6648P_	1176	1251	66	48	2 3/8
		CMPLG6654P	1273	1348	66	54	2 3/8
		CMPLG6660P	1364	1438	66	60	2 3/8
		GIVII EG00001 _	1007	1700	00	00	230

#### Raceway Cover Options (1) Shown

## • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

(2) Knockouts Side 1 and Side 2

**PANELS** PRIVACY GLASS

#### **CMPSXX - COMPILE PRIVACY GLASS**

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.
- Clamps available in satin chrome finish only.
- · Width dimensions given are width of glass only.

- Attachment hardware is provided for attaching to panels.
- Please note Privacy Glass in 24" 54" widths includes 2 clamps and a Privacy Glass in 60" width includes 3 clamps.
- Square profile on clamps and glass corners.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCH		HES	
			CLR	FRST	Н	W	D	
_	Compile Privacy Glass	CMPS24	295	357	12	24	6	
		CMPS30	313	359	12	30	6	
		CMPS36	330	363	12	36	6	
		CMPS42	341	398	12	42	6	
		CMPS48	350	426	12	48	6	
12" H		CMPS54	360	453	12	54	6	
		CMPS60	376	488	12	60	6	
		CMPS0924	295	357	9	24	6	
		CMPS0930	313	359	9	30	6	
		CMPS0936	330	363	9	36	6	
		CMPS0942	341	398	9	42	6	
		CMPS0948	350	426	9	48	6	
9" H		CMPS0954	360	453	9	54	6	
		CMPS0960	376	488	9	60	6	
		CMPS0624	295	357	6	24	6	
1		CMPS0630	313	359	6	30	6	
		CMPS0636	330	363	6	36	6	
		CMPS0642	341	398	6	42	6	
		CMPS0648	350	426	6	48	6	
6°H		CMPS0654	360	453	6	54	6	
6 н		CMPS0660	376	488	6	60	6	

# **CMPSEGXX - COMPILE PRIVACY GLASS PANEL WIDTH**

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.

- · Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.

DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMENSIONS/INCHES		CHES
		CLR	FRST	Н	W	D
Compile Privacy Glass	CMPSEG0624	264	322	6	24	2.41
	CMPSEG0630	288	328	6	30	2.41
	CMPSEG0636	306	335	6	36	2.41
	CMPSEG0642	319	371	6	42	2.41
	CMPSEG0648	339	404	6	48	2.41
	CMPSEG0654	352	435	6	54	2.41
	CMPSEG0660	360	471	6	60	2.41
	CMPSEG0924	264	322	9	24	2.41
	CMPSEG0930	288	328	9	30	2.41
	CMPSEG0936	306	322	9	36	2.41
	CMPSEG0942	319	371	9	42	2.41
	CMPSEG0948	339	404	9	48	2.41
	CMPSEG0954	352	435	9	54	2.41
	CMPSEG0960	360	471	9	60	2.41
	CMPSEG1224	264	322	12	24	2.41
	CMPSEG1230	288	328	12	30	2.41
	CMPSEG1236	306	335	12	36	2.41
	CMPSEG1242	319	371	12	42	2.41
	CMPSEG1248	339	404	12	48	2.41
	CMPSEG1254	352	435	12	54	2.41
	CMPSEG1260	360	471	12	60	2.41

#### **CMPSEF - EMBEDDED FELT DIVIDER OVER PANEL**

- Privacy felt panel intergrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.

- Felt and attachment hardware to ship seperaretly
- 9mm Felt material is tackable and comes in 12 different colors. Please specify color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/IN	CHES
				Н	W	D
	6" Integrated Felt Divider, Panel Width	CMPSEF0624	107	6	24	2.41
	·	CMPSEF0630	124	6	30	2.41
		CMPSEF0636	148	6	36	2.41
		CMPSEF0642	163	6	42	2.41
-		CMPSEF0648	244	6	48	2.41
		CMPSEF0654	263	6	54	2.41
		CMPSEF0660	285	6	60	2.41
	9" Integrated Felt Divider, Panel Width	CMPSEF0924	107	9	24	2.41
	· ·	CMPSEF0930	124	9	30	2.41
		CMPSEF0936	148	9	36	2.41
		CMPSEF0942	163	9	42	2.41
		CMPSEF0948	244	9	48	2.41
		CMPSEF0954	263	9	54	2.41
~		CMPSEF0960	285	9	60	2.41
	12" Integrated Felt Divider, Panel Width					
	•	CMPSEF1224	107	12	24	2.41
		CMPSEF1230	124	12	30	2.41
		CMPSEF1236	148	12	36	2.41
		CMPSEF1242	163	12	42	2.41
		CMPSEF1248	244	12	48	2.41
		CMPSEF1254	263	12	54	2.41
		CMPSEF1260	285	12	60	2.41

#### **CMOF - COMPILE FABRIC OVER PANEL**

- Fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST	PRICE	RICE DIMENSIONS/INCHES		
		Gr1	Gr2	Н	W	D
Compile Fabric Over Panel	CM0F1224	205	231	12	24	2.3
	CM0F1230	240	266	12	30	2.3
	CMOF1236	267	294	12	36	2.3
	CM0F1242	302	329	12	42	2.3
	CM0F1248	349	376	12	48	2.3
	CM0F1254	362	389	12	54	2.3
	CM0F1260	429	455	12	60	2.3
	CM0F1624	239	269	16	24	2.3
	CMOF1630	278	309	16	30	2.3
	CMOF1636	294	324	16	36	2.3
	CMOF1642	350	381	16	42	2.3
	CMOF1648	401	432	16	48	2.3
	CMOF1654	420	450	16	54	2.3
	CMOF1660	491	522	16	60	2.3
	CM0F2424	308	351	24	24	2.3
	CM0F2430	356	399	24	30	2.3
	CMOF2436	398	441	24	36	2.3
	CMOF2442	446	489	24	42	2.3
	CM0F2448	481	524	24	48	2.3
	CMOF2454	534	577	24	54	2.3
	CMOF2460	614	657	24	60	2.3

**PANELS** OVER PANEL

#### CMOLF - COMPILE LAMINATE ONE SIDE, FABRIC ONE SIDE OVER PANEL

- One side in fabric and one side in laminate, incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIME	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
	Compile Laminate One Side,	CMOLF1224	229	245	12	24	2.3
	Fabric One Side Over Panel	CMOLF1230	270	286	12	30	2.3
		CMOLF1236	306	320	12	36	2.3
		CMOLF1242	347	361	12	42	2.3
		CMOLF1248	399	413	12	48	2.3
		CMOLF1254	421	435	12	54	2.3
		CMOLF1260	492	506	12	60	2.3
		CMOLF1624	274	292	16	24	2.3
		CMOLF1630	328	346	16	30	2.3
		CMOLF1636	362	380	16	36	2.3
		CMOLF1642	411	429	16	42	2.3
		CMOLF1648	469	487	16	48	2.3
		CMOLF1654	495	513	16	54	2.3
		CMOLF1660	576	594	16	60	2.3
		CMOLF2424	359	383	24	24	2.3
		CMOLF2430	429	451	24	30	2.3
		CMOLF2436	476	498	24	36	2.3
		CMOLF2442	535	559	24	42	2.3
		CMOLF2448	582	606	24	48	2.3
		CMOLF2454	649	671	24	54	2.3
		CMOLF2460	742	764	24	60	2.3

#### **CMOLL - COMPILE LAMINATE TWO SIDES OVER PANEL**

- Laminate modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
			Н	W	D
Compile Laminate Two Sides Over Panel	CMOLL1224	255	12	24	2.3
	CMOLL1230	289	12	30	2.3
	CMOLL1236	341	12	36	2.3
	CMOLL1242	388	12	42	2.3
	CMOLL1248	446	12	48	2.3
	CMOLL1254	473	12	54	2.3
	CMOLL1260	550	12	60	2.3
	CMOLL1624	305	16	24	2.3
	CMOLL1630	359	16	30	2.3
	CMOLL1636	409	16	36	2.3
	CMOLL1642	465	16	42	2.3
	CMOLL1648	532	16	48	2.3
	CMOLL1654	566	16	54	2.3
	CMOLL1660	653	16	60	2.3
	CMOLL2424	406	24	24	2.3
	CMOLL2430	479	24	30	2.3
	CMOLL2436	546	24	36	2.3
	CMOLL2442	619	24	42	2.3
	CMOLL2448	676	24	48	2.3
	CMOLL2454	753	24	54	2.3
	CMOLL2460	857	24	60	2.3

#### **CMOG - COMPILE GLAZED OVER PANEL**

- Glazed module incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMENSIONS/		CHES
		CLR	FRST	Н	W	D
Compile Glazed Over Panel	CM0G1224	183	192	12	24	2.3
, , , , , , , , , , , , , , , , , , , ,	CM0G1230	213	222	12	30	2.3
	CMOG1236	238	248	12	36	2.3
	CM0G1242	266	276	12	42	2.3
	CM0G1248	305	316	12	48	2.3
	CMOG1254	317	330	12	54	2.3
	CMOG1260	380	394	12	60	2.3
	CMOG1624	213	222	16	24	2.3
	CM0G1630	241	251	16	30	2.3
	CM0G1636	274	285	16	36	2.3
	CM0G1642	306	317	16	42	2.3
	CM0G1648	352	365	16	48	2.3
	CMOG1654	363	377	16	54	2.3
	CMOG1660	429	445	16	60	2.3
	CM0G2424	272	283	24	24	2.3
	CM0G2430	294	305	24	30	2.3
	CM0G2436	346	359	24	36	2.3
	CM0G2442	388	402	24	42	2.3
	CM0G2448	414	430	24	48	2.3
	CM0G2454	458	475	24	54	2.3
	CMOG2460	531	549	24	60	2.3

#### CMOFW - COMPILE ONE SIDE WRITE BOARD OVER PANEL

- Fabric or write board covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

Compile Fabric or Write Board Over Panel  CMOFW1224  CMOFW1230  CMOFW1236  CMOFW1242  CMOFW1242  CMOFW1242  CMOFW1242  CMOFW1243  CMOFW1244  CMOFW1244  CMOFW1245  CMOFW1245  CMOFW1624  CMOFW1624  CMOFW1624  CMOFW1624  CMOFW1630  CMOFW1630  CMOFW1630  CMOFW1630  CMOFW1630  CMOFW1630  CMOFW1642  CMOFW1642  CMOFW1643  CMOFW1644  CMOFW1654  CMOFW1654  CMOFW1664  CMOFW1664  CMOFW1664  CMOFW1665  CMOFW1664  CMOFW1666  CMOFW2424  CMOFW2424  CMOFW2430  CMOFW2430  CMOFW2430  CMOFW2430  CMOFW2436  CMOFW244  CMOFW244		DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
CMOFW1230 306 320 12 30 2.3 CMOFW1236 347 361 12 36 2.3 CMOFW1242 395 409 12 42 2.3 CMOFW1248 437 451 12 48 2.3 CMOFW1254 482 496 12 54 2.3 CMOFW1260 561 575 12 60 2.3 CMOFW1603 366 384 16 30 2.3 CMOFW1636 418 435 16 36 2.3 CMOFW1636 418 435 16 36 2.3 CMOFW1632 476 493 16 42 2.3 CMOFW1642 476 493 16 42 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1656 566 588 24 36 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2430 566 588 24 36 2.3 CMOFW2430 566 588 24 36 2.3				Gr1	Gr2	Н	W	D
CMOFW1230 306 320 12 30 2.3 CMOFW1236 347 361 12 36 2.3 CMOFW1242 395 409 12 42 2.3 CMOFW1248 437 451 12 48 2.3 CMOFW1254 482 496 12 54 2.3 CMOFW1260 561 575 12 60 2.3 CMOFW1600 366 384 16 30 2.3 CMOFW1630 366 384 16 30 2.3 CMOFW1630 366 384 16 30 2.3 CMOFW1630 418 435 16 36 2.3 CMOFW1630 418 435 16 36 2.3 CMOFW1632 476 493 16 42 2.3 CMOFW1642 476 493 16 42 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1660 667 684 16 60 2.3 CMOFW1660 667 684 16 60 2.3 CMOFW1660 667 684 16 60 2.3 CMOFW1660 667 684 24 24 30 2.3 CMOFW2424 401 425 24 24 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2430 566 588 24 36 2.3		Compile Fabric or Write Board Over Panel	CM0FW1224	258	272	12	24	2.3
CMOFW1242 395 409 12 42 2.3 CMOFW1248 437 451 12 48 2.3 CMOFW1254 482 496 12 54 2.3 CMOFW1260 561 575 12 60 2.3 CMOFW1630 366 384 16 30 2.3 CMOFW1630 366 384 16 30 2.3 CMOFW1630 418 435 16 36 2.3 CMOFW1642 476 493 16 42 2.3 CMOFW1642 476 493 16 42 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1660 667 684 16 60 2.3 CMOFW2424 401 425 24 24 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2430 566 588 24 36 2.3 CMOFW2436 566 588 24 36 2.3		•	CM0FW1230	306	320	12	30	2.3
CMOFW1248 437 451 12 48 2.3 CMOFW1254 482 496 12 54 2.3 CMOFW1260 561 575 12 60 2.3 CMOFW1630 366 384 16 30 2.3 CMOFW1636 418 435 16 36 2.3 CMOFW1642 476 493 16 42 2.3 CMOFW1642 476 493 16 42 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1660 667 684 16 60 2.3 CMOFW1660 667 684 16 60 2.3 CMOFW1660 462 484 24 30 2.3 CMOFW2424 401 425 24 24 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2436 566 588 24 36 2.3			CM0FW1236	347	361	12	36	2.3
CMOFW1254 482 496 12 54 2.3 CMOFW1260 561 575 12 60 2.3 CMOFW1624 311 329 16 24 2.3 CMOFW1630 366 384 16 30 2.3 CMOFW1636 418 435 16 36 2.3 CMOFW1642 476 493 16 42 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1660 667 684 16 60 2.3 CMOFW1660 667 684 16 60 2.3 CMOFW2424 401 425 24 24 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2430 566 588 24 36 2.3 CMOFW2436 566 588 24 36 2.3			CMOFW1242	395	409	12	42	2.3
CMOFW1260 561 575 12 60 2.3  CMOFW1624 311 329 16 24 2.3  CMOFW1630 366 384 16 30 2.3  CMOFW1636 418 435 16 36 2.3  CMOFW1642 476 493 16 42 2.3  CMOFW1648 544 562 16 48 2.3  CMOFW1654 580 597 16 54 2.3  CMOFW1660 667 684 16 60 2.3  CMOFW2424 401 425 24 24 2.3  CMOFW2424 401 425 24 24 2.3  CMOFW2430 462 484 24 30 2.3  CMOFW2436 566 588 24 36 2.3			CM0FW1248	437	451	12	48	2.3
CM0FW1624 311 329 16 24 2.3 CM0FW1630 366 384 16 30 2.3 CM0FW1636 418 435 16 36 2.3 CM0FW1642 476 493 16 42 2.3 CM0FW1648 544 562 16 48 2.3 CM0FW1654 580 597 16 54 2.3 CM0FW1660 667 684 16 60 2.3 CM0FW2660 667 684 16 60 2.3 CM0FW2660 462 484 24 30 2.3 CM0FW2430 462 484 24 30 2.3 CM0FW2436 566 588 24 36 2.3 CM0FW2436 566 588 24 36 2.3			CM0FW1254	482	496	12	54	2.3
CMOFW1630 366 384 16 30 2.3 CMOFW1636 418 435 16 36 2.3 CMOFW1642 476 493 16 42 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1660 667 684 16 60 2.3  CMOFW2424 401 425 24 24 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2436 566 588 24 36 2.3			CM0FW1260	561	575	12	60	2.3
CMOFW1636 418 435 16 36 2.3 CMOFW1642 476 493 16 42 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1660 667 684 16 60 2.3  CMOFW2424 401 425 24 24 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2436 566 588 24 36 2.3			CMOFW1624	311	329	16	24	2.3
CMOFW1642 476 493 16 42 2.3 CMOFW1648 544 562 16 48 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1660 667 684 16 60 2.3  CMOFW2424 401 425 24 24 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2436 566 588 24 36 2.3			CM0FW1630	366	384	16	30	2.3
CMOFW1648 544 562 16 48 2.3 CMOFW1654 580 597 16 54 2.3 CMOFW1660 667 684 16 60 2.3  CMOFW2424 401 425 24 24 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2436 566 588 24 36 2.3			CMOFW1636	418	435	16	36	2.3
CMOFW1654 580 597 16 54 2.3 CMOFW1660 667 684 16 60 2.3 CMOFW2424 401 425 24 24 2.3 CMOFW2430 462 484 24 30 2.3 CMOFW2436 566 588 24 36 2.3 CMOFW2436 566 588 24 36 2.3			CM0FW1642	476	493	16	42	2.3
CMOFW1660 667 684 16 60 2.3  CMOFW2424 401 425 24 24 2.3  CMOFW2430 462 484 24 30 2.3  CMOFW2436 566 588 24 36 2.3			CMOFW1648	544	562	16	48	2.3
CM0FW2424 401 425 24 24 2.3 CM0FW2430 462 484 24 30 2.3 CM0FW2436 566 588 24 36 2.3			CMOFW1654	580	597	16	54	2.3
CMOFW2430       462       484       24       30       2.3         CMOFW2436       566       588       24       36       2.3			CMOFW1660	667	684	16	60	2.3
CMOFW2436 566 588 24 36 2.3			CMOFW2424	401	425	24	24	2.3
			CM0FW2430	462	484	24	30	2.3
CMCEM/2442 622 667 24 42 2.2			CM0FW2436	566	588	24	36	2.3
GIVIOFVVZ44Z 033 037 Z4 4Z Z.3			CM0FW2442	633	657	24	42	2.3
CM0FW2448 666 688 24 48 2.3			CM0FW2448	666	688	24	48	2.3
CM0FW2454 796 818 24 54 2.3			CM0FW2454	796	818	24	54	2.3
CM0FW2460 884 906 24 60 2.3			CM0FW2460	884	906	24	60	2.3

**PANELS** OVER PANEL

# **CMOWW - COMPILE WRITE BOARD TWO SIDES OVER PANEL**

- Write board covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
				Н	W	D
	Compile Write Board Over Panel	CM0WW1224	314	12	24	2.3
	•	CM0WW1230	363	12	30	2.3
		CM0WW1236	432	12	36	2.3
		CMOWW1242	482	12	42	2.3
		CMOWW1248	566	12	48	2.3
<b>\</b>		CM0WW1254	596	12	54	2.3
		CMOWW1260	689	12	60	2.3
		CMOWW1624	384	16	24	2.3
		CMOWW1630	459	16	30	2.3
		CMOWW1636	530	16	36	2.3
		CMOWW1642	607	16	42	2.3
		CMOWW1648	691	16	48	2.3
		CMOWW1654	747	16	54	2.3
		CMOWW1660	853	16	60	2.3
		CMOWW2424	525	24	24	2.3
		CM0WW2430	627	24	30	2.3
		CM0WW2436	725	24	36	2.3
		CM0WW2442	829	24	42	2.3
		CM0WW2448	917	24	48	2.3
		CM0WW2454	1023	24	54	2.3
		CMOWW2460	1159	24	60	2.3

# **CHSD - SLIDER KIT FOR OVER PANEL**

- One kit required for installation of each Over Panel
- Included with each NEW Over Panel Kit

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME! H	NSIONS/INCH W	ES D
One kit required for installation of each Over Panel	CHSDKIT	6	.09	2.28	.43

#### **CMLEPXXXXNC - END OF RUN GALLERY PANEL WITH NO END CONNECTION**

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- No connections at both ends, connection is at the center interior face.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE LIST PR	LIST PRICE	DIN	DIMENSIONS/INCHES		
				Н	W	D	
	End of Run Gallery Panel	CMLEP4251NC	789	42	50.30	1	
		CMLEP4263NC	917	42	62.30	1	
		CMLEP4851NC	867	48	50.30	1	
e		CMLEP4863NC	1007	48	62.30	1	
.		CMLEP5451NC	945	54	50.30	1	
8		CMLEP5463NC	1099	54	62.30	1	

#### CMLMPXXXXNC - MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- . No connections at both ends, connection is at center on both faces.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- . If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D		
	141111111111111111111111111111111111111	014114054110	242			
	Middle of Run Gallery Panel	CMLMP4251NC	918	42	50.30	1
'		CMLMP4263NC	1044	42	62.30	1
		CMLMP4851NC	996	48	50.30	1
		CMLMP4863NC	1136	48	62.30	1
<b>\</b> .		CMLMP5451NC	1074	54	50.30	1
		CMLMP5463NC	1228	54	62.30	1

#### CMLSEPLXXXXNC - SINGLE END OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- No connections at both ends, connection is at center on both faces.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodate two 24" deep surface while the 33" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
	Single End of Run Gallery Panel	CMLSEPL4227NC	601	42	26.30	1
	,	CMLSEPR4227NC	601	42	26.30	1
9		CMLSEPL4827NC	657	48	26.30	1
		CMLSEPR4827NC	657	48	26.30	1
		CMLSEPL5427NC	713	54	26.30	1
		CMLSEPR5427NC	713	54	26.30	1
		CMLSEPL4233NC	620	42	32.33	1
		CMLSEPR4233NC	620	42	32.33	1
		CMLSEPL4833NC	677	48	32.33	1
		CMLSEPR4833NC	677	48	32.33	1
4		CMLSEPL5433NC	734	54	32.33	1
W. B		CMLSEPR5433NC	734	54	32.33	1

**PANELS** GALLERY PANEL

#### CMLSMPXXXXNC - SINGLE MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration.
- No connections at the exposed end, connection is at both the interior and exterior face near the opposite end.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Single Middle of Run Gallery Panel	CMLSMP4227NC	730	42	26.30	1	
		CMLSMP4827NC	786	48	26.30	1	
		CMLSMP5427NC	842	54	26.30	1	
		CMLSMP4233NC	752	42	32.30	1	
l a		CMLSMP4833NC	808	48	32.30	1	
		CMLSMP5433NC	866	54	32.30	1	

#### CMLEPXXXX - END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- Connections at both ends as well as the center on the interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- · Please specify LP laminate finish and PVC edge finish.
- . If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	End of Run Gallery Panel	CMLEP4251	821	42	50.30	1	
		CMLEP4263	946	42	62.30	1	
		CMLEP4851	898	48	50.30	1	
l l		CMLEP4863	1038	48	62.30	1	
L		CMLEP5451	976	54	50.30	1	
• •		CMLEP5463	1130	54	62.30	1	

#### CMLMPXXXX - MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- · Connections at both ends as well as the center on the interior face.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
	Middle of Run Gallery Panel	CMLMP4251	923	42	50.30	1
		CMLMP4263	1049	42	62.30	1
		CMLMP4851	1001	48	50.30	1
•		CMLMP4863	1141	48	62.30	1
<u>ا</u>		CMLMP5451	1078	54	50.30	1
		CMLMP5463	1235	54	62.30	1

#### **CMLSEPLXXXX - SINGLE END PANEL WITH END CONNECTIONS**

- · Provides floor standing support while enclosing the end of a panel run.
- · Attached at the end of a straight panel run with connectors to form an L configuration.
- · Connections are at the exposed end on one side and near the end on the other interior face.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
	Single End of Run Gallery Panel	CMLSEPL4227	615	42	26.30	1
	,	CMLSEPR4227	615	42	26.30	1
B I		CMLSEPL4827	673	48	26.30	1
		CMLSEPR4827	673	48	26.30	1
		CMLSEPL5427	728	54	26.30	1
		CMLSEPR5427	728	54	26.30	1
		CMLSEPL4233	635	42	32.33	1
		CMLSEPR4233	635	42	32.33	1
		CMLSEPL4833	691	48	32.33	1
l b		CMLSEPR4833	691	48	32.33	1
		CMLSEPL5433	750	54	32.33	1
		CMLSEPR5433	750	54	32.33	1

#### CMLSMPXXXX - SINGLE MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration
- Connections are at the exposed end and at the interior and exterior near the opposite end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Single Middle of Run Gallery Panel	CMLSMP4227	744	42	26.30	1	
		CMLSMP4827	801	48	26.30	1	
8		CMLSMP5427	855	54	26.30	1	
		CMLSMP4233	767	42	32.30	1	
		CMLSMP4833	824	48	32.30	1	
		CMLSMP5433	882	54	32.30	1	
•							

#### CML2PLXXXX - LEFT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS

- · Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- · Connections are at one exposed end.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- . If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			Н	W	D	
Two Way Return	CML2PL4225	488	42	25	1	
End of Run Gallery Panel	CML2PL4231	501	42	31	1	
	CML2PL4825	543	48	25	1	
	CML2PL4831	558	48	31	1	
	CML2PL5425	598	54	25	1	
	CML2PL5431	615	54	31	1	

**PANELS** GALLERY PANEL

#### CML2PRXXXX - RIGHT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS

- · Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- · Connections are at one exposed end.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
			Н	W	D
Two Way Return	CML2PR4225	488	42	25	1
End of Run Gallery Panel	CML2PR4231	501	42	31	1
	CML2PR4825	543	48	25	1
	CML2PR4831	558	48	31	1
	CML2PR5425	598	54	25	1
	CML2PR5431	615	54	31	1

#### CML3PLXXXX - LEFT THREE WAY RETURN END OF RUN GALLERY PANEL

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPLxxxx or CMLSEPLxxxx.
- Includes all attachment hardware and glides.
- · Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- . If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INC	CHES
				Н	W	D
	Three Way Return	CML3PL4249	676	42	49	1
	End of Run Gallery Panel	CML3PL4261	802	42	61	1
		CML3PL4849	754	48	49	1
·		CML3PL4861	894	48	61	1
·		CML3PL5449	830	54	49	1
**		CML3PL5461	985	54	61	1

#### CML3PRXXXX - RIGHT THREE WAY RETURN END OF RUN GALLERY PANEL

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPRxxxx or CMLSEPRxxxx.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	DESCRIPTION PRODUCT CODE LIST PR	LIST PRICE	DIM	DIMENSIONS/INCHES		
				Н	W	D	
	Three Way Return	CML3PR4249	676	42	49	1	
	End of Run Gallery Pane	CML3PR4261	802	42	61	1	
		CML3PR4849	754	48	49	1	
,		CML3PR4861	894	48	61	1	
. •		CML3PR5449	830	54	49	1	
i.		CML3PR5461	985	54	61	1	

#### CMLXPLXXXX - LEFT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edged and self edges on edge connecting to panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	NSIONS/INC	CHES	
				Н	W	D	
	Extension End of Run	CMLXPL4224	790	42	24	1	
	Return Gallery Panel	CMLXPL4230	475	42	30	1	
		CMLXPL4236	547	42	35	1	
		CMLXPL4242	687	42	42	1	
		CMLXPL4248	706	42	48	1	
<b>.</b>		CMLXPL4824	418	48	24	1	
		CMLXPL4830	491	48	30	1	
•••		CMLXPL4836	561	48	36	1	
		CMLXPL4842	706	48	42	1	
		CMLXPL4848	728	48	48	1	
		CMLXPL5424	446	54	24	1	
		CMLXPL5430	523	54	30	1	
		CMLXPL5436	601	54	36	1	
		CMLXPL5442	678	54	42	1	
		CMLXPL5448	833	54	48	1	

## CMLXPRXXXX - RIGHT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edged and self edges on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/IN	CHES	
			Н	W	D	
Extension End of Run Return Gallery Panel	CMLXPR4224 CMLXPR4230 CMLXPR4236	790 475 547	42 42 42	24 30 35	1 1	
	CMLXPR4242 CMLXPR4248	687 706	42 42 42	42 48	1	
	CMLXPR4824 CMLXPR4830	418 491	48 48	24 30	1 1	
	CMLXPR4836 CMLXPR4842	561 706	48 48	36 42	1 1	
	CMLXPR4848 CMLXPR5424	728 446	48 54	48 24	1 1	
	CMLXPR5430 CMLXPR5436	523 601	54 54	30 36	1 1	
	CMLXPR5442 CMLXPR5448	678 833	54 54	42 48	1 1	

**PANELS GALLERY PANEL** 

#### CMLXPLXXXXNC - EXTENSION END OF RUN, LEFT, NO CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- Connections only at one exposed end.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- · Please specify LP laminate finish and PVC edge finish.
- · If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	ENSIONS/IN	CHES	
			Н	W	D	
Extension End of Run Gallery Panel	CMLXPL4224NC CMLXPL4230NC CMLXPL4236NC CMLXPL4242NC CMLXPL4248NC CMLXPL4824NC CMLXPL4830NC CMLXPL4836NC CMLXPL4842NC CMLXPL4842NC CMLXPL484NC	403 472 543 684 703 415 488 558 703 725	42 42 42 42 42 42 48 48 48 48	24 30 35 42 48 24 30 36 42 48	1 1 1 1 1 1 1 1 1	
	CMLXPL5424NC CMLXPL5430NC CMLXPL5436NC CMLXPL5442NC CMLXPL5448NC	444 521 598 676 830	54 54 54 54 54	24 30 36 42 48	1 1 1 1	

#### CMLXPLXXXXNC • EXTENSION END OF RUN, RIGHT, NO CONNECTION

- · Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- Connections only at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- · Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			Н	W	D	
Extension End of Run Gallery Panel	CMLXPR4224NC	403	42	24	1	
·	CMLXPR4230NC	472	42	30	1	
	CMLXPR4236NC	543	42	35	1	
	CMLXPR4242NC	684	42	42	1	
	CMLXPR4248NC	703	42	48	1	
	CMLXPR4824NC	415	48	24	1	
	CMLXPR4830NC	488	48	30	1	
	CMLXPR4836NC	558	48	36	1	
	CMLXPR4842NC	703	48	42	1	
	CMLXPR4848NC	725	48	48	1	
	CMLXPR5424NC	444	54	24	1	
	CMLXPR5430NC	521	54	30	1	
	CMLXPR5436NC	598	54	36	1	
	CMLXPR5442NC	676	54	42	1	
	CMLXPR5448NC	830	54	48	1	

# CMHLPBB01 - GALLERY PANEL BRACKET

- Gallery panel bottom bracket connects two gallery end panels at bottom with screws.
- · Available in standard paint colors.
- Screws are included with the bracket.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: H	SIONS/INCHI W	ES D
Bracket	CMHLPBB01	46	1.5	8	1

- **CMHLPCB01 GALLERY PANEL CORNER BRACKET** Gallery panel corner bottom bracket connects two laminate panels at 90 degrees.
- · Screws are included with the bracket.

• Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INO W	CHES D	
	Corner Bracket	CMHLPCB01	44	1.5	4	4	
•							



#### CMPDSL/R - SLIDING PRIVACY DOOR

- Sliding Privacy Door attaches to Compile Panels using standard connectors to add privacy. Brackets that attach to Connectors are included.
- This door must mount on panels of equal width. It is also intended to be used for openings of equal width.
- Left (L) or right-handedness (R) is determined by the direction of door movement (from compressed to expanded position), while facing the door on the panel mounted side.
- Painted frame may match any Compile Standard Paint Finish. The door interior is standard with a louvered acrylic finish.
- STL paint on Compile sliding doors is a smooth finish paint comparable to the standard STL paint offering."
- Telescoping arms eliminate the need for thresholds, wheels or casters.
- Thickness of louvered acrylic is 6 mm.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INC	CHES
			Н	W	D
Sliding Privacy Door - 66" High	CMPDSL6636R CMPDSL6636L CMPDSL6642R	3131 3131 3214	66 66	36 36 42	
	CMPDSL6642L	3214	66	42	

#### CMFMA - MINI PANEL KIT

- Compile's Mini Panel Kits are now available to our dealers and their sales staff.
   The Compile mini panel is an excellent sales tool featuring two panel and samples of various hardware and electrical components and consists of the following:
- One Monolithic Mini Panel (Laminate side one / Acoustic side two).
- One Segmented Glazed Mini panel.
- · One 2-way Universal Corner Post Kit.
- Two 24" Raceway Cover with Punch Out.
- Two 24" Raceway Cover with out Punch Out.
- One Raceway Cut Out Cover.

- One 3-way Post Base Cover.
- · One End of Run Trim.
- One Pair of Corner Brackets.
- One Mid span Worksurface Support Bracket.
- One Duplex.
- One Power Distribution Harness.
- One Mesh jumper.
- One Carry Bag.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D		
Mini Panel Kit	CMFMA2418KIT1	2434	30	24	2 7/8

# **CHP POST PACKAGE**

- Universal Post with all "Quick-Connection" clips.
- Post trim(s)

Post base and top cap

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INC	NITO	
	DESCRIPTION	PRUDUCT CUDE	LIST PRICE	Н	W W	D D	
^		0.1000					
M	2 - Way Post	CHP30-2 CHP42-2	115 115	30 42	2.3 2.3	2.3	
		CHP46-2	167	4 <u>2</u> 46	2.3	2.3 2.3	
		CHP54-2	142	40 54	2.3	2.3	
		CHP58-2	209	58	2.3	2.3	
		CHP60-2	209	60	2.3	2.3	
		CHP64-2	247	64	2.3	2.3	
		CHP66-2	167	66	2.3	2.3	
		CHP70-2	241	70	2.3	2.3	
<b>W</b>		CHP72-2	241	72	2.3	2.3	
Ψ		CHP78-2	274	78	2.3	2.3	
		CHP82-2	288	82	2.3	2.3	
		CHP90-2	288	90	2.3	2.3	
		0.11 00 L	200	00	2.0	2.0	
۵	3 - Way Post	CHP30-3	101	30	2.3	2.3	
	3 - Way i Ost	CHP42-3	101	42	2.3	2.3	
		CHP46-3	151	46	2.3	2.3	
		CHP54-3	126	54	2.3	2.3	
		CHP58-3	189	58	2.3	2.3	
		CHP60-3	189	60	2.3	2.3	
		CHP64-3	201	64	2.3	2.3	
		CHP66-3	151	66	2.3	2.3	
		CHP70-3	217	70	2.3	2.3	
Ψ		CHP72-3	217	72	2.3	2.3	
Ų		CHP78-3	247	78	2.3	2.3	
		CHP82-3	258	82	2.3	2.3	
		CHP90-3	286	90	2.3	2.3	
		0111 30 3	200	30	2.0	2.0	
	4 - Way Post	CHP30-4	82	30	2.3	2.3	
M	*No trim or base. Includes top cap only.	CHP42-4	82	42	2.3	2.3	
	No tilli of base. Includes top cap offly.	CHP46-4	138	46	2.3	2.3	
		CHP54-4	106	54	2.3	2.3	
		CHP58-4	154	58	2.3	2.3	
		CHP60-4	154	60	2.3	2.3	
<b>III</b>		CHP64-4	163	64	2.3	2.3	
<b>III</b>		CHP66-4	126	66	2.3	2.3	
<b>III</b>		CHP70-4	180	70	2.3	2.3	
<b>III</b>		CHP72-4	180	70 72	2.3	2.3	
w		CHP78-4	204	72 78	2.3	2.3	
		CHP82-4	213	76 82	2.3	2.3	
		CHP90-4	238	90	2.3	2.3	
		UI II JU- <del>4</del>	230	Ju	۷.۵	۷.5	

# **CHPXW - 90 DEGREE CORNER POST KIT FOR OVER PANELS**

- Specify the corner post height that matches the height of the over panel
- 2-way kits include 2 trims (CMETPxx), 2 way post base (CMPCxx) and post cap (CMPC).
- 3-way kits include 2 trim (CMETPxx), 3 way post base (CMPCxx) and post cap (CMPC).

• 4-way kits include post cap (CMPC) only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	DIMENSIONS/INCHES	
				Н	W	D
r <b>a</b> n	90 Degree Corner Post Kit for Over Panels	CH0P12-2	75	12	2.3	2.3
	·	CHOP12-3	64	12	2.3	2.3
		CHOP12-4	44	12	2.3	2.3
		CHOP16-2	75	16	2.3	2.3
		CHOP16-3	75	16	2.3	2.3
		CHOP16-4	64	16	2.3	2.3
		CHOP24-2 CHOP24-3	84 75	24 24	2.3 2.3	2.3 2.3
		CHOP24-4	63	24	2.3	2.3

# **CHPXW - 60 DEGREE POST PACKAGE**

- Universal Post with all "Quick-Connection" clips.
- Post trim is incorporated into 2 Way aluminum post extrusion.
- · Post top cap

- Outer part of the post is the full panel height and the inner part of the post is 6" shorter.
- 3 Way post is 6" shorter than panel height to accommodate electric and base.
- PVC post trims can not be added to 60 degree posts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		CHES
				Н	W	D
	2 - Way - 60 Degree Post Package	CHP2W30	82	30	2.3	2.3
	.,	CHP2W42	82	42	2.3	2.3
		CHP2W46	106	46	2.3	2.3
		CHP2W54	106	54	2.3	2.3
		CHP2W58	145	58	2.3	2.3
		CHP2W60	159	60	2.3	2.3
		CHP2W64	172	64	2.3	2.3
		CHP2W66	126	66	2.3	2.3
		CHP2W70	183	70	2.3	2.3
		CHP2W72	183	72	2.3	2.3
		CHP2W78	204	78	2.3	2.3
		CHP2W82	213	82	2.3	2.3
		CHP2W90	234	90	2.3	2.3
M	3 - Way - 60 Degree Post Package	CHP3W30	82	30	2.3	2.3
	, ,	CHP3W42	82	42	2.3	2.3
		CHP3W46	116	46	2.3	2.3
		CHP3W54	106	54	2.3	2.3
`		CHP3W58	145	58	2.3	2.3
		CHP3W60	159	60	2.3	2.3
		CHP3W64	172	64	2.3	2.3
		CHP3W66	126	66	2.3	2.3
		CHP3W70	183	70	2.3	2.3
		CHP3W72	183	72	2.3	2.3
U Company		CHP3W78	204	78	2.3	2.3
		CHP3W82	213	82	2.3	2.3
		CHP3W90	234	90	2.3	2.3

# **CMRCXXNP - COMPILE RACEWAY COVER - WITHOUT KNOCKOUTS**

- · No electrical knockouts included.
- Note: Made of reinforced aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			Н	W	D	
Compile Raceway Cover	CMRC24NP	18		24		
Without Knockouts	CMRC30NP	22		30		
	CMRC36NP	25		36		
	CMRC42NP	27		42		
	CMRC48NP	30		48		
	CMRC54NP	37		54		
	CMRC60NP	39		60		

#### **CMRCXXPO - COMPILE RACEWAY COVER - WITH KNOCKOUTS**

- Contains one knockout for 24"w and three knockouts for 30"w+.
- Raceway Knockout Cover must be added to openings where duplex receptacles are not used.
- Note: Made of reinforced aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		HES	
			Н	W	D	
Compile Raceway Cover	CMRC24PO	18		24		
With Knockouts	CMRC30PO	22		30		
	CMRC36PO	25		36		
	CMRC42PO	27		42		
	CMRC48PO	30		48		
	CMRC54PO	37		54		
	CMRC60PO	39		60		

#### **CMRCB01 - COMPILE RACEWAY KNOCKOUT COVER**

- Fills knockout when duplex is not used.
- · Available in Black, White, Nevada, and Fog.
- Note: Knockout covers are made of plastic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D		_
Compile Raceway Knockout Cover	CMRCB01	17			

**PANELS** TRIM INSERTS

#### **CHP - 90-DEGREE UNIVERSAL CORNER POST**

- Available in 42", 54" and 66"h.
- · Standard Compile paint options.
- Specify the corner post height that matches the tallest or smallest panel connection.
- Can be used for any variation of 90-degree connections: 2-way, 3-way or 4-way.
- Requires post trim inserts to finish off post where there are no panel connections.
   Post trim inserts are specified separately.
- 6" shorter than panel height to accommodate electric in base.
- Requires a post basecover to finish off post at the base (for 2- or 3-way). Refer to CMPC.
- See Panel Configuration Tips for application.
- Made of aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: H	SIONS/INCHE W	S D
90-Degree Universal Corner Post	CHP30 CHP42 CHP54 CHP66	76 76 99 121	30 36 48 60		

#### **CMET - END OF RUN TRIM INSERT FOR PANEL**

- Trim inserts are not included with panels.
- Cannot be used for a universal post application.
- Used at the end of each panel run and cannot be used to attach a panel run to a fixed wall
- Vertical trims must be specified separately. Trim snaps in the panel at the end of run.
- Standard Compile paint options.
- See Panel Configuration Tips for application.
- Trims are PVC.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
n	End of Run Trim Insert for Panel	CMET16	18	16	2.3	0.5
		CMET30	21	30	2.3	0.5
		CMET42	21	42	2.3	0.5
		CMET46	22	46	2.3	0.5
		CMET48	25	48	2.3	0.5
		CMET54	25	54	2.3	0.5
		CMET58	26	58	2.3	0.5
		CMET60	26	60	2.3	0.5
		CMET64	27	64	2.3	0.5
		CMET66	27	66	2.3	0.5
		CMET70	29	70	2.3	0.5
		CMET72	29	72	2.3	0.5
Ų		CMET78	31	78	2.3	0.5
		CMET82	32	82	2.3	0.5
		CMET90	38	90	2.3	0.5

**PANELS** TRIM INSERTS

#### **CMETP - TRIM INSERT FOR UNIVERSAL CORNER POST**

- Does not come with a post.
- Trim installs on all exposed sides of a Universal Corner Post.
- Specify to equal post height.
- Trims must be specified separately. Trim snaps in the post.

- Available in standard Compile paint options.
- 6" shorter than Universal Corner Post to accommodate Post Base Cover (must be specified separate)
- See Panel Configuration Tips for application.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	DIMENSIONS/INCHES		
				Н	W	D	
M	Trim Insert for Universal Corner Post	CMETP30 CMETP42	17 17	30 42	2.3 2.3	0.5 0.5	
		CMETP46	22	46	2.3	0.5	
		CMETP48	14	48	2.3	0.5	
		CMETP54	18	54	2.3	0.5	
		CMETP58	24	58	2.3	0.5	
		CMETP60	26	60	2.3	0.5	
		CMETP64	27	64	2.3	0.5	
		CMETP66	19	66	2.3	0.5	
		CMETP70	30	70	2.3	0.5	
		CMETP72	30	72	2.3	0.5	
		CMETP78	31	78	2.3	0.5	
$\mathbf{P}$		CMETP82	33	82	2.3	0.5	
		CMETP90	38	90	2.3	0.5	

#### **CMET - TRIM INSERT FOR STEP DOWN**

- Does not come with a post. Trim inserts are not included with Universal Corner Posts.
- Specify to meet the taller post.
- Trim snaps in the post or end of run at a change in height.

- Available in standard Compile paint options.
- Can not be applied to 60 degree posts.
- See Panel Configuration Tips for application.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
				Н	W	D	
	Trim Insert for Step Down	CMET06	11	6			
		CMET12	14	12			
		CMET18	18	18			
		CMET24	24	24			
		CMET36	29	36			
lacksquare							

# **CHWAXX - WALL ADAPTER**

- Same profile as vertical extrusion.
- · Wall attachment hardware not provided.
- Made of aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INC	CHES	
			Н	W	D	
Wall Adapter	CHWA30 CHWA42 CHWA46 CHWA54 CHWA58 CHWA58	47 64 64 64 81 81 94	30 42 46 48 54 58 60	2.36 2.36 2.36 2.36 2.36 2.36 2.36	.79 .79 .79 .79 .79 .79	
	CHWA64 CHWA66 CHWA70 CHWA72 CHWA78 CHWA82 CHWA90	94 94 108 108 121 136 149	64 66 70 72 78 82 90	2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36	.79 .79 .79 .79 .79 .79 .79	

**PANELS** POST COVERS

#### **CWMA - VERTICAL CHANNEL**

- · Used to attach system components to fixed wall.
- · Panel frame finish.
- · Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material. Sold in pairs.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- Compile vertical channels cannot be shared.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCHI W	ES D
Vertical Channel	CWMA60	39	60	0.6	0.7

#### **CMPC - UNIVERSAL POST CAP**

- Comes standard with universal post.
- · Specified separately for reconfiguration purposes.

- Available in standard Compile paint options.
- · Made of PVC.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	SIONS/INCHE W	S D
Universal Post Cap	CMPC	8	2 3/8		

# **CMPC - POST BASE COVER**

- · Post Base Covers are not included with Universal Corner Posts.
- Base trim for universal post. These are connected with screws at the base and the trims at the post will slide to meet.
- Available for 2-way and 3-way configurations.
- Finish is smooth plastic.
- · Available in standard Compile paint options.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	SIONS/INCHE W	ES D
Post Base Cover - 3-Way Connection	CMPC1	13	6		
Post Base Cover - 2-Way Connection	CMPC2	14	6		

#### **CMHLPF - FLAT LEG FOR FREESTANDING PANELS**

- Not intended to add to a run of panels in conjunction with Leveling Glides.
- · Kit will contains one legs and all attachment hardware.

- Tlease specify paint
- · Please specify paint finish.

panel and replace it with the legs.

• For the installation the customer will have to remove the existing levelers on the

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INC W	CHES D	
	Single Flat Leg	CMHLPF01	126	.31	21	3	

#### **CMHLPF - FLAT LEG FOR FREESTANDING PANELS**

- Double kit for freestanding applications.
- · Kit will contains two legs and all attachment hardware.
- For the installation the customer will have to remove the existing levelers on the panel and replace it with the legs.
- Please specify paint finish.
- Note: Leg is on available for freestanding panels 42" to 60" wide.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	ENSIONS/INC	CHES	
			Н	W	D	
Double Flat Leg	CMHLPF02	249	.31	21	3	

## **CMHLLP01 - LOW PROFILE FOOT**

- Provides added support to a panel under load.
- · Adjustable glides and connectors included.

Made of powder coated steel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	NSIONS/INCH	HES	
			Н	W	D	
Low Profile Foot	CMHLLP01	186	12	11	1.1	

# **CMHLLP02 - LOW PROFILE FOOT**

- Provides added support to a panel under load.
- Adjustable glides and connectors included.

- Made of powder coated steel.
- Set includes 2 complete legs.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	ENSIONS/INC	HES	
				п	W	U	
ก.	Double Low Profile Foot	CMHLLP02	371	12	11	1.1	



**PANELS** POST SEPARATOR

# CMPS - POST SEPARATOR

- Creates a diagonal division within a compile post.
- Please specify post height.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INC	HES	
			Н	W	D	
Post Separator	CMPS01	154	96	3.25	14	



# electrical

# STEP-BY-STEP SPECIFICATION - 8-WIRE ELECTRICAL SYSTEM





#### Determine the location of the source power entering the Panel Run.

1. At the base of the Panel.

- (a) Use CE8FR1 Reversible Floor Power Entry (default to CE8FR1). (b) Select the Panel to which the Floor Power Entry will be attached.
- (c) Select the side of the Panel and the receptacle outlet to which the Floor Power Entry is to be attached.

Note: When using Pass Through Connectors in conditions other than a straight line, you must use a CE8CI-1 I-Connector along with a CE8CP17 Flexible Mesh Jumper Cable through the corner post.



#### Determine which Panels are to be powered.

1. Use CE8PD Power Distribution Housing that corresponds with the width

#### Connect power to the powered Panels.

- 1. Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels
- 2. Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels separated by a post.
- 3. Use CE8CP17 Flexible Mesh cable (to turn the post) and a CE8CI-1 "I" Connector to attach the CE8CP Pass Through Cable. (a) The length of the Pass-Through Cable is calculated by adding together the widths of the non-powered Panels that separate the two powered Panels and applying an additional 16" to the total. (CE8PD Power Distribution Housing is positioned 8" in from the ends of the powered Panel.) (b) An additional 3" must be added to the Pass-Through Cable for each post that the cable passes through.
- (c) Subtract 17" from the total length to find the pass through cable length required.
- 4. From the price list, select the CE8CP Pass-Through Cable that matches the calculated length. If the length is between listed sizes, use the next



#### Determine the location and circuitry of the receptacles.

- 1. Each powered Panel has four (4) potential locations for CE8RD Duplex Receptacles - 2 per side. (Exception: 24" wide Panel has only two potential locations - 1 per side.)
- 2. At each receptacle location there is a choice of four circuit options. Select a circuit option for each location. Circuits one & two are utility circuits; circuits A & B are dedicated circuits.

#### **COMPILE'S 8-WIRE ELECTRICAL SYSTEM**

#### **Flectrical**

This modification allows for the integration of the commonly required "2+2" configuration (2 utility circuits, 2 dedicated circuits) found in the source power of most of today's North American

0.50

1 00

#### This system is rated for connection to:

1. A grounded 120/240V, single phase, 20 A, 60Hz

2. A 120/208V, 3 phase, 20 A, 60Hz branch circuit

Pencil Sharpener.....

#### **EQUIPMENT AMPERAGE**

Calculator Flectric Fraser

Radio	0.05
Paper Shredder	4.40 - 13.00
Electric Typewriter	1.20
Personal Computer	2.00 - 4.00
Video Display Terminal	0.08
Draft / Letter Quality Printer	1.20 - 3.00
Laser Printer	5.00 - 8.00
Processor / Disk Unit	1.00 - 10.00

#### Data/Comm


Compile's duplex receptacle openings (1.345 x 2.80) will conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38 +/- .035 x 2.71 +/- .04


Desk Top Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Coffee Pot	15.00
Task Light	1.00
Slide Projector	2.00 - 6.00

Since some equipment, such as large copiers, printers, plotters, heaters and coffee makers would occupy most of the circuit capacity, it is recommended that such devices be supplied with the power directly from the wall or building receptacle.

ELECTRICAL WIRING SCHEMATIC

#### **Wiring Schematic**





Defining "2 + 2" Wiring Configurations

#### 2 + 2 Configuration (8 wire, 4 circuit)

Two Utility Circuits [Compile's new #1 & #2 circuits] share one neutral wire and one ground wire. (2 hot [circuit] wires + 1 neutral wire\*\*\* + 1 green ground wire\* = 4 wires)

Two Dedicated Circuits [Compile's new "A" & "B" circuits] share one neutral wire and one ground wire. (2 hot [circuit] wires + 1 neutral wire \*\*\* + 1 green/yellow ground wire\*\* = 4 wires)

#### Note

It is the ground wire that makes the difference between "Utility" and "Dedicated" circuits. Refer to Wiring Schematics found above.

- \* A Green ground wire is a "system" ground. This means it could be grounded to any piece of metal, including the Panel.
- \*\* A Green/Yellow ground wire is isolated, within the wiring conduit, all the way back to the box at the source (building ground).
- \*\*\* All Neutral Wires are 10 gauge rather than 12 gauge meaning they are larger than normal, allowing greater protection against "noise" or interference on the circuit.

**ELECTRICAL** CONFIGURATION

This page provides an exploded view of a sample configuration highlighting each Electrical component required when specifying this configuration.

#### Components

**A.** CE8PD36 Power Distribution Housing

Note: 8 wire, 4 circuits, 2+2 configuration

**B.** CE8CP17 Flexible Mesh Jumper Cable (connects two panels side by side or separated by a post)


**C.** CE8RD Duplex Receptacle

**D.** CE8CI-1 "I" Connector

**E.** CE8CP Pass-Through Cable

Note: Must run in a straight line application only

Note: Pass-Through Extension Cable (CE8CPF154) available — extends power capability beyond 208".



# **ELECTRICAL**

#### **CE8PD - POWER DISTRIBUTION HOUSING**

- Power housing is specified per panel size (e.g. CE8PD36 is for use in a 36" panel).
- 8 wire, 4 circuits (4th circuit dedicated).
- Power distribution housing is required for each powered panel, the power distribution housing should equal the width of the panel that it is specified in.
- Provides two duplex receptacle ports per panel side on all panel widths except the 24" wide panel.
- 24" wide panel allows for only one (1) duplex receptacle on one panel side.
- Each power distribution housing supports 15-20 amps.
- Must specify Raceway Cover with Knockouts on panels, where Power Distribution Housings will be utilized.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D
Power Distribution Housing	CE8PD24 CE8PD30 CE8PD36 CE8PD42 CE8PD48 CE8PD60	154 209 219 224 241 244	6 1/4 11 1/2 17 1/2 23 1/2 29 1/2 41 1/2

#### **CE8CP17 - FLEXIBLE MESH JUMPER CABLE**

- 17" mesh jumper.
- Jumper cable is used to pass through a post or connect two panels together.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INC W	HES D
Flexible Mesh Jumper Cable	CE8CP17	120		17	

9

evolvefurnituregroup.com

67

# **ELECTRICAL**

#### **CE8CP - PASS THROUGH CABLE**

- Flexible metal conduit is used to distribute electrical power through non-powered panels.
- Metal conduit pass through cables should be in used in a straight runs. Metal conduit pass through cables cannot pass through a post.
- Flexible conduit is required to turn a post. This only comes as 17"w. If panels at
  the posts do not all have power distribution housings, they must be added even if
  duplexes are not specified.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached).
   To this add 16" (distance from the edge of the panel to the distribution housing x 2).
- Add additional 3" when passing through a corner post. See the Tips at the beginning of the section for more details.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES
				H W D
	Pass Through Cable	CE8CP28	159	28 1/2
		CE8CP40	167	40 1/2
		CE8CP46	172	46 1/2
		CE8CP52	178	52 1/2
o Million		CE8CP58	187	58 1/2
		CE8CP64	197	64 1/2
		CE8CP70	202	70 1/2
		CE8CP76	205	76 1/2
		CE8CP82	213	82 1/2
		CE8CP88	219	88 1/2
		CE8CP94	225	94 1/2
		CE8CP100	231	100 1/2
			225	94 1/2

#### CE8CI-1 - "I" CONNECTOR

- Female Female connector connects two Pass-Through Cables.
- Connects 17" Flexible Jumper Cable or ceiling feeds to pass through cables.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
"I" Connector	CE8CI-1	88			

# **ELECTRICAL**

#### **CE8RD - DUPLEX RECEPTACLE**

- Up to 3 receptacles per circuit
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit
- Duplex Receptacles standard in Black (BLK).

- CE8RD1 = Circuit #1 (utility circuit)
- CE8RD2 = Circuit #2 (utility circuit)
- CE8RDA = Circuit A (dedicated)
- CE8RDB = Circuit B (dedicated)
- CE8RD1 and CE8RD2 (#1 and #2 share common ground)
- CE8RDA and CE8RDB (A and B share common ground)

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		CHES
			Н	W	D
Duplex Receptacle	CE8RD1	33			
	CE8RD2	33			
	CE8RDA	33			
	CE8RDB	33			

#### **CE8RDXCA - CALIFORNIA CONTROLLED DUPLEX RECEPTACLE**

- California Title 24 meets federal and LEED certification guidelines
- Allows circuit to be controlled or switched off when utility is not in use.
- Duplex receptacles are rated for 15 Amps.
- CE8RD1CA = Circuit #1 (utility circuit)
- CE8RD2CA = Circuit #2 (utility circuit)
- CE8RDACA = Circuit A (dedicated)
- CE8RDBCA = Circuit B (dedicated)

#### NOTE:

- CE8RD1CA and CE8RD2CA (#1 and #2 share common ground)
- CE8RDACA and CE8RDBCA (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- · Available in BLK finish only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		CHES
			Н	W	D
Duplex Receptacle	CE8RD1CA	38	2	4 5⁄8	1 1/4
	CE8RD2CA	38	2	4 5⁄8	1 1/4
	CE8RDACA	38	2	4 5⁄8	1 1/4
	CE8RDBCA	38	2	4 5⁄8	1 1/4

#### **CE8FR1 - REVERSIBLE FLOOR POWER ENTRY**

- Takes the place of a duplex receptacle by snapping into the base power way.
- Includes 72" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

#### **CE8FR2 - REVERSIBLE FLOOR POWER ENTRY**

- Takes the place of a duplex receptacle by snapping into the base power way.
- Includes 144" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCHE W	ES D
Reversible Floor Power Entry	CE8FR1 CE8FR2	347 447		72 72	

#### **CE8F - FLOOR POWER ENTRY**

- · Snaps in end of power distribution housing.
- · Includes flexible vinyl conduit.

- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H L D		
Reversible Floor Power Entry	CE8F1P CE8F2P	357 461		72 144	

#### CMEB01 - ELECTRICAL BOX - CHICAGO

- Can be retrofitted in any size of panel at the receptacle location.
- Gives access from one side only at each location.
- Customer to supply conduit, wiring, receptacle, and face plate.
- 2 per panel ,except 24" panel only one
- Note: A licensed electrician must provide hardware connection with the junction box.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	SIONS/INCHE W	S D
Electrical Box - Chicago	CMEB01	101			

# CMEB02NY - ELECTRICAL BOX - NEW YORK

- · Shipped assembled.
- Comes with pig tail electric.
- Use with 30" wide Panel of larger

- Post extension cable capacities: without electric, 30 with electric, 20
- · Includes ceiling bezel and screws.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Electrical Box - New York	CMEB02NY	444			

#### **CEPEXX - POST EXTENSION**

- · Same profile as post.
- Includes two post extension brackets, four screws and four trim inserts.
- Includes ceiling bezel and screws.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI H	ENSIONS/INCHE W	ES D
Post Extension	CEPE64 CEPE82	192 241	64 82		

#### **CE8ECX - CEILING FEED**

- · Snaps into the end of a Power Distribution Housing.
- Flexible metal conduit extends into the ceiling through a corner post and post extension.
- Must be hard wired to source power by a licensed electrician.
- 4" junction box included.
- · Post extension ordered separately

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCHI W	ES D
H	Ceiling Feed	CE8EC2	469	144		

#### **CMECC - CABLE COVER**

- Attaches to panels vertically between modules to provide enclosures for power
   Available in Steel (STL), Black (BLK), Nevada (NEV) only. or data cords.

• Available in 21" and 36" lengths, 6 per pack.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCHE W	ES D
Cord Cover	CMECC21 CMECC36	32 50	21 36	0.5 0.5	1 1

#### **CMLEDES - STARTER LED TASK LIGHT**

- Undercabinet slim profile LED linear light fixture with lens and On/Off switch.
- May be used as stand-alone or extended with add-on section below (CMLEDES\_DSC).
- Plug-in power supply with 72" cord length plus 78" DC cable.
- Includes magnet mounting bracket with optional adhesive metal plate.
- Light enclosure in clear anodizing finish. Color temperature cool white 4000K.
- Lifespan rated 30,000 hours.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	IENSIONS/INC	HES
			Н	W	D
Led Task Light	CMLEDES24	277	1	22.9	1
	CMLEDES30	308	1	33.5	1
	CMLEDES36	318	1	45.5	1

#### **CMLEDES - ADD-ON LED TASK LIGHT**

- Undercabinet slim profile LED linear add-on light fixture with lens.
- Daisy chain unit with 39" linking cable, no power supply.
- Add-on units can only be linked up to a total of 48 watts per power supply; this is
  equivalent to 10 feet of nominal length of light per power supply.
- Includes magnet mounting bracket with optional adhesive metal plate. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/ING W	CHES D
Led Task Light	CMLEDES24DSC CMLEDES36DSC CMLEDES48DSC	227 267 303	1 1 1	24 36 48	39 39 39

#### **CMLEDESOS - OCCUPANCY SENSOR**

• Inline add-on controller for dimming and occupancy sensor.

· Sensor bypass switch.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEI H	NSIONS/INCH W	ES D
Occupancy Sensor	CMLEDESOS	114	6	2.4	2




## worksurfaces

#### The information listed below provides you with basic features of Compile Worksurfaces.

- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Wood grain laminates on corner Worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- Most wood grain laminate Worksurfaces will have matching woodgrain trim unless specified otherwise.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:



• Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.



**WORKSURFACES** CONFIGURATION

This page provides a three dimensional view of a sample configuration highlighting each Worksurface component required when specifying this configuration.

#### Components


**A.** CWVL2436 Curvilinear Worksurface – Left

Note: When deepest end equals 24", opposite depth is 18"

When deepest end equals 30", opposite depth is 24"

**B.** CWCC3618 Corner Curved Worksurface

**C.** CWVR2436 Curvilinear Worksurface – Right



## **CWS - RECTANGULAR WORKSURFACES**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- All surfaces over 48" will have two scoops, all others have one.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		ENSIONS/INCHES
				D	W
W	Rectangular Worksurfaces - 24" Deep	CWS2424P	139	24	24
VV /		CWS2430P	149	24	30
		CWS2436P	167	24	36
D		CWS2442P	214	24	42
		CWS2448P	258	24	48
		CWS2454P	301	24	54
_		CWS2460P	339	24	60
		CWS2466P	354	24	66
		CWS2472P	367	24	72
		CWS2478P	590	24	78
		CWS2484P	597	24	84
		CWS2490P	626	24	90
		CWS2496P	668	24	96
	Rectangular Worksurfaces - 30" Deep	CWS3024P	163	30	24
		CWS3030P	173	30	30
		CWS3036P	205	30	36
		CWS3042P	288	30	42
		CWS3048P	301	30	48
		CWS3054P	330	30	54
		CWS3060P	354	30	60
		CWS3066P	366	30	66
		CWS3072P	388	30	72
		CWS3078P	734	30	78
		CWS3084P	748	30	84

## **CWSNSC - STRAIGHT WORKSURFACE NO SCOOP**

- There is no scoop on this worksurface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INCHES
	5200 1.0.1.		2.002	D	W
	Straight Worksurface No Scoops - 24" Deep	CWS2424NSC	139	24	24
W		CWS2430NSC	149	24	30
		CWS2436NSC	167	24	36
		CWS2442NSC	214	24	42
		CWS2448NSC	258	24	48
D		CWS2454NSC	301	24	54
		CWS2460NSC	339	24	60
		CWS2466NSC	354	24	66
		CWS2472NSC	367	24	72
		CWS2478NSC	590	24	78
		CWS2484NSC	597	24	84
		CWS2490NSC	702	24	90
		CWS2496NSC	668	24	96
	Straight Worksurface No Scoops - 30" Deep	CWS3024NSC	163	30	24
		CWS3030NSC	173	30	30
		CWS3036NSC	205	30	36
		CWS3042NSC	288	30	42
		CWS3048NSC	301	30	48
		CWS3054MSC	330	30	54
		CWS3060NSC	354	30	60
		CWS3066NSC	366	30	66
		CWS3072NSC	388	30	72
		CWS3078NSC	734	30	78
		CWS3084NSC	748	30	84

## CWSNSCP - RECTANGULAR WORKSURFACE, NO SCOOPS FOR HEIGHT ADJUSTABLE TABLES

- There is no scoop on this work surface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the
- For use with Height Adjustable Tables
- Surfaces not available in HPW.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/IN	CHES
				Н	D	W
	Rectangular Worksurface No Scoops	CWS2346NSCP	258	1	23	46
	for Height Adjustable Tables	CWS2352NSCP	301	1	23	52
W		CWS2358NSCP	339	1	23	58
		CWS2364NSCP	354	1	23	64
		CWS2370NSCP	367	1	23	70
D		CWS2946NSCP	301	1	29	46
		CWS2952NSCP	330	1	29	52
		CWS2958NSCP	354	1	29	58
		CWS2964NSCP	366	1	29	64
		CWS2970NSCP	388	1	29	70



#### **CWSWNSC - WEDGE WORKSURFACE NO SCOOP**

- There is no scoop on this worksurface.
- · Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- · Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	NSIONS/INC	CHES	
				D1	D2	W	
<b>D2</b>	Straight Wedge Worksurface No Scoops - Left	CWSW241848NSC	359	24	18	48	
W		CWSW241854NSC	405	24	18	54	
		CWSW241860NSC	446	24	18	36	
		CWSW241866NSC	494	24	18	42	
		CWSW241872NSC	538	24	18	48	
D1 💜		CWSW302448NSC	446	30	24	60	
		CWSW302454NSC	504	30	24	66	
		CWSW302460NSC	560	30	24	72	
		CWSW302466NSC	615	30	24	78	
		CWSW302472NSC	674	30	24	84	
ur D1	Straight Wedge Worksurface No Scoops - Right	CWSW182448NSC	359	24	18	24	
W DI	g	CWSW182454NSC	405	24	18	30	
		CWSW182460NSC	446	24	18	36	
		CWSW182466NSC	494	24	18	42	
D2		CWSW182472NSC	538	24	18	48	
		CWSW243048NSC	446	30	24	60	
		CWSW243054NSC	504	30	24	66	
		CWSW243060NSC	560	30	24	72	
		CWSW243066NSC	615	30	24	78	
		CWSW243072NSC	674	30	24	84	

## **CWSP - RECTANGULAR WORKSURFACES - SPAN A POST**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME D	ENSIONS/INCHES W	
•	Rectangular Worksurfaces - 24" Deep	CWSP2426P	167	24	26	
W	Span a Post	CWSP2432P	201	24	32	
<i></i>	opan a rost	CWSP2438P	234	24	38	
		CWSP2444P	264	24	44	
		CWSP2450P	299	24	50	
D		CWSP2456P	330	24	56	
D		CWSP2462P	437	24	62	
		CWSP2468P	476	24	68	
		CWSP2474P	517	24	74	
		CWSP2480P	556	24	80	
		CWSP2486P	634	24	86	
	Rectangular Worksurfaces - 30" Deep	CWSP3026P	209	30	26	
	Span a Post	CWSP3032P	250	30	32	
	'	CWSP3038P	296	30	38	
		CWSP3044P	330	30	44	
		CWSP3050P	373	30	50	
		CWSP3056P	414	30	56	
		CWSP3062P	546	30	62	
		CWSP3068P	594	30	68	
		CWSP3074P	646	30	74	
		CWSP3080P	693	30	80	
		CWSP3086P	791	30	86	

- CWVR CURVILINEAR WORKSURFACES RIGHT

  All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI D	ENSIONS/INCHES W
D W	Curvilinear Worksurfaces - 24" Deep	CWVR2424P CWVR2430P CWVR2436P	179 185 223	24 24 24	24 30 36
		CWVR2442P CWVR2448P CWVR2454P CWVR2460P	258 295 330 358	24 24 24 24	42 48 54 60
		CWVR2466P CWVR2472P CWVR2478P CWVR2484P	396 426 590 597	24 24 24 24	66 72 78 84
	Curvilinear Worksurfaces - 30" Deep	CWVR3024P CWVR3030P CWVR3036P	185 196 231	30 30 30	24 30 36
		CWVR3042P CWVR3048P CWVR3054P CWVR3060P	317 330 366 396	30 30 30 30	42 48 54 60
		CWVR3066P CWVR3072P CWVR3078P CWVR3084P	426 453 734 748	30 30 30 30	66 72 78 84

#### **CWVL - CURVILINEAR WORKSURFACES - LEFT**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end
- equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INCHES
				D	W
D ~ W	Curvilinear Worksurfaces - 24" Deep	CWVL2424P	179	24	24
D W	·	CWVL2430P	185	24	30
		CWVL2436P	223	24	36
		CWVL2442P	258	24	42
		CWVL2448P	295	24	48
		CWVL2454P	330	24	54
		CWVL2460P	358	24	60
		CWVL2466P	396	24	66
		CWVL2472P	426	24	72
		CWVL2478P	590	24	78
		CWVL2484P	597	24	84
	Curvilinear Worksurfaces - 30" Deep	CWVL3024P	185	30	24
		CWVL3030P	196	30	30
		CWVL3036P	231	30	36
		CWVL3042P	317	30	42
		CWVL3048P	330	30	48
		CWVL3054P	366	30	54
		CWVL3060P	396	30	60
		CWVL3066P	426	30	66
		CWVL3072P	453	30	72
		CWVL3078P	734	30	78
		CWVL3084P	748	30	84

#### **CWCC - CORNER CURVED WORKSURFACES**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- · Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	SIONS/INCHES W
W	Corner Curved Worksurfaces - 36"	CWCC3618P CWCC3624P	466 511	18 24	36 36
	Corner Curved Worksurfaces - 42"	CWCC4224P CWCC4230P	689 750	24 30	42 42
	Corner Curved Worksurfaces - 48"	CWCC4824P CWCC4830P	806 844	24 30	48 48

#### **CWCF - FIVE SIDED WORKSURFACES**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: D	SIONS/INCHES W
W	Five Sided Worksurface - 36"	CWCF3618P CWCF3624P	461 511	18 24	36 36
	Five Sided Worksurface - 42"	CWCF4224P CWCF4230P	689 750	24 30	42 42
	Five Sided Worksurface - 48"	CWCF4824P CWCF4830P	806 844	24 30	48 48

#### CWC6 - CURVED CORNER WORKSURFACE FOR 60° POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE TF	DIMI D	ENSIONS/INCHES W	
					• • • • • • • • • • • • • • • • • • • •	
	Curved Corner Worksurface for 60° Post - 24"	CWC62424P	435	24	24	
$\mathbf{W}$		CWC62430P	773	24	30	
		CWC62436P	868	24	36	
		CWC62442P	1327	24	42	
D		CWC62448P	1447	24	48	
_	Curved Corner Worksurface for 60° Post - 30"	CWC63024P	435	30	24	
		CWC63030P	773	30	30	
		CWC63036P	868	30	36	
		CWC63042P	1327	30	42	
		CWC63048P	1447	30	48	

#### **CWCEL - EXTENDED CURVED CORNER - LEFT**

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

	DESCRIPTION	PRODUCT CODE	PRODUCT CODE LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
^ B4	Extended Curved Corner - 36" x 24"	CWCEL362448P	630	36	24	48
W D1	1	CWCEL362460P	687	36	24	60
<b>"</b>		CWCEL362466P	754	36	24	66
~		CWCEL362472P	834	36	24	72
<b>D2</b>		CWCEL362478P	891	36	24	78
		CWCEL362484P	959	36	24	84
	Extended Curved Corner - 42" x 24"	CWCEL422460P	723	42	24	60
		CWCEL422466P	792	42	24	66
		CWCEL422472P	879	42	24	72
		CWCEL422478P	938	42	24	78
		CWCEL422484P	1012	42	24	84
	Extended Curved Corner - 42" x 30"	CWCEL423060P	813	42	30	60
		CWCEL423066P	891	42	30	66
		CWCEL423072P	975	42	30	72
		CWCEL423078P	1044	42	30	78
		CWCEL423084P	1113	42	30	84
	Extended Curved Corner - 48" x 24"	CWCEL482460P	855	48	24	60
		CWCEL482466P	924	48	24	66
		CWCEL482472P	992	48	24	72
		CWCEL482478P	1092	48	24	78
		CWCEL482484P	1135	48	24	84
	Extended Curved Corner - 48" x 30"	CWCEL483060P	905	48	30	60
		CWCEL483066P	985	48	30	66
		CWCEL483072P	1069	48	30	72
		CWCEL483078P	1150	48	30	78
		CWCEL483084P	1201	48	30	84



## **CWCER - EXTENDED CURVED CORNER - RIGHT**

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

• Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	DIMENSIONS/INCHES		
				D1	D2	W	
<b>D2</b>	Extended Curved Corner - 36" x 24"	CWCER362448P	630	36	24	48	
W/		CWCER362460P	687	36	24	60	
<del>-</del> /////		CWCER362466P	754	36	24	66	
		CWCER362472P	834	36	24	72	
		CWCER362478P	891	36	24	78	
D1 D2		CWCER362484P	959	36	24	84	
	Extended Curved Corner - 42" x 24"	CWCER422460P	723	42	24	60	
		CWCER422466P	792	42	24	66	
		CWCER422472P	879	42	24	72	
		CWCER422478P	938	42	24	78	
		CWCER422484P	1012	42	24	84	
	Extended Curved Corner - 42" x 30"	CWCER423060P	813	42	30	60	
		CWCER423066P	891	42	30	66	
		CWCER423072P	975	42	30	72	
		CWCER423078P	1044	42	30	78	
		CWCER423084P	1113	42	30	84	
	Extended Curved Corner - 48" x 24"	CWCER482460P	855	48	24	60	
		CWCER482466P	924	48	24	66	
		CWCER482472P	992	48	24	72	
		CWCER482478P	1092	48	24	78	
		CWCER482484P	1135	48	24	84	
	Extended Curved Corner - 48" x 30"	CWCER483060P	905	48	30	60	
		CWCER483066P	985	48	30	66	
		CWCER483072P	1069	48	30	72	
		CWCER483078P	1150	48	30	78	
		CWCER483084P	1201	48	30	84	

#### CWD - "D" WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price list
- · Monoleg is included

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI D	ENSIONS/INCHES W	
	"D" Worksurface - 24"	CWD2442P	516	24	42	
		CWD2448P	530	24	48	
		CWD2460P	556	24	60	
		CWD2472P	594	24	72	
	"D" Worksurface - 30"	CWD3042P	559	30	42	
•		CWD3048P	566	30	48	
		CWD3060P	594	30	60	
		CWD3072P	659	30	72	

## **CWH - HATCHET WORKSURFACE (LEFT SHOWN)**

- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included

- Must be specified either left or right handed.
- Note: Wood Grain Laminates do not run diagonally on Hatchet Corners
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: D1	SIONS/INCHE D2	ES W
Hatchet Worksurface - Left  Hatchet Worksurface - Right	CWHL3672P CWHR3672P	1133 1133	36 36	30	72 72

## Right Shown

## **CWSW - STRAIGHT WEDGE WORKSURFACES**

- Support hardware must be ordered separately. See the listings in this section.
- Must be specified either left or right handed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	ENSIONS/IN	CHES
				D1	D2	W
Do	Straight Wedge Worksurface - Left	CWSW241848P	359	24	18	48
D2		CWSW241854P	405	24	18	54
/ >		CWSW241860P	446	24	18	60
		CWSW241866P	494	24	18	66
W		CWSW241872P	538	24	18	72
D1 ×		CWSW302448P	446	30	24	48
		CWSW302454P	504	30	24	54
		CWSW302460P	560	30	24	60
		CWSW302466P	615	30	24	66
		CWSW302472P	674	30	24	72
	Straight Wedge Worksurface - Right	CWSW182448P	359	18	24	48
		CWSW182454P	405	18	24	54
		CWSW182460P	446	18	24	60
		CWSW182466P	494	18	24	66
		CWSW182472P	538	18	24	72
		CWSW243048P	446	24	30	48
		CWSW243054P	504	24	30	54
		CWSW243060P	560	24	30	60
		CWSW243066P	615	24	30	66
		CWSW243072P	674	24	30	72

#### **CWOR - QUARTER ROUND PANEL WORKSURFACE**

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- · Left hand surface shown.
- Support hardware must be ordered separately. See the listings in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME D	ENSIONS/INCHES W	
Quarter Round Panel Worksurface - Left	CWQRL2424 CWQRL3030	214 283	24 30	24 30	
Quarter Round Panel Worksurface - Right	CWQRR2424 CWQRR3030	214 283	24 30	24 30	

## **CWORC - QUARTER ROUND PANEL CORNER WORKSURFACE**

- Wraps around a 90° corner post.
- Support hardware must be ordered separately. See the listing in this section.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM D	ENSIONS/INCHES W
Quarter Round Panel Corner Worksurface	CWQRC2424 CWQRC3030	257 316	24 30	24 30

#### **CWT - STRAIGHT TRANSACTION WORKSURFACE**

- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INCHES
				D	W
	Straight Transaction Worksurface	CWT1512	64	15	12
W /	-	CWT1518	85	15	18
		CWT1524	101	15	24
		CWT1530	121	15	30
		CWT1536	138	15	36
		CWT1542	154	15	42
D 💝		CWT1548	175	15	48
		CWT1554	191	15	54
		CWT1560	212	15	60
		CWT1566	227	15	66
		CWT1572	247	15	72
		CWT1578	264	15	78
		CWT1584	282	15	84

## **CWTE - END TRANSACTION SURFACE**

- Support hardware must be ordered separately. See the listings in this section.
- Extends 1.5" past end of run.
- Compile worksurfaces feature a 3mm edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	ENSIONS/INCHES
				D	W
	End Transaction Surface	CWTE1512	85	15	14
W		CWTE1518	101	15	20
"/		CWTE1524	121	15	26
		CWTE1530	138	15	32
		CWTE1536	154	15	38
		CWTE1542	175	15	44
D 💚		CWTE1548	191	15	50
		CWTE1554	212	15	56
		CWTE1560	227	15	62
		CWTE1566	247	15	68
		CWTE1572	264	15	74

## **CWTCL - "L" CORNER TRANSACTION SURFACE**

- Support hardware must be ordered separately. See the listings in this section.
- When specifying this item along with a straight surface, deduct 12" from each return side.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	SIONS/INCHES W
W W D	"L" Corner Transaction Surface	CWTCL90	180	15	21

#### **CW9T - CORNER TRANSACTION SURFACE FOR 90° POST**

• Support hardware must be ordered separately. See the listing in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM D	IENSIONS/INCHES W
Corner Transaction Surface for 90° Post	CW9T1524 CW9T1530 CW9T1536 CW9T1542 CW9T1548	245 292 338 383 434	15 15 15 15 15	32.861 38.861 44.861 50.861 56.861

#### **CHCB2 - CORNER BRACKET**

- Attaches the corner of any worksurface to a panel connector.
- · Priced and shipped in pairs.
- Available in standard paint colors.

- Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D W	
Corner Bracket	CHCB2	22	2.5	

#### **CHWB1 - MID SPAN SUPPORT BRACKET**

- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	SIONS/INCHES W
Mid Span Support Bracket	CHWB1	14		

#### **CHC15 & CHC22- CANTILEVER**

- Attaches a worksurface to a panel.
- Use one cantilever to support two convergent worksurfaces when specified with 3 Flat Brackets or two cantilevers with one flat bracket to support two convergent worksurfaces.
- · Does not include Flat Brackets.

- Priced individually
- · Specify handedness of each cantilever
- · Available in standard paint colors.
- Right and left Cantilever needs to be specified unless flat brackets are also specified.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME D	ENSIONS/INCHES W
Cantilever - 15"	CHC15L CHC15R	50 50	15 15	6 6
Cantilever - 22"	CHC22L CHC22R	77 77	22 22	6 6

#### **CMHC - WORKSURFACE SUPPORT CHANNEL**

- · Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- · Screws are included.

- · Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN L	NSIONS/INCHES D
Worksurface Support Channel	CMHC40 - for 54" wide table CMHC46 - for 60" wide table CMHC52 - for 66" wide table CMHC58 - for 72" wide table CMHC64 - for 78" wide table CMHC64 - for 84" wide table	84 91 101 114 124 138	40 46 52 58 64 70	5 5 5 5 5

#### **CHFB1 - FLAT BRACKET**

- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.
- Available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME D	ENSIONS/INCHES W	
	Flat Bracket	CHFB1	21	3	4	
<b>\.</b> ./						

## **CHTB2 - TRANSACTION TOP BRACKETS**

- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.

- Priced and shipped in pairs.
- · Available in Anodized Aluminum only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D W
Flat Bracket	CHTB2	22	2.5

7

#### **CHEP - END PANEL**

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.

- · Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	SIONS/INCHES W
End Panel - 28"High	CHEP2924 CHEP2930	264 311	28 28	24 30

#### **CHMSL - MID SUPPORT LEG**

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
$\overline{\diamondsuit}$	Mid Support Leg - Round	CHMSL1	91	28
	Mid Support Leg - Square	CHMSL2	91	28

#### **CMHCL & CHHCL - CORNER LEG WITH LEVELER**

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter

- · Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

		DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
$\bigcirc$	$\bigcirc$	Corner Leg Round	CMHCL1	127	28
		Corner Leg Square	CMHCL2	127	28

### **CHWS - 5" SURFACE TO STORAGE SUPPORT LEG**

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- · Available in standard paint colors.

		DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
		5" Surface to Storage Support Leg - Round	CHWSRL01	59	4.5
		5" Surface to Storage Support Leg - Square	CHWSSL01	59	4.5
Round	Square				

## **CHMEGR - METAL END GABLE - RIGHT**

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/IN D	ICHES W
Metal End Gable - Right	CHMEG18R CHMEG24R CHMEG30R	267 285 300	28 28 28	17 23 29	4 4 4

#### **CHMEGL - METAL END GABLE - LEFT**

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.

· Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/IN W	ICHES D
Metal End Gable - Left	CHMEG18L CHMEG24L CHMEG30L	267 285 300	28 28 28	17 23 29	4 4 4

#### **CHMSL - METAL SUPPORT LEG**

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.
- Flat brackets recommended to ensure alignment of neighboring surface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INC W	CHES D
Metal Support Leg	CHMSL12	239	28	11	4

#### PEDESTAL FILLER BRACKET

• Screws to back of pedestal

• Fills the gap between the pedestal and panel when wing pnael is not used.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN D	ISIONS/INCHES W
Pedestal Filler Bracket-	CHPBF	60	26.875	1.375

## **CHPEDB - FLUSH PEDESTAL BRACKET**

- Attaches metal or laminate storage or desking, to Compile panels for additional panel support
- Use CHPBF Pedestal Filler Bracket with CS19xx Pedestals and standard depth worksurfaces

• Used in flush mount applications only

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS	SIONS/INC	HES
			Н	W	D
Flush Pedestal Bracket	CHPEDB	29	8	1	1



# storage

#### **LATERAL FILE FEATURES**

#### DRAWERS/SHELVES

- · Drawer interlocking system
- Three-stage, anti-bounceback suspension
- · Pre-installed, side-to-side file bars for letter, legal and A4
- Front-to-back file bars optional
- Full-height dividers optional
- · Angled full pull

#### CONSTRUCTION

- · Top stiffener bar
- · Corner gussets
- Four (4) ganging drill points are marked to ensure correct positioning
- · Cam lock included
- · Leveling glides
- · Counterweights are included in 2, 3 and 4 drawer cabinets. BIFMA does not require counterweight in 5 drawer cabinets.

#### PEDESTAL FEATURES

#### DRAWERS/SHELVES

- All drawer fronts feature a recessed, angled full pull.
- Drawers feature ball bearing suspension.

#### CONSTRUCTION

- Central Core removable cam locks.
- · Pedestals are 15" wide.
- Counterweight is standard on all Freestanding models.
- Worksurfaces supporting models have holes drilled in top to attach underneath a worksurface.

#### STANDARD PAINT COLORS

BLACK BLK
DESIGNER WHITE DWT
NEVADA NEV
STEEL STL

#### **TEXTURED PAINT COLORS**

Only available on Compile Storage.

BLIZZARD BZD STONE DUST SDT

## **GENERAL WARRANTY INFORMATION**

· Evolve warrants all components of metal storage and filing for the lifetime of the product to the original purchaser.

**STORAGE** CONFIGURATION


This page provides a three dimensional view of a sample configuration highlighting each storage component required when specifying this configuration.

#### Components

A. CSOF13XX KD Overhead

B. CSSL13XX Low-Profile Shelf

**C.** CM19XXBBF Worksurface Supporting Box, Box, File Pedestal



#### CS19XXBBF - WORKSURFACE SUPPORTING BOX/BOX/FILE 15" PEDESTAL

- · Worksurface supporting, with predrilled holes in the top.
- · Also available as freestanding with finished top.
- · All drawer fronts feature a recessed, angled full pull.

- · Pedestal height shown includes glide.
- · Pencil tray and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

#### **CS19XXFF - WORKSURFACE SUPPORTING FILE/FILE 15" PEDESTAL**

- Worksurface supporting, with predrilled holes in the top.
- · Also available as freestanding with finished top.
- All drawer fronts feature a recessed, angled full pull.

- Pedestal height shown includes glide.
- · Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			
				Н	D	W
$\wedge$	Worksurface Supporting	CS1919FF	549	27 5/8	18 5⁄8	15
	File/File 15" Pedestal	CS1923FF	565	27 5⁄8	22 5⁄8	15
		CS1929FF	641	27 5⁄8	29 5⁄8	15

#### CS19FXXBBF - FREESTANDING BOX/BOX/FILE 15" PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.

- Counterweight, Pencil tray and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
Freestanding Box/Box/File 15" Pedestal	CS19F19BBF CS19F23BBF CS19F29BBF	565 582 655	27 5⁄8 27 5⁄8 27 5⁄8	18 5/8 22 5/8 29 5/8	15 15 15

#### CS19FXXFF - FREESTANDING FILE/FILE 15" PEDESTAL

- · All drawer fronts feature a recessed, angled full pull.
- · Pedestal height shown includes glide.
- Finished top.

- Counterweight and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
Freestanding File/File 15" Pedestal	CS19F19FF CS19F23FF CS19F29FF	565 582 655	27 5⁄8 27 5⁄8 27 5⁄8	18 5/8 22 5/8 29 5/8	15 15 15



## CS19MPXXBBF - MOBILE BOX/BOX/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- · Finished top.

- · Counterweight, Pencil tray, and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	ENSIONS/INCF D	HES W
Mobile Box/Box/File Pedestal	CS19MP19BBF CS19MP23BBF	748 787	27 5/8 27 5/8	18 5⁄8 22 5⁄8	15 15

#### CS19MPXXFF - MOBILE FILE/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- · Finished top.

- Counterweight and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

95

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI H	ENSIONS/INC D	HES W
Mobile File/File Pedestal	CS19MP19FF CS19MP23FF	748 787	27 5⁄8 27 5⁄8	18 5/8 22 5/8	15 15

#### **CSMCPXXBFNC - MOBILE BOX/FILE PEDESTAL WITH 60MM CASTERS**

- Mobile pedestal that includes one pencil tray.
- Includes factory installed counterweight.
- · Lock is standard.

- 60mm high castors.
- For use with pedestal seat cushion. See model below.
- Casters do not lock.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	D	W
	Mobile Box/File Pedestal with	CSMCP19BFNC	813	23.7/8	18.5⁄8	15
	60mm Castors	CSMCP23BFNC	829	23.7/8	22.5⁄8	15

5

#### **CSCUSH15 - PEDESTAL SEAT CUSHIONS**

- · Cushions will have single stitching at the seams.
- · Velcro included for quick attachment to pedestal file.
- 1" Cushion will have a rectilinear design on all sides.

- 2" Cushion will have waterfall edges Front and Back,
- Cushions are for use on CSMCPXXBFNC Mobile Pedestals.
- Please choose a fabric from the standard cushion textiles on pages 94-96



#### **CSSL13 - LOW PROFILE SHELF**

- 13" deep panel-mounted storage shelf with backlip.
- · Mounting brackets are included.

ī	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	D	W
	Low Profile Shelf - 13"	CSSL1324	136	5	13	24
		CSSL1330	150	5	13	30
		CSSL1336	163	5	13	36
		CSSL1342	175	5	13	42
		CSSL1348	184	5	13	48
		CSSL1354	192	5	13	54
		CSSL1360	198	5	13	60

#### **CSOF13 - KD OVERHEAD**

- Mounting brackets are included.
- Door retracts up and over the cabinet
- · Ready for quick assembly on site.
- Quality steel construction.

- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 12" h x 12.75" d

	DESCRIPTION	PRODUCT CODE LIST PR		DIMENSIONS/INCHES		
				Н	D	W
	KD Overhead - 13"	CSOF1324	357	14.5	13	24
/ >		CSOF1330	392	14.5	13	30
		CSOF1336	432	14.5	13	36
		CSOF1342	457	14.5	13	42
		CS0F1348	483	14.5	13	48
		CSOF1354	547	14.5	13	54
$\checkmark$		CSOF1360	591	14.5	13	60

### CMSLK13 - LOCK FOR KD OVERHEAD

· Must be specified separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCH D	HES W
Lock for KD Overhead	CMSLK13	44			

#### **CSLOCKKEY - CORE AND KEY**

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCI D	HES W
LOCKKEY - Core and Key	CSLOCKKEY	42			

#### CMEK93 - EXTRA KEY

· Must be specified at time of order.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCH D	IES W
Extra Key	CMEK93	19			

#### **CMDAOHXX - CENTER MOUNT OVERHEAD**

- Inside dimensions 13" high x 13" deep.
- · Laminate Overhead. No doors.
- Available in standard Compile laminate finishes.


- · Top mount on panels.
- · Overhead Support Brackets are included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INC	CHES	
			Н	D	W	
Center Mount Overhead - 13"	CMDAOH36	1121	15	13	36	
	CMDA0H42	1216	15	13	42	
	CMDA0H48	1273	15	13	48	
	CMDA0H54	1369	15	13	54	
	CMDA0H60	1423	15	13	60	

#### **CMADAXXPM - ADA COMPLIANT OVERHEAD STORAGE UNIT**

- Panel Mounted Overhead Storage with metal sides and opaque door that retracts on top of the unit
- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- · All shelves are reinforced for proper weight distribution.

- Inside dimensions: 14.25" high x 12" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- Shipped partially assembled.
- Available in standard Compile paint colors only. Door made of opaque plastic.
   \*\*add 10% upcharge for Fog.



## **CWMA - VERTICAL CHANNEL**

- · Used to attach system components to fixed wall.
- · Panel frame finish.
- · Comes in 60" length only.
- · Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material. Sold in pairs.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- · Compile vertical channels cannot be shared.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: H	SIONS/INCHI W	ES D
Vertical Channel	CWMA60	39	60	0.6	0.7

#### CS19XX-1X1FH - ONE 1/2 HEIGHT FIXED FRONT & ONE 12" FIXED FRONT LATERAL FILE

- 1/2 Height Box Drawer.
- 1 Fixed Drawer Front.
- Includes Lock.

- Lateral File Top is required when not installed under a worksurface.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	ENSIONS/INC D	HES W
 One 1/2 Height Fixed Front &	CS1930P-1X1FH	1241	21.1875	19.25	30
One 12" Fixed Front Lateral File	CS1936P-1X1FH	1325	21.1875	19.25	36
	CS1942P-1X1FH	1407	21.1875	19.25	42

#### CS19XX-1XSND - ONE 1/2 HEIGHT OPEN SHELF & ONE 12" OPEN SHELF LATERAL CABINET

- 1/2 Height Open Shelf.
- Bottom Open Shelf.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INC D	HES W
One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	CS1930-1XSND CS1936-1XSND CS1942-1XSND	622 707 787	21.1875 21.1875 21.1875	19.25 19.25 19.25	30 36 42



## **CSCUSH19 - LATERAL SEAT CUSHIONS**

- · Cushions will have single stitching at the seams,
- Velcro included for quick attachment to lateral file.
- 1" Cushion will have a rectilinear design on all sides.

- 2" Cushion will have waterfall edges Front and Back.
- Please choose a fabric from the standard cushion textiles on pages 244-246.

DESCRIPTION	PRODUCT CODE							LIS	T PRI	ICE/G	RAD	ES							DIN	/I./IN	ICH	YRDS
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	Н	D	W	
Lateral Seat Cushions - 1" Thick	CSCUSH19-25X30X1 CSCUSH19-25X36X1 CSCUSH19-25X42X1	388	430	462	510	578	609	672	769	844	928	1100	1281	1428		1962	2317	2661 2675 2613	1 1 1	19 19 19	36	1 1 1
Lateral Seat Cushions - 2" Thick	CSCUSH19-25X30X2 CSCUSH19-25X36X2 CSCUSH19-25X42X2	426	468	500	546	615	647	708	804	880	965	1136	1319	1391	1568	1924	2277	2626 2634 2645	2 2 2		-	2 2 2

#### **CWFT - LATERAL FILE TOPS**

Available in standard Compile finishes.

JCT CODE LIST PRICE DIMENSIONS/INCHES	
LP H D V	W
930 163 1 19.25 3	30
936 167 1 19.25 3	36
942 214 1 19.25 4	42
960 339 1 19.25 6	60
972 367 1 19.25 7	72
984 597 1 19.25 8	84
860 673 1 38.75 6	60
872 765 1 38.75 7	72
884 907 1 38.75 8	84
984     597     1     19.2       860     673     1     38.3       872     765     1     38.3	25 75 75

## CS19XXP - 2F12 - LATERAL FILES - 2 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Two fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INC	HES	
			Н	D	W	
Lateral Files - 2 Drawers with Counterweight	CS1930P-2F12 CS1936P-2F12	985 1061	27.14 27.14	19.25 19.25	30 36	
	CS1942P-2F12	1103	27.14	19.25	42	

#### CS19XXP - 3F12 - LATERAL FILES - 3 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Three fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- · Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCI H D	
				U	W
Lateral Files - 3 Drawers	CS1930P-3F12	1226	39.52	19.25	30
with Counterweight	CS1936P-3F12	1292	39.52	19.25	36
	CS1942P-3F12	1349	39.52	19.25	42

#### CS19XXP - 4F12 - LATERAL FILES - 4 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Four fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- · Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	DIMENSIONS/INCH	
			Н	D	W
Lateral Files - 4 Drawers	CS1930P-4F12	1565	51.89	19.25	30
with Counterweight	CS1936P-4F12	1639	51.89	19.25	36
	CS1942P-4F12	1764	51.89	19.25	42

## CS19XXP - 5F12 - LATERAL FILES - 5 DRAWERS

- Four fixed front drawers plus top drawer with receding door and roll-out shelf.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- · Lock included.


DESCRIPTION	N PRODUCT CODE LIST PRICE			DIMENSIONS/INCHES		
			Н	D	W	
Lateral Files - 5 Drawers	CS1930P-5F12	1863	66.39	19.25	30	
	CS1936P-5F12 CS1942P-5F12	1945 2052	66.39 66.39	19.25 19.25	36 42	

#### **CSPT - STORAGE TOWERS**

- Model CSPT3-2BFL has wardrobe section on the left and drawers on the right.
- Model CSPT3-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

· Locking.



#### **CSPT - STORAGE TOWERS**

- Model CSPT3-2FL has wardrobe section on the left and drawers on the right.
- Model CSPT3-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/IN	CHES W	
Storage Tower - 2 File Drawers	CSPT3-2FL CSPT3-2FR	2774 2774 2774	39.52 39.52	24 24	24 24	

#### **CSPT - STORAGE TOWERS**

- Model CSPT4-2BFL has wardrobe section on the left and drawers on the right.
- Model CSPT4-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHE		
			Н	D	W
Storage Tower - 2 Box/1 File Drawer	CSPT4-2BFL CSPT4-2BFR	2789 2789	51.89 51.89	24 24	24 24


5

#### **CSPT - STORAGE TOWERS**

- Model CSPT4-2FL has wardrobe section on the left and drawers on the right.
- Model CSPT4-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.



#### **CSPT - STORAGE TOWERS**

- Model CSPT5-2BFL has wardrobe section on the left and drawers on the right.
- Model CSPT5-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	SIONS/INCHE D	ES W
Storage Tower - 2 Box/1 File Drawe	CSPT5-2BFL CSPT5-2BFR	2862 2862	66.39 66.39	24 24	24 24

#### **CSPT - STORAGE TOWERS**

- . Model CSPT5-2FL has wardrobe section on the left and drawers on the right.
- · Model CSPT5-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.



SO#	PO#	TAG#	Date

KEY#	SETS REQ'D								
401		431		461		491		521	
402		432		462		492		522	
403		433		463		493		523	
404		434		464		494		524	
405		435		465		495		525	
406		436		466		496		526	
407		437		467		497		527	
408		438		468		498		528	
409		439		469		499		529	
410		440		470		500		530	
411		441		471		501		531	
412		442		472		502		532	
413		443		473		503		533	
414		444		474		504		534	
415		445		475		505		535	
416		446		476		506		536	
417		447		477		507		537	
418		448		478		508		538	
419		449		479		509		539	
420		450		480		510		540	
421		451		481		511		541	
422		452		482		512		542	
423		453		483		513		543	
424		454		484		514		544	
425		455		485		515		545	
426		456		486		516		546	
427		457		487		517		547	
428		458		488		518		548	
429		459		489		519		549	
430		460		490		520		550	

401-430 =	431-460 =	461-490 =	491-520 =	521-550 =
•				

Total:

NOTE: If Key Alike Instructions are not submitted to EVOLVE with the Customer's Purchase Order, all components will be keyed randomly.

## **NOTES**

## accessories

## **ACCESSORIES**

## **CATB - TACK BOARD**

- Provide a tackable surface for notes and memos in a work area.
- Includes two pairs of panel-mounting brackets.
- Only fabric must be specified.

- 10" to be installed on 42"h panels.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIME	ENSIONS/INC	HES
			Gr1	Gr2	Н	W	D
1	Tack Board - 10" High	CATB1024	184	195	10	24	
	•	CATB1030	196	210	10	30	
		CATB1036	216	230	10	36	
		CATB1042	238	256	10	42	
		CATB1048	261	279	10	48	
		CATB1054	288	310	10	54	
		CATB1060	307	331	10	60	
	Tack Board - 21" High	CATB2124	266	277	21	24	
	Ç	CATB2130	289	303	21	30	
		CATB2136	328	339	21	36	
		CATB2142	376	394	21	42	
		CATB2148	420	436	21	48	
		CATB2154	459	481	21	54	
		CATB2160	504	528	21	60	
	Tack Board - 24" High	CATB2424	266	277	21	24	
		CATB2430	289	303	24	30	
		CATB2436	328	339	24	36	
		CATB2442	376	394	24	42	
		CATB2448	420	436	24	48	
		CATB2454	459	481	24	54	
		CATB2460	504	528	24	60	

#### **CAWB - WHITE MARKER BOARD**

- Provides a writing surface within a work area.
- Includes two pairs of panel-mounting brackets.
- 10" to be installed on 42"h panels.

- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES	
			Н	W	D	
White Marker Board - 10" High	CAWB1030	178	10	30		
	CAWB1036	200	10	36		
	CAWB1042	222	10	42		
	CAWB1048	255	10	48		
White Marker Board - 21" High	CAWB2130	308	21	30		
	CAWB2136	347	21	36		
	CAWB2142	391	21	42		
	CAWB2148	455	21	48		
White Marker Board - 24" High	CAWB2430	308	24	30		
Time mane. Bould 21 mgn	CAWB2436	347	24	36		
	CAWB2442	391	24	42		
	CAWB2448	455	24	48		

## **ACCESSORIES**

#### **CALB - LOAD BAR**

- Frame availabel in Steel (STL), Black (BLK), and Nevada (NEV) only.
- Mounting brackets and clear end caps are included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		CHES
			Н	W	D
Load Bar	CALB24	150	2.25	24	1
	CALB30	165	2.25	30	1
	CALB36	180	2.25	36	1
	CALB42	209	2.25	42	1
	CALB48	241	2.25	48	1
	CALB54	257	2.25	54	1
	CALB60	275	2.25	60	1

#### **CSABB01 - BINDER BIN**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	NSIONS/INC W	CHES D
Binder Bin	CSABB01	81	9	4	10.25

#### **CSALT01 - LETTER TRAY**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INO W	CHES D	
Letter Tray	CSALT01	69	2	13.5	9.25	

## **CSASS01 - SLANT SORTER**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Slant Sorter	CSASS01L CSASS01R	51 51	9.5 9.5	5 5	10.25 10.25

#### **ACCESSORIES**

#### **EVAMB01 - MEDIA BIN**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCH W	ES D
Media Bin	CSAMB01	63	3	5.75	5.25

#### **CSAUT01 - UTILITY TRAY**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCH W	ES D
Utility Tray	CSAUT01	43	1	8.5	3.75

#### **CSAFS01 - FLIP SORTER**

• Must be ordered in conjunction with a load bar option.

in Introduction for complete list of offerings and conditions.

- · Comes with nickel plated wire.
- Available in standard and premium paint selections. See "Textile & Finish Listings"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INC W	HES D
Flip Sorter	CSAFS01	59	9.25	2.75	9.25

#### **CSAPP01 - MAIL BOX**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INC W	HES D
Mail Box	CSAPP01	101	9	12	2.75

#### **ACCESSORIES**

#### **CSATH01 - TELEPHONE HOLDER**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	IONS/INCHE W	S D
Telephone Holder	CSATH01	96	2	9	10

#### **CPNP01 - NAME PLATE**

- Name Plate attached to 1" increment slots.
- Available in single sided (parallel to panel) or double sided (perpendicular to panel) for isle application displaying name on both sides.
- · Injection molded frame and die cast base with black rubberized finish.
- Includes two slide-in name cards, steel brackets and fasteners.
- · Available in black only.
- Free template for additional slide-in name cards are available at http://www.evolvefurnituregroup.com/Product\_Sheets.html

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INI W	CHES D	
9	Name Plate	CPNP01	147	3.30	5.3	1.25	

#### CMCH01 - COAT HOOK

- Coat hook for Compile panels.
- Available in standard Compile paint finishes: DWT, BLK, STL, NEV.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCHE W	S D
Coat Hook	CMCH01	63	5.5	0.65	1


#### **CATP91 - TOUCH-UP PAINT KIT**

- Available in standard paint colors to facilitate easy touch-ups.
- 1/2 fl. ounce bottle (spray not available).

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCHI W	ES D
Touch-Up Paint Kit	CATP91	50			

· Specify color.

# **NOTES**



# textiles and finishes

### **Care and Cleaning**

The following guide encompasses the Compile System line.

The guide was compiled using information from our "raw" material suppliers and is relevant only to our standard offering finishes and textiles.

#### **FABRICS**

To extend the life of your upholstered panels, regularly dust the panel to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

#### PANEL FRAMES

The panel frames are manufactured out of sturdy aluminum with a powder coated enamel paint finish. To clean the frames of the panels, and all hardware associated with the Evolve line, simply utilize a clean, damp cloth. For stubborn stains on the panel frames, you may consider adding a mild detergent.

#### **GLAZED PANELS**

Cleaning of the glazing in panels should only be done with a damp lint-free cloth. A mild detergent can be used if necessary. Do not use paper towels in combination with a window cleaner-this may cause scratches to the glazing.

#### WORKSURFACES

The worksurfaces are manufactured using primarily Nevamar Brand laminates as the exposed surface. To properly clean these areas, it is best to use a clean, damp cloth and circular motion to prevent streaks. For stubborn stains, you are able to add a mild detergent to the water. Be certain not to use an ammonia-based solution. It will react with the PVC, or wood edge trim, causing permanent damage to the contacted areas.

#### **ACCESSORIES**

The accessories sold with the Evolve product line can be simply cleaned with a clean, damp cloth. If they are really dirty, a mild, non-abrasive solution may be added. Wipe with a damp cloth after the solution, and finally, a dry cloth.

#### **LAMINATES – THERMALLY FUSED &** HIGH PRESSURE

man Fressone	
Absolute Acajou*	ACJ
Asian Night*	ASN
Avant Cherry*	AWC
Avant Honey*	AWH
Black	
Blizzard	
Blizzard Matrix	
Brushed Cobalt*	BRC
Clear Maple*	CMB
Custom Grey	
Dark Espresso*	
Designer White	
Grey Matrix	
Hayden Grey	
Hayden Linen	
Noce Biondo	
Noce Grigio	
Noce Leggero	
Noce Medio	
Quartered Mahogany*	
Stone Dust	
Stone Linen	
Storm Grey	
Studio White Matrix	
String	
Tiger Fruitwood*	TFW
Tiger Walnut*	TWL
Walnut Heights*	
Willow Grey	
Winter Cherry	
White Chocolate*	WHC

Additional paint and laminates may be available. Contact Evolve Customer Care for details.

#### **PVC EDGE TRIM**

Absolute Acajou	AAE
Asian Night	ASE
Avant Cherry	ACE
Avant Honey	AHE
Black	BLK
Blizzard	BZD
Brushed Cobalt	BRC
Charcoal	CHR
Clear Maple	CMB
Dark Espresso*	DES
Designer White	
Nevada	NEV
Quartered Mahogany	QTM
Shaker Cherry	SKE
Silver	SIL
Taupe	TPE
Tiger Fruitwood*	TFW
Tiger Maple*	TMP
Tiger Walnut*	
Tungsten	TUN
Walnut Heights	WHE
White Chocolate*	CBE
Winter Cherry	WCR

\*1-7/16" HPW PVC Trim for Worksurfaces is not available in Dark Espresso (DES), Tiger Fruitwood (TFW), and Tiger Walnut (TWL).

#### **WOOD VENEER WORKSURFACES\***

Almond Cherry	AMW
Cocoa Walnut	CAW
Coral	CRW
Dark Cherry	DCW
Espresso Walnut	EWW
Evening Oak	EVW
Grey on Oak	GRW
Hazelnut	
Honey Maple	SMW
Java	JAW
Latte Walnut	
Milestone	MTW
Mocha	MCW
Natural Maple	MPW
Red Cherry	
Vintage Cherry	
Walnut	
Warm Cherry	
White Maple	

All wood veneer worksurfaces are 1.38" thick.

#### **PAINT & FRAME COLORS**

(for application to trim, steel
components, PVC, vertical and horizontal
members)
BlackBLK
Designer White
Fog
Nevada NEV

#### **ACCENT PAINTED FINISHES**

Crystal Blue	CYB
Lime Green	LMG
Orange Flame	ORF
Steel Blue	STB
Vermilion Red	VLR

Accessory painted finishes are subject to 10% upcharge and minimum order of 50 pieces, orders under 50 pieces subject to \$500 net fee

<sup>\*</sup> Matching Wood Grain PVC edge available.

<sup>\*</sup>Note: Wood veneer options for worksurfaces are available at an upcharge and with an extended lead time. Contact Evolve Customer Care for details.

# PANEL FABRICS – GRADE 1

-consumer Recycled Polyester	
Birch	
Green Apple	
Lapis	AN42
Straw	AN4
Wolf	AN44
Goose	AN4
Angora	AN46
Cumin	AN47
Asteroid	AN48
Geranium	AN49
Thistle	AN50
Graphite	AN51
Slate	AN52
Quarry Blue	AN5
Onyx	AN54
Pumpkin	AN5
Red Delicious	AN50
Sunshine	AN5
Waterfall	AN59
Vanilla	AN61
Vanilla	AN61
Cobalt	AN62
Cloud	AN64

<b>Aurora -</b> 100% Polyester, 80% minimum Post-Consumer Recycled	
Polyester	
Cloud	AU20
Seal	AU21
Fog	AU22
Pewter	AU23
Granite	AU24
Oat	AU25
Coconut	AU26
Latte	AU27
Lake	AU28
Front	ALIO

Chance - 63% Virgin Polyester, 37	1%
Post-Consumer Recycled Polyester	
Mist	CN51
Dill	CN52
Island	CN53
Plaza	CN54
Tranquil	CN55
Malt	
Navajo	CN57
Prairie	CN58
Cinder	CN59
Oasis	CN66

<b>Linea -</b> 100% Post Consumer Reco	/cled
Queue	LN41
Cord	LN42
Twine	LN43
Thread	LN44
Contour	LN45
Silhouette	LN46
Cable	LN47
Route	LN48

Lisbon - 100% Polyester, 67% Pos	st-
Consumer Recycled Polyester	
Gesso	LS11
Dusk	LS12
Grey	LS13
lvory	
Henna	LS15
Nocturnal	LS16
Moss	LS17
Navy	LS18
Buff	LS19
Spa	

Loopy - 100% Recycled Polyester	
Oyster	. <b>LP60</b>
Putty	. LP61
Marble	. LP62
Hazelnut	. LP63
Latte	. LP64
Bay	.LP65
Wild Rice	. LP66
Harbor	.LP67
Melody - 100% Recycled Polyeste	er

Malada 1000/ Danielad Dalisantas	
Melody - 100% Recycled Polyester	
Spray <b>N</b>	IE40
Pond <b>M</b>	IE41
Sand Bar	1E42
Silt	1E43
Pebble	1E44
Lake	1E45
Gravel	1E46
Boulder	1E47

Merge - 100% Polyester, 75% minimum Post-Consumer Recycled	
Polyester	#C20
Fawn	VIGZU
Marshmallow	VIG21
Driftwood	VIG22
Dove	VIG23
Graphite	VIG24
Slate	VIG25
Eucalyptus	VIG26
Fire Engine	VIG27
Mediterranean	VIG28

<b>Pinpoint -</b> 100% Post-Consumer Recycled Polyester	
Bliss	.PN11
Delight	PN12
Dune	PN13
Infusion	.PN14
Ebony	.PN15
Fresh	.PN16
Carrot	.PN17
Splash	.PN18
Vibe	.PN19
Gala	PN20

Beach	SR81
Shade	SR86
Stretch	SR88
Sprint	SR89
Roll	
Dart	SR92
Zoom	SR93
Splash	SR94
Whiz	SR95
Flash	SR96
Tek - 100% Recycled Polyester	

Streak - 100% Recycled Polyester

Finesse	.TX60
Grain	.TX61
Essence	.TX62
Warp	.TX64
Mesh	.TX67
Form	.TX69
Spice	.TX71
Glacier	
Spring	.TX73
Harmony	.TX74
Smoke	.TX75
Pebble	.TX76

<b>Terrace -</b> 100% Post-Consumer	
Recycled Polyeste	
Lotus	TC60
Tigerlily	TC61
Shadow	TC62
Cobble	TC63
Cherry Blossom	TC64
Bluebell	TC65
Apple	TC66
Haze	TC67
Cerise	TC68
Twilight	TC69
Wintergreen	TC70
Ironwork	TC71
Flirt	TC73
Echo	TC74
Glacier	TC75

#### **PANEL FABRICS- GRADE 2**

### Cyclone - 56% post-consumer recycled polyester and 44% polyester. Stove Pipe ..... **IM37** Stainless.....IM40 Polished Pewter ..... IM41 Welded Steel ..... IM43 Etched Bronze.....IM44 Fired Titanium.....IM46 Chrome ...... IM49 Dark Annealed.....IM50 Karat......IM54 Red Metal.....IM55 Oxidized Bronze.....IM56 Bright Ray..... **IM57** Bismuth Crystal ..... IM58 Gallium Blue......IM59

### PET PANEL FABRICS

Graphite	GPH
Mist	MTS
Pewter	PWT
Harvest	HVT
Shamrock	SHR
Brick	BRI
Denim	DEN
Black	BLK
White	WHT

#### Dashing -100% Post-Consumer

Recycled Polyester	
Classic Silver	DS21
Refined Marble	DS22
Antique Sage	DS23
Polished Slate	DS24
Genteel Beige	DS25
Bespoke Tan	DS26
Dapper Grey	DS27

#### Quadrille - 52.5% Polyester / 47.5%

Recycled Polyester

\*Maximum panel width is 48'

Escapade	QU30
Shenanigan	QU31
Revelry	QU32
Spring	QU33
Regalia	QU34
Soiree	QU35
Zest	QU36
Gambol	QU37
Leisure	QU38
Fair	QU39
Fiesta	QU40
Carnival	QU41
Spree	QU42
Opus	QU43
Jubilee	QU44
Masquerade	QU45
Cabarets	QU46

..TK40

..TK41

**GRADE 1** 

<b>Dobby</b> - 96% Recycled Poly Virgin Polyester	ester / 4%
Snowcap	DR
Bonsai	DR
Cloud	
Sand	
Pewter	
Sante Fe	
Corfu	
Medium Taupe	
Charcoal	
Berry	
Royal	
Titanium	
Black	
Didok	
Fusion - 90% Virgin Polyes	
Post-Consumer Recycled Pol	
Tangerine	
Fresh	
Moss	
TomatoF	
Aqua	
Sandstone	
Granite	
Poppy	
Cadet	
Oasis	
Graphite	
Viola	FU
Cobalt	
Flax	
Carbon	FU
Illusion - 100% Virgin Poly	ester
Cappuccino	
Paprika	II
Tropic	II
Wicker	II
Hemp	
Cayenne	II
Maui	
Dusk	II
Smoke	
Currant	
Fiji	
Ozone	
Ebony	
Jenny - 100% Polyester	······································
Midnite	JN
Ebony	
Slate	
Vermilion	
Admiral	
Charcoal	
Silver Lining	
Oatmeal	
Sunflower	
Cascade	
Harvest	
Mellon	
Berry	

DL10 DL11 DL14 DL16 DL19 DL20 DL21 DL22 DL23 DL24 DL25 DL26 DL26 DL27 DL28
1000 1000 1000 1000 1000 1000 1000 100

Pine Cone ......**TC72** Flirt ......**TC73** 

Trak - 100% Recycled Polyester Taupe
Mustard
Latte
Cement
Silver
Copper
Teal
Apple
Steel
Merlot
Midnight Sky
Mocha
Carbon
<b>Urban</b> - 62% Recycled Polyester Polyester Red Rose
Ocean Blue
Blue Bayou
Green Grass
Sandcastle
Beach Day
Boardwalk
Earth
Brown Ridge
White Sand
Granite Rock
0 10 1

### ..TK42 ..TK43 ..TK44 ...TK45 ...TK46 ..TK47 ...TK48 ..TK49 ..TK50 ...TK51 ...TK52 / 32% . UR10 . UR11 . UR12 UR13 . UR14 . UR15 **UR16 UR17** UR18 . UR19 . UR20 Gravel Road......UR21 Black Coal......UR22 Waterfall - 60% Virgin Polyester /40% Post - Consumer Recycled Polyester Trance......WA40 Tryst......**WA41** Splash......WA42 Victoria......WA43 Rainforest......WA46 Rumble ...... WA47 Tranquility......WA49 Majestic ......WA52

Waterfall - 60% Virgin Polyeste Post - Consumer Recycled Polyes	
Lime	WV01
Mint	WV02
Stone	WV03
Flame	WV04
Mykonos	WV05
Savannah	WV06
Mesa	WV07
Plasma	WV08
Cancun	WV09
Quartz	WV10
Moonrock	WV11
Rubine	WV12
Corfu	
Bluejay	WV14

#### **GRADE 2 (FABRIC) Imprint** - 100% Post-Consumer Polyester Almond..... Cork ...... **IM71** Sand ...... IM72 Currie.....IM73 Candy Apple ..... **IM74** Ocean ...... IM75 Navy ...... IM76 Green Tea ...... IM77 Celery ..... IM78 Oregano...... IM79 Walnut...... IM80 Paprika..... **IM81** Graphite...... IM82

Licorice ..... IM84

#### **GRADE 2 (VINYL)**

For availability of chair series in Vinyl, please contact a Global Sales Representative.

## Allante FRee - 100% Vinyl Face /

100% Polyester Backing	
Illusion	A01F
Bright White	A02F
White Crush	
lvory	A04F
lce	
Bleached Sand	A06F
Taupe Fawn	
Warm Smoke	A08F
Autumn Rain	A09F
Cookie	A10F
Sierra Brick	A11F
Gibraltar	
Chateau Grey	A13F
Golden Green	A14F
Oasis Green	A15F
Ink Black	A16F
Purple impulse	A17F
Italian Rose	A18F
Mountain Sky	A19F
Old Navy	A20F
Galaxy	A21F
Red Truffle	
Chocolate Sundae	A23F
Province Blue	A24F
Eclipse	
•	

#### **GRADE 3 (RECYCLED)**

CE71
CE74
CE75
CE76
CE77
CE78
CE80
CE81
CE82



### PANEL COM REQUEST FOR APPLICATION TEST

#### SEND COMPLETED FORM AND FABRIC TO:

Compile Customer Service 565 Petrolia Road, Doors 6-13 Toronto, Ontario M3J2X8 Phone: 416.739.5000 Attn: Eric Sam

Requested By:'		
Phone #:		Fax #:
Project Name		Dealer/Specifier
Dealer Contact:		Evolve CSR:
Phone #:		Fax #:
FABRIC INFORMATION		
Fabric Manufacturer:		
Color Name:		Color #:
Pattern Name:		Pattern #:
Content:		
Weight:		Width:
Repeat Horizontal:		Repeat Vertical:
Other Comments:		
REQUEST FOR APPLICATION TEST	T (THIS REQUIRES 2 YARDS OF FABRI	(C)
Compile Panel	Compile Tackboard	
Total Number of yards for testing:	complie luckboard	
Please Note:		
Compile is not responsible for the dut	y and brokerage fees for C.O.M. Fabric to	clear customs. These charges will be billed to the dealer on a separate invoice.

### PANEL FABRIC SPECIFICATION SHEET

SEND COMPLETED FORM TO:			
Compile Customer Service 565 Petrolia Road, Doors 6-13 Toronto, Ontario M3J2X8 Phone: 416.739.5000 Attn: Eric Sam			
SUPPLIER	REMARKS:		
PATTERN			
WIDTH			
CONTENT			
LIGHT FASTNESS	REMARKS:		
FLAMMABILITY			
TUNNER TEST			
CUT PRICE	REMARKS:		
1 - 3 ROLLS			
4 ROLLS			
DIRECTIONAL	REMARKS:	EASY HARD X-HARD	
PANELS CORNERS			
RACEWAY COVER			
RACEWAY CORNERS			
STRETCH			
APPROVED	NOT APPROVED	CONDITIONAL APPROVAL	
REMARKS:			
* This fabric is approved for upholster-ability only. The approval does not account for the durability of the fabric at the time of, and after installation of the product			
APPROVAL SIGNATURE: DATE:			

### **C.O.M AUTHORIZATION FORM FOR COMPILE PEDESTAL CUSHIONS**

#### **CUSTOMER INFORMATION**

To be completed by the dealer/design firm. Use one form per textile. Incomplete information may delay or prevent approval.

A D (D 1 / 0 A )	0	2 .
A+D/Dealer/Company Name:	Contact: Date:	
Billing Address:	Phone:	
City: State: Zip:	Zip: Fax:	
End-User/Project Name:	End-User/Project Registered?	YES NO If YES, The Evolve Quote#:
TEXTILE APPLICATION INFORMATION		
MODEL NUMBER	QUANTITY	SPECIAL INSTRUCTIONS
Textile Name (Series/Style #):		
Textile Color Name and Description:		
Country of Origin:		
Mill or Manufacturer's Name:		
Textile Content (% Cotton, % Poly, % Wool, etc.):		
Textile Width:  Pattern Repeat: VERTICAL HORIZONTAL Rail Roaded? YES NO  NEW TEXTILE  Repeat: VERTICAL HORIZONTAL Rail Roaded? YES NO		
TEXTILE DIRECTION	Attached textile sample	PREVIOUSLY APPROVED TEXTILE
	(Minimum 5"x 5" Max 12"x 12") In correct DIRECTION and SIDE.	Fax completed form to: 856.596.5684
_	MAIL FORM AND TEXTILE SAMPLE ONLY TO: GLOBAL - COM Department 17 West Stow Road	
Marlton, NJ 08053   856.596.3390		<u>'</u>
	Please contact your local EVOLVE CustomeCare representative for status of all COM requests. When textile is approved and an authorization number issued, a set of shipping instructions will be faxed or e-mailed to you.	
	Approved textiles are to be shipped to the address that will be included with instructions. Do not ship textiles to the address on this form. Dealer is responsible for the shipping expenses. Brokerage fees will be paid for by Global. However, duties imposed by North American Governments related to textile materials,	
	content and Country of Origin, additional fees may apply and will be billed separately.  Please Note: C.O.M Textiles may not be shipped without shipping documents. GLOBAL is not responsible	
	for any material shipped without the authorization number.	
STAPLE FABRIC TO THIS FORM IN THE DIRECTION	Please be advised that Global has phased out the use of textiles that contain certain Phthalates, including but not limited to: DEHP ( di (2-ethylhexyl) phthalate), DBP (di-n-butyl phthalate), BBP (butyl benzyl phthalate) and DINP (di-isononyl phthalate) (collectively the "Listed Chemiclas").	
IN WHICH THE FABRIC IS TO BE UPHOLSTERED WITH THE LEFT SIDE OF THIS PAGE BEING THE SAME LEFT AS THE CUSHION.	The Listed Chemicals are used in certain types of vinyls. Global cannot accept orders for textiles that contain the Listed Chemicals, if such orders are to be shipped to the U.S.A. or are intended for customer in the U.S.A. If you are not sure if the C.O.M you have selected contains the Listed Chemicals, please contact the manufacturer or supplier of the fabric to verify.	
EVOLVE AUTHORIZATION FORM (TO BE COMPLETED BY CUSTOMERCARE REP.)		
AN#: TEXTILE YARDAGE (REQUIRED FOR THE ORDER): GU CODE:		GU CODE:
SIGNATURE:	PRINT NAME:	DATE:

**TOP** 

# **STAPLE** MINIMUM 6" X 6" **FABRIC SAMPLE HERE** IN THE DIRECTION IT IS TO BE **APPLIED TO THE PRODUCT**

**BOTTOM** 

#### **APPENDIX**

The Evolve Furniture Group has partnered with the software vendors listed below to provide you with an online source for viewing the 2019 Compile Electronic Catalog. Please visit their websites for additional information and download details.

#### 2020 Technologies

www.2020technologies.com 5503 Mile Road NW Grand Rapids, MI 49544 Phone: 800-638-6002

#### **Ice Edge Business Solutions**

www.ice-edge.com 4001 S 700 East, Suite 450 Salt Lake City, UT 84107 Phone: 801-747-0373

#### KISP

www.kisp.com Customer Support: 416-499-2457 Cad Services Team: 416-499-2457 x3 Customer Service e-mail: tellmemore@kisp.com CAD Services requests CadServices@kisptech.com

#### **Project Matrix**

www.projectmatrix.com 11655 Lebanon Rd. Cincinnati, OH 45241 Tech Support Instant Messenger: projectmatrixtech@yahoo.com Phone: 513.554.1665 Fax: 513.554.1255

#### Quintero-Smith Incorporated/Midnight Oil

www.midnight-oil.com 10469 Kinnard Avenue Los Angeles, CA 90024 voice: 800-350-7434 (US Only) international: 310-478-5140 fax: 310-478-4572 e-mail: jimsr@q-si.com

#### TERMS & CONDITIONS

#### APPLICATION OF STANDARD TERMS

Sales of Evolve products are made only on Evolve standard terms and conditions of sale which are contained in the Price Book and in Evolve's order acknowledgments. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Evolve's authorized personnel at its head office in Marlton, New Jersey. An offer by Purchaser of said terms and conditions shall not be binding until accepted by Evolve in writing.

All illustrations, specifications and prices in this Price List are based on the latest product information available at the time of publication. Evolve reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

#### PRICES AND PAYMENT

The prices shown in this Price List, as well as those quoted by Evolve, shall be in US dollars for orders shipped to destinations within the continental United States

Prices listed herein are for standard product. Quotations for special product are available through Evolve Customer Support Department in Marlton, New Jersey.

If shipping date requested is more than 90 days from date of order Evolve shall use published list prices effective at the time of shipment.

Not included in the list price are special or export packing, unpacking and installation. Orders are invoiced at the time of shipment. The Customer agrees to pay a charge of 2% per month of invoices outstanding more than 30 days.

#### FOR PAYMENTS ONLY, MAIL TO:

Evolve Furniture Group, a division of: Global Industries, Inc. 17 West Stow Road P.O. Box 562 Marlton, New Jersey 08053

Any products sold shall remain the property of Evolve until fully paid for in cash. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Evolve until such time as the goods have been paid for in full.

Freight charges will be prepaid by Evolve to destinations within the contiguous United States on shipments of \$10,000 list and greater. For shipments less than \$10,000 list, the freight charge will be 5% of the total list price.

Please note exception below:

All showroom and mock-up orders will be subject to actual freight charges.

Evolve shall, in its sole discretion, determine the most appropriate method of shipment routing and carrier. Shipments of less than a full trailer load (LTL) shall ship via common carrier. These LTL shipments are not subject to specific delivery days or times. Full trailer loads will provide for dedicated delivery time and schedule. Purchaser may request special packaging or method of shipment at Purchaser's sole expense.

#### **TAXES**

All sales, use, excise and other applicable taxes and the collection and reporting thereof (excluding only taxes on the net income of Evolve) are the Purchaser's responsibility and will be invoiced to the Purchaser. If Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish an appropriate exemption certificate to Evolve.

#### ORDER INFORMATION

Evolve requires that all orders be submitted in writing to avoid errors and/or duplication. Orders will be acknowledged with Evolve's acknowledgement forms governing the transaction. The details appearing on the acknowledgement will describe the items to be shipped to Purchaser who must ascertain that they are correct. If not correct, Purchaser should notify Evolve immediately by telephone or fax followed by written confirmation. Acknowledgment shows approximate shipping date of items ordered. Shipping dates are assigned to orders based on the item having the longest manufacturing lead time. Orders with Customer's Own Material (C.O.M.), or missing or incorrect information (finish selections, fabric selections, etc.) will be scheduled for manufacturing upon receipt of COM or correct complete information. Purchaser must indicate if multiple shipping schedules are required including noting if the shipping date requested is longer than standard posted lead time. Each shipment will be invoiced at time of shipping and will be subject to payment terms described herein.

#### C.O.M. CUSTOMER'S OWN MATERIAL

Should Purchaser request a fabric, not standard to the Evolve upholstery line, Purchaser shall submit a sample of not less than two yards for approval. Evolve will determine whether fabric is suitable to manufacturing process and applicable UL or code requirements. Should Evolve be required to test such fabric, it shall so advise Purchaser, and Purchaser shall be responsible for all costs associated therewith. This includes all duty and brokerage fees.

Fabric yardage requirement will be determined by Evolve. An additional charge may be made to cover the cost of cutting, matching or sewing unusual or directional patterns. Evolve shall have no responsibility for condition, quality, performance, physical properties or any other aspect of C.O.M. For panels, price as if grade 1 fabric is used.

Evolve reserves the right to reject any C.O.M. deemed unsuitable

Evolve reserves the right to cancel an order at any time if C.O.M. is, in the sole judgement of Evolve, inadequate for any reason.

#### CHANGES AND CANCELLATION

The order may not be changed or cancelled by Purchaser without the written consent of Evolve. This charge can be as much as 100% based upon proximity to scheduled shipment date. Special order items and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric has been cut

#### **DEPOSIT ON SPECIAL ORDERS**

Orders for nonstandard products may, at Evolve's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

#### SUSPENSION

In the event that the Purchaser defaults in the payment of any sum due Evolve, or in the event the Purchaser's financial condition becomes unsatisfactory to Evolve, Evolve shall have the right at its option, upon written notice to the Purchaser, to cancel shipment of any goods, unless within ten (10) days of Purchaser's receipt of such notice Purchaser provides assurance of payment to Evolve in such form, content and/or amounts as Evolve, in its sole discretion, deems adequate.

#### **COMBINED SHIPMENTS**

Evolve will make every effort to combine shipments and orders on written request. However, acceptance of such request shall be with Evolve's sole discretion.

#### **CODE RESTRICTIONS**

Evolve portable furniture may be subject to local fire, electrical and/or building codes applicable to portable furniture. It shall be Purchaser's sole responsibility for the proper application of Evolve items within the limitations of such local codes, which may be different from area to area.

#### SERVICE

Service problems shall be handled by the authorized Evolve dealer. Where this cannot be accomplished on a local level, service problems should be referred to: **Evolve Furniture Group Customer Support** 17 West Stow Road

Marlton, New Jersey USA 08053 856-552-4000 888-827-2500 Attention: Evolve Operations Manager

#### **STORAGE**

In the event Purchaser requests postponement of delivery beyond the acknowledged shipping date, Evolve may transfer the goods to storage on Purchaser's account and at Purchaser's risk and expense subject to a daily storage rate. Such transfer to storage shall be deemed shipment to Purchaser for all purposes, including invoicing and payment.

#### **DELAYS**

Evolve's order acknowledgement will state a shipping date which is Evolve's best estimate at the time the order is acknowledged. However, Evolve shall not incur any obligation or liability to Purchaser for failure to ship by a specified date. In addition, Evolve shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Evolve, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Evolve may, without causing any breach or incurring liability, allocate goods which are in short supply, regardless of the reasons therefore, among purchasers, in any manner which Evolve, in its sole discretion, deems advisable.

#### **BACK CHARGES**

Evolve will not accept charges for expense incurred by the Purchaser in expediting shipments or otherwise. Evolve will not accept charges for the repair of damage by others.

#### **CLAIMS**

All goods are sold F.O.B. Toronto, Canada, unless otherwise agreed to in writing by Evolve. Evolve is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Any claims made against Evolve for apparent defects, errors or shortages must be made by the Purchaser in writing, within fifteen (15) working days after any delivery. Failure by the Purchaser to make any claim against Evolve within the above-described fifteen days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

#### RETURNS

No returns of goods will be accepted without written consent and shipping instructions, including Evolve's Return Goods Authorization (R.G.A.) numbers, to Evolve. A minimum restocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Evolve in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items and fabric-covered items are in no event subject to return. All returns must be approved and authorized in writing by Evolve Customer Support, Marlton, New Jersey.

#### LIFETIME WARRANTY

Evolve warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser. This warranty is made by Evolve only to original customers acquiring the product directly from Evolve's authorized dealers. The customer's sole remedy pursuant to this warranty is limited to repair or replacement of parts or product at Evolve's option. Consent from Evolve must be obtained before any warranty work is performed. This warranty shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or "accident", shipping damage, or product use and installation other than in accordance with written instructions or warnings. It shall also not apply when product has been modified or altered, repaired or refurbished by someone other than Evolve or an authorized dealer or because of natural variations over which Evolve has no control. In the event of repair and/or replacement of any defective product, Evolve does not warrant matching color, grain, texture or dye lots. Evolve's warranty does not cover the cost of transportation or labor. Repair or replacement will be at Evolve's option. Evolve makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth in this Price List. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Evolve be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

This Lifetime Warranty is NOT applicable to customers who use Evolve products for rental purposes and is effective only for products, parts or components manufactured after January 1, 2011.

Exceptions to this warranty include:

- · Global fabrics and wood veneers, which are warranted for five years from date of delivery.
- Electrical components, which are warranted for ten years from the date of delivery.
- · Moving parts such as glides, slides, casters, useradjustable worksurface mechanisms, which are warranted for five years from date of delivery.

 Fading on fabric and wood veneers can be caused by exposure to U.V. rays/sunlight. Natural wood veneer, being a natural material, will have shade differences between veneer sheers, the difference will be more apparent between dye lots.

Evolve does not warrant color fastness on Customer's

Because of natural variations over which Evolve has no control, this warranty does not extend to color, grain or texture of wood, and Evolve does not warrant matching of color, grain or texture.

Evolve makes no warranties, including implied warranties of merchantability and fitness for a particular purpose, other than the express warranties contained herein

#### **LIMITATION OF REMEDY**

Purchaser's sole and exclusive remedy (excluding the repair or replacement of goods for breach of the express warranty above) for any matter or claim arising under or relating to these terms and conditions, the goods covered hereby and any transaction involving or relating to such goods, whether in contract, tort (including negligence) or otherwise, shall be payment of the lesser of the cost to repair or replace said product or the purchase price for the goods to which the claim relates. In no event shall Evolve be liable for any special, indirect, consequential, or incidental damages, including without limitation, damages for loss of business profits, business interruptions, or loss of information.

#### **EVOLVE'S WARRANTY DOES NOT APPLY (FOR** ANY PRODUCT CATEGORY) TO THE FOLLOWING:

- · Failures due to wear and tear
- · Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Evolve's written instructions and warnings
- · Modifications, attachments or repair methods not approved by Evolve
- · Damage caused by a carrier in transit, or delivery/ installation contractors
- · The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- · Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/ edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Evolve's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

#### showrooms and distribution centers throughout the united states

#### SHOWROOMS

Atlanta 10 10th Street Suite 150 Atlanta, GA 30309 T (404) 879-0998

#### Boston

One Harbor Street, Suite 104 Boston, MA 02210 T 617.406.5435

**Chicago** The Merchandise Mart 10th Floor, Suite 1035 Chicago, IL 60654 T 312.755.0843

#### Miami

112 NE 41st Street 6th floor Miami, FL 33137

#### New Jersey (Southern)

Marlton, NJ 08053 T 856.596.3390

#### **New York City**

386 Park Avenue South, 7th floor New York, NY 10016 T 212.545.9900

#### Philadelphia

1735 Market Street 38th Floor Philadelphia PA, 19103 215.861.0963

#### Phoenix

4675 East Cotton Center Boulevard, Suite 165 Phoenix, AZ 85040 T 602.426.0666

#### Washington, DC

Avenue Washington, DC 20036 T 202.659.0230

#### SHOWROOMS + DISTRIBUTION CENTERS

#### Atlanta Area

6715 Maple Ave. Suite 100 Buford, GA 30518 T 678.602.4130

Baltimore Area

Troy Hill Corporate Center

7030 Troy Hill Drive Elkridge, MD 21075

### Cincinnati Area

Dallas Area

8712 LeSaint Drive Fairfield, OH 45014 T 513.777.0009

2025 W. Beltline Rd., #100

Carrollton, TX 75006

T 972.236.1366

### Ft. Lauderdale Area

560 Sawgrass Corporate Parkway Sunrise, FL 33325 T 954.846.8888

Houston 7865 Northcourt Road, Building D, Suite 200 Houston, TX 77040 T 713.695.5777

#### Los Angeles Area

12320 Bloomfield Avenue, Unit A Santa Fe Springs, CA 90670 T 562.484.9686

#### Seattle Area

Oakesdale Commerce Center 820 Southwest 34th St. Building W7, Suite A Renton, WA 98057 T 425.291.9282

### Tampa Area

10351 Windhorst Road Tampa, FL 33619 T 813.621.6272

T 410.379.8021

Chicago Area 27W501 North Avenue West Chicago, IL 60185 T 630.681.2818

#### Denver Area

16401 E. 33rd Dr., Ste. 50 Aurora, CO 80011 T 303.340.1617

#### Kansas Area

11617 West 81st Street Lenexa, KS 66214 T 913.310.9963

Downsview, ON Canada M3J 2J7 Sales & Marketing: Tel (1-877) 446-2251 Customer Service: Fax (800) 361-3182 Government Customer Service: Fax (416) 739-6319









